

This document represents the efforts of the Remedy-One Pharmacy and Therapeutics (P&T) and Formulary Committees, on behalf of Wellfleet Rx, a pharmacy solution provided by Wellfleet Group, LLC (Wellfleet), in collaboration with Express Scripts (ESI), to provide physicians and pharmacists with a method to evaluate the safety, efficacy and cost-effectiveness of commercially available drug products. This is accomplished through the auspices of the P&T Committees with input from Wellfleet and its Student Health Advisory Board. These committees meet quarterly and more often as warranted to ensure clinical relevancy of the Formulary. To accommodate changes to this document, updates are made accessible as necessary. The P&T Committees use the following criteria in the evaluation of drug selection for the Student Formulary:

- Drug safety profile
- Drug efficacy
- Comparison of relevant therapeutic benefits to current formulary agents of similar use, and to minimize therapeutic duplication where possible
- Cost-effectiveness relative to comparable therapies

How to Use the Formulary

The Formulary is a list of medications available to Wellfleet Rx members under their pharmacy benefit. All drugs are listed by their generic names or most common proprietary (branded) name. Any drugs not found in this formulary listing or any formulary updates published by Wellfleet Rx are considered non-formulary drugs and require prior authorization.

All drugs are listed in each category in alphabetical order by generic or brand name. If the generic drug is FDA approved, it will appear *italicized* in the formulary listing. Covered brand drugs appear in CAPITALIZED font.

Some drugs on the formulary have certain process requirements or limitations for coverage. These are denoted by:

| Symbol | Name | Description |
|--------|---------------------|--|
| AGE | Age Edit | Drug may not be recommended for some patients based on age. |
| Och | Oral Chemo Drug | Refer to your plan document for oral chemotherapy drug benefits. |
| PA | Prior Authorization | Requires your doctor to request prior authorization to support use of this drug. |
| QL | Quantity Limit | Coverage may be limited to specific quantities per prescription and/or time period. |
| SP | Specialty | Requires your doctor to request prior authorization to support use of this drug. Drugs may need to be filled at a Specialty pharmacy as opposed to retail. |
| ST | Step Therapy | Coverage may depend on previous use of another drug. |

Benefit Coverage and Limitations

This printed Formulary does not provide information regarding the specific coverage and limitations an individual member may have. Many members have specific benefit inclusions, exclusions, copays, or a lack of coverage, which are not reflected in the Formulary. For example, drugs for the treatment of infertility may not be covered. Refer to your benefit summary for more information regarding your specific coverage.

The Formulary applies only to outpatient drugs provided to members and does not apply to medications used in inpatient settings. If a member has any specific questions regarding their coverage, they should contact Wellfleet or Wellfleet Rx at the phone numbers listed on their ID card.

Excluded Agents

As new drugs become available, they will be considered for coverage under the Student Formulary. The plan administrator has the right to decide what drugs are covered and to what extent, as well as the right to modify coverage including the exclusion of any prescription drugs. Please note that prescribing guidelines such as Prior Authorization, Step Therapy, Quantity Limit, etc., may still apply to Formulary Therapeutic Alternatives.

Non-Formulary and Step Therapy Exception Requests

A member (or their appointed representative, prescribing physician, or authorized prescriber) may request a standard/non-urgent or expedited/urgent preservice/prior and current authorization for a drug that is subjected to utilization management tools such as step therapy. To initiate an exception request, contact 877-640-7938. Prior authorization guidelines will be made available to the member, member's authorization representative, prescribing physician and other authorized prescriber upon request.

How to Access Pain Management Alternatives to Opiate Products

Your plan covers medication and non-medication treatments as alternatives to opiate products for pain management. Non-opiate medication alternatives include non-steroidal anti-inflammatory drugs (NSAIDs), muscle relaxants, and topical anesthetics. Non-medication alternatives include chiropractic care, individual behavioral health therapy, including biofeedback and training on meditative practices to alleviate pain, and pain management injections, including trigger point and fascia injections. Please discuss the covered medication alternatives covered under the formulary with your health care provider. You can access these medications from a participating pharmacy. To find a participating pharmacy near you, please call the Member Pharmacy Help Desk at the toll-free number on your ID card, or visit <https://wellfleetrx.com/students/pharmacy-network/> for more information. To find a participating provider in your plan's provider network, please call the toll-free number on your ID card, or visit <https://wellfleetstudent.com/providers/>.

Depending upon a member's specific benefit, the following topics may apply:

1. Generic Substitution

When available, FDA approved generic drug used in most situations, regardless of the brand name indicated. Members usually have lower copays and or co-insurance when they use generic drugs. This policy is not meant to preclude or supplant any state statutes that may exist. All drugs that are or become available generically are subject to review by the P&T Committee. Wellfleet Rx approves such multi- source drugs for addition to the MAC list based on the following criteria:

- A multi- source drug product manufactured by at least one (1) nationally marketed company.
- At least one (1) of the generic manufacturer's products must have an "A" rating or the generic product has been determined to be unassociated with efficacy, safety or bioequivalency concerns by the P&T Committee.
- Drug product will be approved for generic substitution by the P&T Committee.

If a member requests a brand name drug instead of an approved generic, the member, based on their coverage, is typically required to pay the difference in cost between the brand and the generic. Doctors can request prior authorization if they determine that there is a medical need for the brand name drug.

2. Three Tier Benefit

The Formulary may be applied to a three-tier benefit design, where the member shares the cost of prescription drug therapy at three levels of copayment. In most instances, generically available drugs will be covered under the first or lowest copay tier, branded drugs listed on the Formulary will be covered under the second copay tier, and branded drugs not on the Formulary will be covered under the third or highest copay tier.

3. Medication Synchronization (MedSync)

For select medications (brand or generic, opioids included), a pro-rated copay will be applied if dispensed for less than a predefined day supply. This applies to patients receiving partial fills for the purposes of medication synchronization or who are starting new medication with a shortened fill to align with other already synchronized medications. The pro-rated amount will be calculated based on the maximum allowable day supply for the individual plan benefit and applies to flat copayment.

4. Medication Request Process

Depending upon plan benefit design, a medication request process may apply as follows:

A. Formulary Drugs

Drugs that are listed in the Formulary with associated Prior Authorization (PA) require evaluation, per P&T Committee Prior Authorization guidelines prior to dispensing at a network pharmacy. Each request will be reviewed on an individual patient need basis. If the request does not meet the guidelines established by the P&T Committee, the request will not be approved, and alternative therapy may be recommended.

B. Non-Formulary Drugs

Any drug not found in the Formulary listing, or any Formulary updates published by Wellfleet Rx, shall be considered a Non-Formulary drug. Coverage for non-formulary agents may be applied for in advance. When a member gives a prescription order for a non-formulary drug to a pharmacist, the pharmacist will evaluate the patient's drug history and contact the physician to determine if there is a reasonable medical need for a non-formulary drug. Each request will be reviewed on an individual patient need basis. Approval will be given if a documented medical need exists. The following basic guidelines are used:

- The use of formulary drugs is contraindicated in the patient.
- The patient has failed an appropriate trial of formulary or related agents.
- The choices available in the formulary are not suited for the present patient care need, and the drug selected is required for patient safety.
- The use of a formulary drug may provoke an underlying condition, which would be detrimental to patient care.

If the request does not meet the guidelines established by the P&T Committees, the request will not be approved, and alternative therapy may be recommended.

C. Obtaining Coverage

Coverage, questions or information regarding the medication request or formulary process may be obtained by:

- Faxing 877-251-5896 with a completed Prior Authorization Request Form.
- Contacting Wellfleet Rx at 877-640-7938 and providing all necessary information requested.

Wellfleet Rx will provide an authorization number, specific for the medical need, for all approved requests. Non-approved requests may be appealed. The prescriber must provide information to support the appeal on the basis of medical necessity. Prior Authorization is generally not available for drugs that are specifically excluded by benefit design.

6. General Exclusions

- A. Over the Counter (OTC) medications or their equivalents, unless otherwise specified in the Formulary listing.
- B. Nicotine Smoking Cessation products (i.e., transdermal nicotine, nicotine gum, nicotine inhaler), except as required by ACA.
- C. Drugs specifically listed as not covered.
- D. Any drug products used for cosmetic purposes.
- E. Experimental drug products or any drug product used in an experimental manner.
- F. Replacement of lost or stolen medication.
- G. Non-self-administered injectable drug products unless otherwise specified in the Formulary listing.
- H. Foreign sourced drugs or drugs not approved by the United States Food & Drug Administration.

Any drugs not listed in this print formulary are considered excluded from the drug benefit and are not covered. The P&T and Formulary Committees recognize that not all medical needs can be met with this document and encourage inquiries about alternative therapies.

7. Pharmacist and Physician Communication

The Formulary is a tool to promote cost- effective prescription drug use. The P&T and Formulary Committees have made every attempt to create a document that meets all therapeutic needs; however, the art of medicine makes this formidable a task.

Drug list created 1/1/2019. Updated 1/1/2021. Next planned update 7/1/2021.

Zero Cost Generics

In addition to the ACA Preventive Care medications listed under the \$0 Tier in the formulary, the generic drugs listed in the table below are covered at no cost to you. We encourage you to share this list with your prescriber if you are receiving a medication in one of the categories below to determine if a zero cost option may be appropriate for your treatment.

\$0 Copay Generics

| Antibiotics | |
|---|------------------------------------|
| Amoxicillin Capsules (250mg, 500mg) | Amoxicillin Tablets (875mg) |
| Azithromycin Tablets (250mg, 500mg) | Cephalexin Capsules (250mg, 500mg) |
| Sulfamethoxazole-Trimethoprim Tablets (400-80mg, 800-160mg) | |

| Antianxiety/Antidepressants | |
|---|--------------------------------------|
| Citalopram HBr Tablets 10mg | Sertraline HCl Tablets (50mg, 100mg) |
| Paroxetine HCl Tablets (10mg, 20mg, 30mg, 40mg) | |

| Acne | |
|---|---|
| Benzoyl Peroxide External Gel (5%, 10%) | Benzoyl Peroxide Wash External Liquid (5%, 10%) |
| Clindamycin Phosphate External Gel (1%) | Clindamycin Phosphate External Solution (1%) |
| Clindamycin Phosphate External Swab (1%) | Erythromycin External Solution (2%) |
| Sulfacetamide Sodium-Sulfur External Emulsion (10-5%) | Sulfacetamide Sodium External Lotion (10%) |

| Schizophrenia | |
|---|--|
| Olanzapine Tablets (2.5mg, 5mg, 7.5mg, 10mg, 15mg) | |
| Quetiapine Fumarate Tablets (25mg, 50mg, 100mg, 200mg) | |
| Risperidone Tablets (0.25mg, 0.5mg, 1mg, 2mg, 3mg, 4mg) | |

| Narcotic Antagonists (Limited to one \$0 fill per year) | |
|---|-----------------------------|
| Naloxone Injection Auto-Injector | Naloxone Injection Solution |
| Naloxone Injection Syringe | Narcan Nasal Spray (brand) |

Table of Contents

| | |
|--|-----|
| ANTI - INFECTIVES | 3 |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | 21 |
| AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH..... | 38 |
| CARDIOVASCULAR, HYPERTENSION & LIPIDS..... | 66 |
| DERMATOLOGICALS/TOPICAL THERAPY | 84 |
| DIAGNOSTICS & MISCELLANEOUS AGENTS | 96 |
| EAR, NOSE & THROAT MEDICATIONS..... | 100 |
| ENDOCRINE/DIABETES | 101 |
| GASTROENTEROLOGY | 119 |
| IMMUNOLOGY, VACCINES & BIOTECHNOLOGY | 128 |
| MUSCULOSKELETAL & RHEUMATOLOGY..... | 138 |
| OBSTETRICS & GYNECOLOGY..... | 141 |
| OPHTHALMOLOGY | 153 |
| RESPIRATORY, ALLERGY, COUGH & COLD | 161 |
| UROLOGICALS..... | 170 |
| VITAMINS, HEMATINICS & ELECTROLYTES | 172 |
| Index | 176 |

List of Abbreviations

0: ACA Preventative

1: Tier 1

2: Tier 2

3: Tier 3

\$0 Copay: Drugs currently priced at \$0 Copay

Och: Oral Chemo Drugs

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

SP: Specialty Drugs

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 2 | |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG | 2 | |
| <i>amphotericin b injection recon soln 50 mg</i> | 1 | |
| CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG | 2 | |
| <i>caspofungin intravenous recon soln 50 mg, 70 mg</i> | 1 | |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 1 | |
| CRESEMBA INTRAVENOUS RECON SOLN 372 MG | 2 | |
| CRESEMBA ORAL CAPSULE 186 MG | 2 | |
| ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG | 2 | |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 1 | |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> | 1 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 1 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 1 | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 2 | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | 2 | |
| <i>itraconazole oral capsule 100 mg</i> | 1 | QL |
| <i>itraconazole oral solution 10 mg/ml</i> | 1 | QL |
| <i>ketoconazole oral tablet 200 mg</i> | 1 | |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i> | 1 | |
| MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG | 3 | |
| NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) | 2 | |
| NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG | 3 | |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 1 | |
| <i>nystatin oral tablet 500,000 unit</i> | 1 | |
| <i>posaconazole oral tablet,delayed release (dr/ec) 100 mg</i> | 1 | |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | |
| VFEND ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML (40 MG/ML) | 3 | |
| VFEND ORAL TABLET 200 MG, 50 MG | 3 | |
| <i>voriconazole intravenous recon soln 200 mg</i> | 1 | |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> | 1 | |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | 2 | |
| ANTIVIRALS | | |
| <i>abacavir oral solution 20 mg/ml</i> | 1 | QL |
| <i>abacavir oral tablet 300 mg</i> | 1 | QL |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | 1 | QL |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> | 1 | QL |
| <i>acyclovir oral capsule 200 mg</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 1 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 1 | |
| <i>adefovir oral tablet 10 mg</i> | 1 | SP; QL |
| <i>amantadine hcl oral capsule 100 mg</i> | 1 | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 1 | |
| <i>amantadine hcl oral tablet 100 mg</i> | 1 | |
| APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML | 2 | QL |
| APTIVUS ORAL CAPSULE 250 MG | 2 | QL |
| <i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> | 1 | QL |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | 2 | SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| BIKTARVY ORAL TABLET 50-200-25 MG | 2 | QL |
| <i>cidofovir intravenous solution 75 mg/ml</i> | 1 | |
| CIMDUO ORAL TABLET 300-300 MG | 3 | QL |
| COMBIVIR ORAL TABLET 150-300 MG | 3 | QL |
| CRIXIVAN ORAL CAPSULE 200 MG | 2 | |
| DESCOVY ORAL TABLET 200-25 MG | 2 | QL |
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i> | 1 | QL |
| DOVATO ORAL TABLET 50-300 MG | 2 | QL |
| EDURANT ORAL TABLET 25 MG | 2 | QL |
| <i>efavirenz oral capsule 200 mg, 50 mg</i> | 1 | |
| <i>efavirenz oral tablet 600 mg</i> | 1 | |
| <i>efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg, 600-300-300 mg</i> | 1 | QL |
| <i>emtricitabine oral capsule 200 mg</i> | 1 | QL |
| EMTRIVA ORAL CAPSULE 200 MG | 2 | QL |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 2 | QL |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> | 1 | SP; QL |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML) | 2 | QL |
| EPIVIR HBV ORAL TABLET 100 MG | 3 | QL |
| EPIVIR ORAL SOLUTION 10 MG/ML | 3 | QL |
| EPIVIR ORAL TABLET 150 MG, 300 MG | 3 | QL |
| EPZICOM ORAL TABLET 600-300 MG | 3 | QL |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 1 | |
| <i>fosamprenavir oral tablet 700 mg</i> | 1 | QL |
| FOSCAVIR INTRAVENOUS SOLUTION 24 MG/ML | 3 | |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 2 | ST; QL |
| GANCICLOVIR INTRAVENOUS SOLUTION 500 MG/250 ML (2 MG/ML) | 3 | |
| <i>ganciclovir sodium intravenous recon soln 500 mg</i> | 1 | |
| <i>ganciclovir sodium intravenous solution 50 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| GENVOYA ORAL TABLET 150-150-200-10 MG | 2 | QL |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 2 | PA; SP |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 2 | PA; SP; QL |
| HARVONI ORAL TABLET 45-200 MG | 2 | PA; SP; QL |
| INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG | 2 | QL |
| INVIRASE ORAL TABLET 500 MG | 2 | QL |
| ISENTRESS HD ORAL TABLET 600 MG | 2 | QL |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 2 | QL |
| ISENTRESS ORAL TABLET 400 MG | 2 | QL |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG | 2 | QL |
| JULUCA ORAL TABLET 50-25 MG | 3 | |
| KALETRA ORAL TABLET 100-25 MG, 200-50 MG | 2 | QL |
| <i>lamivudine oral solution 10 mg/ml</i> | 1 | QL |
| <i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i> | 1 | QL |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 1 | QL |
| LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG | 2 | PA; SP; QL |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 3 | QL |
| LEXIVA ORAL TABLET 700 MG | 3 | QL |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> | 1 | QL |
| MAVYRET ORAL TABLET 100-40 MG | 2 | PA; SP; QL |
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 1 | QL |
| <i>nevirapine oral tablet 200 mg</i> | 1 | QL |
| <i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i> | 1 | QL |
| NORVIR ORAL POWDER IN PACKET 100 MG | 3 | QL |
| NORVIR ORAL SOLUTION 80 MG/ML | 3 | QL |
| NORVIR ORAL TABLET 100 MG | 3 | QL |
| ODEFSEY ORAL TABLET 200-25-25 MG | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>oseltamivir oral capsule 30 mg, 45 mg, 75 mg</i> | 1 | QL |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> | 1 | QL |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML | 3 | QL |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 3 | QL |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 2 | QL |
| PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG | 2 | QL |
| RAPIVAB (PF) INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML) | 2 | |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 2 | QL |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 2 | |
| RETROVIR ORAL CAPSULE 100 MG | 3 | QL |
| RETROVIR ORAL SYRUP 10 MG/ML | 3 | QL |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 3 | QL |
| <i>ribavirin inhalation recon soln 6 gram</i> | 1 | |
| <i>rimantadine oral tablet 100 mg</i> | 1 | |
| <i>ritonavir oral tablet 100 mg</i> | 1 | QL |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 2 | PA; QL |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 2 | QL |
| SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG | 2 | QL |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG | 2 | PA; SP; QL |
| SOVALDI ORAL PELLETS IN PACKET 150 MG, 200 MG | 3 | SP; QL |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 1 | QL |
| SUSTIVA ORAL CAPSULE 200 MG, 50 MG | 3 | |
| SUSTIVA ORAL TABLET 600 MG | 3 | |
| SYMFI LO ORAL TABLET 400-300-300 MG | 2 | QL |
| SYMFI ORAL TABLET 600-300-300 MG | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML | 2 | PA; SP; QL |
| TAMIFLU ORAL CAPSULE 30 MG, 45 MG, 75 MG | 3 | QL |
| TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML | 3 | QL |
| TEMIXYS ORAL TABLET 300-300 MG | 3 | QL |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | 1 | QL |
| TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG | 2 | QL |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 2 | QL |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 2 | QL |
| TRIZIVIR ORAL TABLET 300-150-300 MG | 3 | QL |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 3 | |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG | 2 | QL |
| TYBOST ORAL TABLET 150 MG | 3 | PA; QL |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> | 1 | |
| <i>valganciclovir oral recon soln 50 mg/ml</i> | 1 | |
| <i>valganciclovir oral tablet 450 mg</i> | 1 | |
| VEMLIDY ORAL TABLET 25 MG | 2 | SP; QL |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 2 | |
| VIRAMUNE ORAL SUSPENSION 50 MG/5 ML | 3 | QL |
| VIRAMUNE ORAL TABLET 200 MG | 3 | QL |
| VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG | 3 | QL |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 3 | QL |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 3 | QL |
| VOSEVI ORAL TABLET 400-100-100 MG | 3 | PA; SP |
| XOFLUZA ORAL TABLET 20 MG, 40 MG | 3 | QL |
| ZIAGEN ORAL SOLUTION 20 MG/ML | 3 | QL |
| ZIAGEN ORAL TABLET 300 MG | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| zidovudine oral capsule 100 mg | 1 | QL |
| zidovudine oral syrup 10 mg/ml | 1 | QL |
| zidovudine oral tablet 300 mg | 1 | QL |
| CEPHALOSPORINS | | |
| AVYCAZ INTRAVENOUS RECON SOLN 2.5 GRAM | 2 | |
| cefaclor oral capsule 250 mg, 500 mg | 1 | |
| cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml | 1 | |
| cefaclor oral tablet extended release 12 hr 500 mg | 1 | |
| cefadroxil oral capsule 500 mg | 1 | |
| cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml | 1 | |
| cefadroxil oral tablet 1 gram | 1 | |
| CEFAZOLIN IN 0.9% SOD CHLORIDE INTRAVENOUS SOLUTION 2 GRAM/100 ML | 1 | |
| cefazin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml | 1 | |
| CEFAZOLIN IN DEXTROSE (ISO-OS) INTRAVENOUS PIGGYBACK 2 GRAM/100 ML | 1 | |
| CEFAZOLIN IN STERILE WATER INTRAVENOUS SYRINGE 1 GRAM/10 ML, 2 GRAM/20 ML | 1 | |
| cefazin injection recon soln 1 gram, 10 gram, 100 gram, 20 gram, 300 g, 500 mg | 1 | |
| cefazin intravenous recon soln 1 gram | 1 | |
| cefdinir oral capsule 300 mg | 1 | |
| cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml | 1 | |
| cefditoren pivoxil oral tablet 200 mg, 400 mg | 1 | |
| CEFEPIME IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML | 3 | |
| cefeprazone in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/100 ml | 2 | |
| cefeprazone injection recon soln 1 gram, 2 gram | 1 | |
| cefixime oral capsule 400 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | 1 | |
| CEFOTAN INJECTION RECON SOLN 1 GRAM, 2 GRAM | 3 | |
| <i>cefotaxime injection recon soln 1 gram</i> | 1 | |
| CEFOTETAN IN DEXTROSE, ISO-OSM INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML | 1 | |
| <i>cefotetan injection recon soln 1 gram, 2 gram</i> | 1 | |
| <i>cefotetan intravenous recon soln 10 gram</i> | 1 | |
| <i>cefoxitin in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 1 | |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | 1 | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | 1 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 1 | |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 1 | |
| CEFTAZIDIME IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML | 2 | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> | 1 | |
| <i>ceftriaxone in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 2 | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 1 | |
| CEFTRIAXONE INJECTION RECON SOLN 100 GRAM | 1 | |
| <i>ceftriaxone intravenous recon soln 1 gram, 2 gram</i> | 1 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 1 | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | \$0 Copay |
| <i>cephalexin oral capsule 750 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml | 1 | |
| cephalexin oral tablet 250 mg, 500 mg | 1 | |
| CLAFORAN INJECTION RECON SOLN 1 GRAM | 3 | |
| FETROJA INTRAVENOUS RECON SOLN 1 GRAM | 3 | |
| FORTAZ INJECTION RECON SOLN 1 GRAM, 2 GRAM, 500 MG | 3 | |
| tazicef injection recon soln 1 gram, 2 gram | 1 | |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 2 | |
| ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM | 2 | |
| ERYTHROMYCINS & OTHER MACROLIDES | | |
| azithromycin intravenous recon soln 500 mg | 1 | |
| azithromycin oral packet 1 gram | 1 | |
| azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml | 1 | |
| azithromycin oral tablet 250 mg, 500 mg | 1 | \$0 Copay |
| azithromycin oral tablet 600 mg | 1 | |
| clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml | 1 | |
| clarithromycin oral tablet 250 mg, 500 mg | 1 | |
| clarithromycin oral tablet extended release 24 hr 500 mg | 1 | |
| DIFICID ORAL TABLET 200 MG | 3 | ST; QL |
| e.e.s. 400 oral tablet 400 mg | 1 | |
| ery-tab oral tablet,delayed release (dr/ec) 250 mg | 1 | |
| erythrocin (as stearate) oral tablet 250 mg | 1 | |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG | 2 | |
| erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml, 400 mg/5 ml | 1 | |
| erythromycin ethylsuccinate oral tablet 400 mg | 1 | |
| erythromycin oral capsule,delayed release(dr/ec) 250 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>erythromycin oral tablet, delayed release (dr/ec) 250 mg</i> | 1 | |
| MISCELLANEOUS ANTIINFECTIVES | | |
| AEMCOLO ORAL TABLET,DELAYED RELEASE (DR/EC) 194 MG | 3 | PA |
| <i>albendazole oral tablet 200 mg</i> | 1 | |
| ALBENZA ORAL TABLET 200 MG | 2 | |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML | 2 | |
| ALINIA ORAL TABLET 500 MG | 2 | |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 1 | |
| ARAKODA ORAL TABLET 100 MG | 3 | |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML | 2 | PA; SP; QL |
| <i>atovaquone oral suspension 750 mg/5 ml</i> | 1 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i> | 1 | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> | 1 | |
| <i>bacitracin intramuscular recon soln 50,000 unit</i> | 1 | |
| BENZNIDAZOLE ORAL TABLET 100 MG, 12.5 MG | 1 | |
| BILTRICIDE ORAL TABLET 600 MG | 3 | |
| CAPASTAT INJECTION RECON SOLN 1 GRAM | 2 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 2 | PA; SP; QL |
| <i>chloramphenicol sod succinate intravenous recon soln 1 gram</i> | 1 | |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 1 | |
| CLEOCIN INJECTION SOLUTION 150 MG/ML | 3 | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> | 1 | |
| CLINDAMYCIN IN 0.9 % SOD CHLOR INTRAVENOUS PIGGYBACK 300 MG/50 ML, 600 MG/50 ML, 900 MG/50 ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> | 1 | |
| <i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> | 1 | |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> | 1 | |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> | 1 | |
| COARTEM ORAL TABLET 20-120 MG | 2 | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> | 1 | |
| CYCLOSERINE ORAL CAPSULE 250 MG | 1 | |
| DALVANCE INTRAVENOUS SOLUTION 500 MG | 2 | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 1 | Och |
| DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG | 1 | |
| DARAPRIM ORAL TABLET 25 MG | 3 | PA; SP |
| EMVERM ORAL TABLET,CHEWABLE 100 MG | 2 | PA; QL |
| <i>ertapenem injection recon soln 1 gram</i> | 1 | |
| <i>ethambutol oral tablet 100 mg, 400 mg</i> | 1 | |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i> | 1 | |
| GENTAMICIN IN NACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML, 120 MG/100 ML | 1 | |
| <i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i> | 1 | |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 1 | |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml</i> | 1 | |
| GENTAMICIN SULFATE (PF) INTRAVENOUS SOLUTION 60 MG/6 ML | 1 | |
| GENTAMICIN-SODIUM CITRATE INTRA-CATHETER SOLUTION 320 MCG/ML-4 % | 1 | |
| <i>hydroxychloroquine oral tablet 200 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i> | 1 | |
| IMPAVIDO ORAL CAPSULE 50 MG | 2 | QL |
| INVANZ INJECTION RECON SOLN 1 GRAM | 2 | |
| <i>isoniazid injection solution 100 mg/ml</i> | 1 | |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 1 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>ivermectin oral tablet 3 mg</i> | 1 | |
| KITABIS PAK INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML | 2 | PA; SP |
| KRINTAFEL ORAL TABLET 150 MG | 2 | QL |
| LAMPIT ORAL TABLET 120 MG, 30 MG | 3 | |
| <i>lincomycin injection solution 300 mg/ml</i> | 1 | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> | 1 | |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> | 1 | |
| <i>linezolid oral tablet 600 mg</i> | 1 | |
| <i>linezolid-0.9% sodium chloride intravenous parenteral solution 600 mg/300 ml</i> | 1 | |
| <i>mefloquine oral tablet 250 mg</i> | 1 | |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i> | 1 | |
| MEROPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 500 MG/50 ML | 1 | |
| <i>metro i.v. intravenous piggyback 500 mg/100 ml</i> | 2 | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> | 1 | |
| <i>metronidazole oral capsule 375 mg</i> | 1 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| NEBUPENT INHALATION RECON SOLN 300 MG | 3 | |
| <i>neomycin oral tablet 500 mg</i> | 1 | |
| ORBACTIV INTRAVENOUS RECON SOLN 400 MG | 2 | |
| <i>paromomycin oral capsule 250 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM | 3 | |
| PENTAM INJECTION RECON SOLN 300 MG | 3 | |
| <i>pentamidine inhalation recon soln 300 mg</i> | 1 | |
| <i>pentamidine injection recon soln 300 mg</i> | 1 | |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | 1 | |
| <i>praziquantel oral tablet 600 mg</i> | 1 | |
| PRETOMANID ORAL TABLET 200 MG | 3 | QL |
| PRIFTIN ORAL TABLET 150 MG | 2 | |
| <i>primaquine oral tablet 26.3 mg</i> | 2 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 1 | |
| <i>pyrimethamine oral tablet 25 mg</i> | 1 | PA; SP |
| <i>quinine sulfate oral capsule 324 mg</i> | 1 | |
| RECARBRIQ INTRAVENOUS RECON SOLN 1.25 GRAM | 3 | |
| <i>rifabutin oral capsule 150 mg</i> | 1 | |
| <i>rifampin intravenous recon soln 600 mg</i> | 1 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 1 | |
| RIFATER ORAL TABLET 50-120-300 MG | 3 | |
| SIRTURO ORAL TABLET 100 MG | 2 | PA; SP; QL |
| SIRTURO ORAL TABLET 20 MG | 2 | SP; QL |
| SIVEXTRO INTRAVENOUS RECON SOLN 200 MG | 3 | |
| SIVEXTRO ORAL TABLET 200 MG | 3 | |
| SOLOSEC ORAL GRANULES DEL RELEASE IN PACKET 2 GRAM | 3 | ST; QL |
| STREPTOMYCIN INTRAMUSCULAR RECON SOLN 1 GRAM | 1 | |
| SYNERCID INTRAVENOUS RECON SOLN 500 MG | 2 | |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG | 2 | PA; SP |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> | 1 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml | 1 | |
| tobramycin inhalation solution for nebulization 300 mg/4 ml | 1 | PA; SP |
| tobramycin sulfate injection recon soln 1.2 gram | 1 | |
| tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml | 1 | |
| TOBRAMYCIN WITH NEBULIZER INHALATION SOLUTION FOR NEBULIZATION 300 MG/5 ML | 2 | PA; SP |
| TRECATOR ORAL TABLET 250 MG | 3 | |
| VABOMERE INTRAVENOUS RECON SOLN 2 GRAM | 3 | |
| XENLETA INTRAVENOUS SOLUTION 150 MG/15 ML | 3 | PA |
| XENLETA ORAL TABLET 600 MG | 3 | PA; QL |
| ZEMDRI INTRAVENOUS SOLUTION 50 MG/ML | 3 | |
| PENICILLINS | | |
| amoxicillin oral capsule 250 mg, 500 mg | 1 | \$0 Copay |
| amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml | 1 | |
| amoxicillin oral tablet 500 mg | 1 | |
| amoxicillin oral tablet 875 mg | 1 | \$0 Copay |
| amoxicillin oral tablet, chewable 125 mg, 250 mg | 1 | |
| amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml | 1 | |
| amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg | 1 | |
| amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg | 1 | |
| amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg | 1 | |
| ampicillin oral capsule 500 mg | 1 | |
| ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ampicillin sodium intravenous recon soln 1 gram, 2 gram | 1 | |
| ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram | 1 | |
| ampicillin-sulbactam intravenous recon soln 1.5 gram, 3 gram | 1 | |
| BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) | 2 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 2 | |
| dicloxacillin oral capsule 250 mg, 500 mg | 1 | |
| nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/100 ml | 1 | |
| nafcillin injection recon soln 1 gram, 10 gram, 2 gram | 1 | |
| nafcillin intravenous recon soln 1 gram, 2 gram | 1 | |
| oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml | 1 | |
| oxacillin injection recon soln 1 gram, 10 gram, 2 gram | 1 | |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML, 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML | 1 | |
| penicillin g potassium injection recon soln 20 million unit, 5 million unit | 1 | |
| penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml | 1 | |
| penicillin g sodium injection recon soln 5 million unit | 1 | |
| penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml | 1 | |
| penicillin v potassium oral tablet 250 mg, 500 mg | 1 | |
| pfizerpen-g injection recon soln 20 million unit, 5 million unit | 1 | |
| piperacillin-tazobactam intravenous recon soln 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML | 2 | |
| QUINOLONES | | |
| AVELOX IN NAACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK 400 MG/250 ML | 2 | |
| BAXDELA INTRAVENOUS RECON SOLN 300 MG | 3 | PA |
| BAXDELA ORAL TABLET 450 MG | 3 | PA |
| ciprofloxacin hcl oral tablet 100 mg, 250 mg, 500 mg, 750 mg | 1 | |
| ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml | 1 | |
| ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml | 1 | |
| levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml | 1 | |
| levofloxacin intravenous solution 25 mg/ml | 1 | |
| levofloxacin oral solution 250 mg/10 ml | 1 | |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg | 1 | |
| moxifloxacin oral tablet 400 mg | 1 | |
| MOXIFLOXACIN-SOD.ACE,SUL-WATER INTRAVENOUS PIGGYBACK 400 MG/250 ML | 1 | |
| moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml | 1 | |
| ofloxacin oral tablet 300 mg, 400 mg | 1 | |
| SULFA'S & RELATED AGENTS | | |
| sulfadiazine oral tablet 500 mg | 1 | |
| sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml | 1 | |
| sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml | 1 | |
| sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg | 1 | \$0 Copay |
| sulfatrim oral suspension 200-40 mg/5 ml | 1 | |
| TETRACYCLINES | | |
| avidoxy oral tablet 100 mg | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>demeclocycline oral tablet 150 mg, 300 mg</i> | 1 | |
| DORYX ORAL TABLET,DELAYED RELEASE (DR/EC) 80 MG | 3 | |
| <i>doxy-100 intravenous recon soln 100 mg</i> | 1 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> | 1 | QL |
| <i>doxycycline hyclate oral tablet 100 mg</i> | 1 | QL |
| <i>doxycycline hyclate oral tablet 150 mg, 75 mg</i> | 1 | ST; QL |
| <i>doxycycline hyclate oral tablet 20 mg, 50 mg</i> | 1 | |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i> | 2 | ST; QL |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> | 2 | ST |
| DOXYCYCLINE HYCLATE ORAL TABLET,DELAYED RELEASE (DR/EC) 80 MG | 3 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 150 mg, 50 mg</i> | 1 | QL |
| <i>doxycycline monohydrate oral capsule 75 mg</i> | 1 | ST; QL |
| DOXYCYCLINE MONOHYDRATE ORAL CAPSULE,IR - DELAY REL,BIPHASE 40 MG | 1 | ST; QL |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 1 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 1 | QL |
| MINOCIN INTRAVENOUS RECON SOLN 100 MG | 2 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i> | 2 | |
| <i>monodoxine nl oral capsule 100 mg</i> | 1 | QL |
| <i>monodoxine nl oral capsule 75 mg</i> | 1 | ST; QL |
| NUZYRA INTRAVENOUS RECON SOLN 100 MG | 3 | |
| NUZYRA ORAL TABLET 150 MG | 3 | PA; QL |
| ORACEA ORAL CAPSULE,IR - DELAY REL,BIPHASE 40 MG | 2 | ST; QL |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 1 | |
| VIBRAMYCIN ORAL SUSPENSION FOR RECONSTITUTION 25 MG/5 ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| XERAVA INTRAVENOUS RECON SOLN 50 MG | 3 | |
| URINARY TRACT AGENTS | | |
| <i>methenamine hippurate oral tablet 1 gram</i> | 1 | |
| <i>methenamine mandelate oral tablet 0.5 g, 1 gram</i> | 1 | |
| MONUROL ORAL PACKET 3 GRAM | 2 | QL |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | 1 | |
| <i>nitrofurantoin oral suspension 25 mg/5 ml</i> | 1 | |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | |
| VANCOMYCIN | | |
| FIRVANQ ORAL RECON SOLN 25 MG/ML | 3 | |
| FIRVANQ ORAL RECON SOLN 50 MG/ML | 3 | QL |
| VANCOCIN ORAL CAPSULE 125 MG, 250 MG | 3 | QL |
| VANCOMYCIN HCL IN WATER INTRAVENOUS SOLUTION 100 MG/ML | 1 | |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML, 500 MG/100 ML, 750 MG/150 ML | 1 | |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS SOLUTION 1 GRAM/250 ML, 1.25 GRAM/250 ML, 1.5 GRAM/250 ML, 1.5 GRAM/500 ML, 1.75 GRAM/250 ML, 1.75 GRAM/500 ML, 2 GRAM/500 ML, 750 MG/150 ML | 1 | |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/200 ML, 500 MG/100 ML, 750 MG/150 ML | 1 | |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS SOLUTION 1 GRAM/250 ML | 2 | |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS SOLUTION 1.25 GRAM/250 ML, 1.5 GRAM/250 ML | 1 | |
| VANCOMYCIN INJECTION RECON SOLN 100 GRAM | 1 | |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| VANCOMYCIN INTRAVENOUS RECON SOLN 1.25 GRAM, 250 MG | 1 | |
| VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM | 3 | |
| <i>vancomycin oral capsule 125 mg, 250 mg</i> | 1 | QL |
| <i>vancomycin oral recon soln 50 mg/ml</i> | 1 | QL |
| VANCOMYCIN-WATER INJECT (PEG) INTRAVENOUS PIGGYBACK 1.25 GRAM/250 ML, 1.75 GRAM/350 ML, 2 GRAM/400 ML, 500 MG/100 ML, 750 MG/150 ML | 1 | |
| VIBATIV INTRAVENOUS RECON SOLN 750 MG | 2 | |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| <i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> | 1 | |
| ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG | 2 | |
| ETHYOL INTRAVENOUS RECON SOLN 500 MG | 3 | |
| KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG | 2 | SP |
| KHAPZORY INTRAVENOUS RECON SOLN 175 MG, 300 MG | 3 | SP |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i> | 1 | |
| <i>leucovorin calcium injection solution 10 mg/ml</i> | 1 | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 1 | |
| <i>levoleucovorin calcium intravenous recon soln 50 mg</i> | 1 | SP |
| <i>levoleucovorin calcium intravenous solution 10 mg/ml</i> | 1 | SP |
| <i>mesna intravenous solution 100 mg/ml</i> | 1 | |
| MESNEX ORAL TABLET 400 MG | 2 | |
| TOTECT INTRAVENOUS RECON SOLN 500 MG | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| VISTOGARD ORAL GRANULES IN PACKET 10 GRAM | 2 | SP; QL |
| VORAXAZE INTRAVENOUS RECON SOLN 1,000 UNIT | 2 | SP |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 2 | PA; SP; QL |
| ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS | | |
| <i>abiraterone oral tablet 250 mg</i> | 1 | SP; Och; QL |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 2 | PA; SP |
| ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML | 3 | PA; SP |
| ADCETRIS INTRAVENOUS RECON SOLN 50 MG | 2 | PA; SP; QL |
| <i>adriamycin intravenous recon soln 10 mg</i> | 1 | |
| ADRIAMYCIN INTRAVENOUS RECON SOLN 50 MG | 1 | |
| <i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | 1 | |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> | 1 | |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG | 2 | PA; SP |
| AFINITOR ORAL TABLET 10 MG | 2 | PA; SP; QL |
| AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG | 3 | PA; SP; QL |
| ALECensa ORAL CAPSULE 150 MG | 2 | PA; SP; Och; QL |
| ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG | 2 | PA; SP |
| ALIQOPA INTRAVENOUS RECON SOLN 60 MG | 3 | PA; SP; QL |
| ALKERAN (AS HCL) INTRAVENOUS RECON SOLN 50 MG | 3 | SP |
| ALKERAN ORAL TABLET 2 MG | 3 | Och |
| ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG | 3 | PA; SP; Och; QL |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23) | 3 | PA; SP; Och; QL |
| <i>anastrozole oral tablet 1 mg</i> | 1 | Och |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML | 2 | SP |
| ARSENIC TRIOXIDE INTRAVENOUS SOLUTION 1 MG/ML | 2 | PA; SP |
| <i>arsenic trioxide intravenous solution 2 mg/ml</i> | 1 | PA; SP |
| ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML | 2 | PA; SP; QL |
| ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML | 3 | PA; SP; QL |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG | 3 | SP |
| AVASTIN INTRAVENOUS SOLUTION 25 MG/ML | 2 | PA; SP; QL |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG | 2 | PA; SP; Och; QL |
| <i>azacitidine injection recon soln 100 mg</i> | 1 | SP |
| <i>azathioprine oral tablet 50 mg</i> | 1 | |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 1 | |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG | 3 | PA; SP; Och; QL |
| BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML | 3 | PA; SP |
| BELEODAQ INTRAVENOUS RECON SOLN 500 MG | 3 | PA; SP |
| BELRAPZO INTRAVENOUS SOLUTION 25 MG/ML | 2 | SP |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML | 2 | SP |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML | 2 | SP |
| BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL) | 3 | PA; SP |
| <i>bexarotene oral capsule 75 mg</i> | 1 | PA; SP; QL |
| <i>bicalutamide oral tablet 50 mg</i> | 1 | Och |
| BICNU INTRAVENOUS RECON SOLN 100 MG | 3 | SP |
| BLENREP INTRAVENOUS RECON SOLN 100 MG | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | 1 | SP |
| BLINCYTO INTRAVENOUS KIT 35 MCG | 2 | PA; SP; QL |
| BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG | 2 | PA; SP |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | 2 | PA; SP; Och; QL |
| BRAFTOVI ORAL CAPSULE 50 MG, 75 MG | 3 | PA; SP; QL |
| BRUKINSA ORAL CAPSULE 80 MG | 2 | PA; SP; Och |
| <i>busulfan intravenous solution 60 mg/10 ml</i> | 1 | SP |
| BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML | 2 | SP |
| BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML | 3 | SP |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG | 2 | PA; SP; Och; QL |
| CALQUENCE ORAL CAPSULE 100 MG | 3 | PA; SP; Och; QL |
| CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML, 40 MG/2 ML | 3 | PA; SP |
| <i>capecitabine oral tablet 150 mg, 500 mg</i> | 1 | PA; SP; Och; QL |
| CAPRELSA ORAL TABLET 100 MG, 300 MG | 2 | PA; SP; Och; QL |
| <i>carboplatin intravenous solution 10 mg/ml</i> | 1 | SP |
| <i>carmustine intravenous recon soln 100 mg</i> | 1 | SP |
| CISPLATIN INTRAVENOUS RECON SOLN 50 MG | 2 | SP |
| <i>cisplatin intravenous solution 1 mg/ml</i> | 1 | SP |
| <i>cladribine intravenous solution 10 mg/10 ml</i> | 1 | SP; Och |
| <i>clofarabine intravenous solution 20 mg/20 ml</i> | 1 | SP |
| CLOLAR INTRAVENOUS SOLUTION 20 MG/20 ML | 2 | SP |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY) | 2 | PA; SP; Och; QL |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 3 | PA; SP; Och; QL |
| COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG | 3 | SP |
| COTELLIC ORAL TABLET 20 MG | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg | 1 | SP |
| CYCLOPHOSPHAMIDE INTRAVENOUS SOLUTION 200 MG/ML | 1 | SP |
| cyclophosphamide oral capsule 25 mg, 50 mg | 1 | SP; Och |
| cyclosporine intravenous solution 250 mg/5 ml | 1 | |
| cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg | 1 | SP |
| cyclosporine modified oral solution 100 mg/ml | 1 | SP |
| cyclosporine oral capsule 100 mg, 25 mg | 1 | SP |
| CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML | 2 | PA; SP |
| cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 20 mg/ml | 1 | |
| cytarabine (pf) injection solution 2 gram/20 ml (100 mg/ml) | 1 | SP |
| cytarabine injection solution 20 mg/ml | 1 | SP |
| dacarbazine intravenous recon soln 100 mg, 200 mg | 1 | |
| dactinomycin intravenous recon soln 0.5 mg | 1 | SP |
| DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML | 2 | PA; SP |
| DARZALEX INTRAVENOUS SOLUTION 20 MG/ML | 2 | PA; SP |
| daunorubicin intravenous recon soln 20 mg | 1 | SP |
| daunorubicin intravenous solution 5 mg/ml | 1 | SP |
| DAURISMO ORAL TABLET 100 MG, 25 MG | 3 | PA; SP; QL |
| decitabine intravenous recon soln 50 mg | 1 | SP; Och |
| DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG | 2 | |
| docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) | 1 | SP |
| doxorubicin intravenous recon soln 50 mg | 1 | |
| doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> | 1 | SP |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 2 | ST |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 2 | PA; SP; QL |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 2 | PA; SP; QL |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 2 | PA; SP; QL |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 2 | PA; SP; QL |
| ELLENCE INTRAVENOUS SOLUTION 200 MG/100 ML | 3 | SP |
| EMCYT ORAL CAPSULE 140 MG | 2 | SP |
| EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG | 3 | PA; SP |
| ENHERTU INTRAVENOUS RECON SOLN 100 MG | 3 | PA; SP |
| ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG | 3 | SP |
| <i>epirubicin intravenous recon soln 200 mg</i> | 1 | SP |
| <i>epirubicin intravenous solution 200 mg/100 ml</i> | 1 | SP |
| <i>epirubicin intravenous solution 50 mg/25 ml</i> | 1 | |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 2 | PA; SP |
| ERIVEDGE ORAL CAPSULE 150 MG | 2 | PA; SP; QL |
| ERLEADA ORAL TABLET 60 MG | 2 | PA; SP; Och; QL |
| <i>erlotinib oral tablet 100 mg, 150 mg, 25 mg</i> | 1 | PA; SP; Och; QL |
| ERWINAZE INJECTION RECON SOLN 10,000 UNIT | 3 | PA; SP |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 2 | |
| <i>etoposide intravenous solution 20 mg/ml</i> | 1 | |
| <i>etoposide oral capsule 50 mg</i> | 1 | Och |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg | 1 | PA; SP; QL |
| everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg | 1 | SP |
| exemestane oral tablet 25 mg | 1 | Och |
| FARESTON ORAL TABLET 60 MG | 3 | PA; SP; Och; QL |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG | 3 | PA; SP; QL |
| FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML | 3 | PA; SP; QL |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG | 2 | SP; QL |
| flouxuridine injection recon soln 0.5 gram | 1 | SP |
| fludarabine intravenous recon soln 50 mg | 1 | SP |
| fludarabine intravenous solution 50 mg/2 ml | 1 | SP |
| fluorouracil intravenous solution 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml | 1 | |
| flutamide oral capsule 125 mg | 1 | Och |
| FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) | 2 | SP |
| fulvestrant intramuscular syringe 250 mg/5 ml | 1 | PA; SP; QL |
| GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML | 3 | PA; SP |
| GAVRETO ORAL CAPSULE 100 MG | 3 | QL |
| GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML | 2 | PA; SP; QL |
| gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg | 1 | SP |
| gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) | 1 | SP |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | 2 | SP |
| genograf oral capsule 100 mg, 25 mg | 1 | SP |
| genograf oral solution 100 mg/ml | 1 | SP |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 2 | PA; SP; Och; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 2 | SP; Och |
| GLIADEL WAFER IMPLANT WAFER 7.7 MG | 3 | SP |
| HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML) | 2 | PA; SP; QL |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 2 | PA; SP; QL |
| HERCEPTIN INTRAVENOUS RECON SOLN 150 MG | 3 | PA; SP |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 3 | PA; SP |
| HYCAMTIN ORAL CAPSULE 0.25 MG, 1 MG | 2 | SP |
| <i>hydroxyurea oral capsule 500 mg</i> | 1 | Och |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 2 | PA; SP; Och |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 2 | PA; SP; Och |
| ICLUSIG ORAL TABLET 15 MG, 45 MG | 2 | PA; SP; Och; QL |
| <i>idarubicin intravenous solution 1 mg/ml</i> | 1 | SP |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 3 | PA; SP; QL |
| <i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> | 1 | SP |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 1 | SP |
| <i>imatinib oral tablet 100 mg, 400 mg</i> | 1 | PA; SP; Och; QL |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG | 2 | PA; SP; Och; QL |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 2 | PA; SP; Och; QL |
| IMFINZI INTRAVENOUS SOLUTION 50 MG/ML | 3 | PA; SP |
| IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML, 10EXP8 (100 MILLION) PFU/ML | 3 | PA; SP; QL |
| IMURAN ORAL TABLET 50 MG | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) | 3 | PA; SP |
| INLYTA ORAL TABLET 1 MG, 5 MG | 2 | PA; SP; Och; QL |
| INQOVI ORAL TABLET 35-100 MG | 3 | QL |
| INREBIC ORAL CAPSULE 100 MG | 3 | PA; SP; Och; QL |
| IODOPEN INTRAVENOUS SOLUTION 100 MCG/ML | 1 | |
| IRESSA ORAL TABLET 250 MG | 2 | PA; SP; Och; QL |
| <i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml</i> | 1 | PA; SP |
| ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML | 2 | PA; SP |
| IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG | 2 | PA; SP |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 2 | PA; SP; QL |
| JELMYTO INTRA-PYELOCALYCEAL KIT 40 MG | 3 | SP |
| JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION) | 2 | SP |
| KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG | 2 | PA; SP; QL |
| KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 3 | PA; SP |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 2 | PA; SP; QL |
| KOSELUGO ORAL CAPSULE 10 MG, 25 MG | 2 | PA; SP; QL |
| KYMRIAH INTRAVENOUS SUSPENSION 0.2X10EXP6 TO 2.5X10EXP8 CELL, 0.6 TO 6 X 10EXP8 CELL | 2 | PA; SP |
| KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG | 2 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 2 | PA; SP; Och; QL |
| <i>letrozole oral tablet 2.5 mg</i> | 1 | Och |
| LEUKERAN ORAL TABLET 2 MG | 2 | SP; Och |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 1 | PA; SP; QL |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | 2 | PA; SP; Och; QL |
| LORBRENA ORAL TABLET 100 MG, 25 MG | 2 | PA; SP; Och; QL |
| LUMOXITI INTRAVENOUS RECON SOLN 1 MG | 3 | PA; SP |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 2 | PA; SP; QL |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 3 | PA; SP; QL |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 3 | PA; SP; QL |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 3 | PA; SP; QL |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG | 2 | PA; SP; QL |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG | 3 | PA; SP |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG | 2 | PA; SP; QL |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG | 2 | PA; SP; QL |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 15 MG, 7.5 MG (PED) | 2 | PA; SP |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 2 | PA; SP; Och; QL |
| LYSODREN ORAL TABLET 500 MG | 2 | SP; Och |
| MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL | 2 | PA; QL |
| MATULANE ORAL CAPSULE 50 MG | 2 | SP; Och |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | 1 | |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 1 | |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG | 2 | PA; SP; QL |
| MEKTOVI ORAL TABLET 15 MG | 3 | PA; SP; QL |
| <i>melphalan hcl intravenous recon soln 50 mg</i> | 1 | SP |
| <i>melphalan oral tablet 2 mg</i> | 1 | Och |
| <i>mercaptopurine oral tablet 50 mg</i> | 1 | Och |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 1 | Och |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 1 | Och |
| <i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> | 1 | SP |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i> | 1 | PA; SP |
| MONJUVI INTRAVENOUS RECON SOLN 200 MG | 3 | PA; SP; QL |
| MUTAMYCIN INTRAVENOUS RECON SOLN 20 MG, 40 MG, 5 MG | 2 | SP |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 3 | PA; SP |
| MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG | 3 | SP |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> | 1 | SP |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | 1 | |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> | 1 | |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | 1 | |
| <i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg</i> | 1 | |
| MYFORTIC ORAL TABLET,DELAYED RELEASE (DR/EC) 180 MG, 360 MG | 3 | SP |
| MYLERAN ORAL TABLET 2 MG | 2 | SP; Och |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC) | 3 | PA; SP |
| NEORAL ORAL CAPSULE 100 MG, 25 MG | 3 | SP |
| NEORAL ORAL SOLUTION 100 MG/ML | 3 | SP |
| NERLYNX ORAL TABLET 40 MG | 3 | PA; SP; Och; QL |
| NEXAVAR ORAL TABLET 200 MG | 2 | PA; SP; Och; QL |
| <i>nilutamide oral tablet 150 mg</i> | 1 | SP; Och; QL |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 2 | PA; SP; Och; QL |
| NIPENT INTRAVENOUS RECON SOLN 10 MG | 3 | SP |
| NUBEQA ORAL TABLET 300 MG | 2 | PA; SP; Och; QL |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 2 | SP |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1 | PA; SP |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 1 | PA; SP |
| ODOMZO ORAL CAPSULE 200 MG | 3 | PA; SP; QL |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 3 | PA; SP |
| ONCASPAR INJECTION SOLUTION 750 UNIT/ML | 2 | PA; SP; QL |
| ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML | 2 | PA; SP; QL |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 3 | PA; SP |
| ONUREG ORAL TABLET 200 MG, 300 MG | 3 | SP; QL |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML | 2 | PA; SP |
| <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i> | 1 | SP |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i> | 1 | SP |
| <i>paclitaxel intravenous concentrate 6 mg/ml</i> | 1 | SP |
| PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG | 3 | PA; SP |
| <i>paraplatin intravenous solution 10 mg/ml</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 3 | PA; SP; Och; QL |
| PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML) | 2 | PA; SP; QL |
| PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG- 30000 UNIT/15ML, 600 MG-600 MG- 20000 UNIT/10ML | 3 | PA; SP; QL |
| PHOTOFRIN INTRAVENOUS RECON SOLN 75 MG | 2 | PA |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 3 | PA; SP; Och; QL |
| POLIVY INTRAVENOUS RECON SOLN 140 MG | 3 | PA; SP; QL |
| PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML) | 3 | PA; SP; QL |
| POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML | 3 | SP |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 3 | SP |
| PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG | 2 | |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 3 | SP |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 2 | ST; SP |
| QINLOCK ORAL TABLET 50 MG | 3 | PA; SP; Och; QL |
| RAPAMUNE ORAL SOLUTION 1 MG/ML | 3 | |
| RETEVMO ORAL CAPSULE 40 MG, 80 MG | 3 | PA; SP; Och; QL |
| ROMIDEPSIN INTRAVENOUS SOLUTION 5 MG/ML | 1 | PA; SP |
| ROZLYTREK ORAL CAPSULE 100 MG, 200 MG | 2 | PA; SP; Och; QL |
| RUBRACA ORAL TABLET 200 MG, 300 MG | 2 | PA; SP; Och; QL |
| RUBRACA ORAL TABLET 250 MG | 3 | SP; Och; QL |
| RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML | 3 | PA; SP; QL |
| RYDAPT ORAL CAPSULE 25 MG | 3 | PA; SP; Och; QL |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML | 3 | PA; SP |
| SARCLISA INTRAVENOUS SOLUTION 20 MG/ML | 3 | PA |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 2 | PA; SP; QL |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG | 2 | SP |
| <i>sirolimus oral solution 1 mg/ml</i> | 1 | SP |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | SP |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML | 2 | SP |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG | 2 | PA; SP; Och; QL |
| STIVARGA ORAL TABLET 40 MG | 2 | PA; SP; Och; QL |
| SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG | 2 | PA; SP; Och; QL |
| SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG | 2 | PA; SP |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 2 | PA; SP; QL |
| TABLOID ORAL TABLET 40 MG | 2 | SP; Och |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 3 | PA; SP; Och; QL |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | 1 | SP |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 2 | PA; SP; QL |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | 2 | PA; SP; Och; QL |
| TALZENNA ORAL CAPSULE 0.25 MG, 1 MG | 2 | PA; SP; Och; QL |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 1 | |
| TARCEVA ORAL TABLET 100 MG, 150 MG, 25 MG | 3 | PA; SP; Och; QL |
| TARGETIN ORAL CAPSULE 75 MG | 3 | PA; SP; QL |
| TARGETIN TOPICAL GEL 1 % | 2 | PA; SP; QL |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | 2 | PA; SP; Och; QL |
| TAZVERIK ORAL TABLET 200 MG | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| TECARTUS INTRAVENOUS SUSPENSION 2X10EXP6 TO 2X10EXP8 CELL | 3 | PA; SP |
| TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML) | 2 | PA; SP; QL |
| TECENTRIQ INTRAVENOUS SOLUTION 840 MG/14 ML (60 MG/ML) | 3 | PA; SP; QL |
| TEMODAR INTRAVENOUS RECON SOLN 100 MG | 2 | PA; SP |
| TEMODAR ORAL CAPSULE 100 MG, 140 MG, 180 MG, 20 MG, 250 MG, 5 MG | 3 | PA; SP; Och |
| <i>temozolomide oral capsule 100 mg, 140 mg, 180 mg, 20 mg, 250 mg, 5 mg</i> | 1 | PA; SP; Och |
| <i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> | 1 | PA; SP; QL |
| TENIPOSIDE INTRAVENOUS SOLUTION 50 MG/5 ML | 1 | |
| TEPADINA INJECTION RECON SOLN 100 MG, 15 MG | 3 | PA; SP |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 2 | PA; SP; Och; QL |
| <i>thiotepa injection recon soln 100 mg, 15 mg</i> | 1 | PA; SP |
| TIBSOVO ORAL TABLET 250 MG | 3 | PA; SP; QL |
| <i>toposar intravenous solution 20 mg/ml</i> | 1 | |
| <i>topotecan intravenous recon soln 4 mg</i> | 1 | SP |
| <i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i> | 1 | SP |
| <i>toremifene oral tablet 60 mg</i> | 1 | PA; SP; Och; QL |
| TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST) | 2 | PA; SP; QL |
| TRAZIMERA INTRAVENOUS RECON SOLN 420 MG | 3 | PA; SP |
| TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG | 2 | SP |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 3 | PA; SP; QL |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 1 | SP; Och |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG | 3 | Och |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 3 | PA; SP; QL |
| TRISENOX INTRAVENOUS SOLUTION 2 MG/ML | 3 | PA; SP |
| TRODELVY INTRAVENOUS RECON SOLN 180 MG | 3 | PA; SP; QL |
| TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML | 3 | PA; SP |
| TUKYSA ORAL TABLET 150 MG, 50 MG | 3 | PA; SP; Och; QL |
| TURALIO ORAL CAPSULE 200 MG | 3 | PA; SP; Och; QL |
| TYKERB ORAL TABLET 250 MG | 2 | PA; SP; Och; QL |
| UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML | 2 | PA; QL |
| UPLIZNA INTRAVENOUS SOLUTION 10 MG/ML | 3 | SP; QL |
| VANTAS IMPLANT KIT 50 MG (50 MCG/DAY) | 2 | PA; SP; QL |
| VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) | 2 | PA; SP |
| VELCADE INJECTION RECON SOLN 3.5 MG | 2 | PA; SP |
| VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG | 2 | PA; SP; QL |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 2 | PA; SP; QL |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 2 | PA; SP; Och; QL |
| <i>vinblastine intravenous solution 1 mg/ml</i> | 1 | SP |
| <i>vincasar pfs intravenous solution 1 mg/ml</i> | 1 | SP |
| <i>vincasar pfs intravenous solution 2 mg/2 ml</i> | 1 | |
| <i>vincristine intravenous solution 1 mg/ml</i> | 1 | SP |
| <i>vincristine intravenous solution 2 mg/2 ml</i> | 1 | |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> | 1 | SP |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG | 3 | PA; SP; Och; QL |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 3 | PA; SP; Och; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 2 | PA; SP; Och; QL |
| VOTRIENT ORAL TABLET 200 MG | 2 | PA; SP; Och; QL |
| VYXEOS INTRAVENOUS RECON SOLN 44-100 MG | 3 | PA; SP |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 2 | PA; SP; Och; QL |
| XERMELO ORAL TABLET 250 MG | 2 | PA; SP; QL |
| XOSPATA ORAL TABLET 40 MG | 3 | PA; SP; Och; QL |
| XTANDI ORAL CAPSULE 40 MG | 2 | PA; SP; Och; QL |
| YEROVY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 2 | PA; SP; QL |
| YESCARTA INTRAVENOUS SUSPENSION | 3 | PA; SP |
| YONDELIS INTRAVENOUS RECON SOLN 1 MG | 2 | PA; SP |
| YONSA ORAL TABLET 125 MG | 2 | PA; SP; Och |
| ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) | 2 | PA; SP |
| ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM | 2 | SP |
| ZEJULA ORAL CAPSULE 100 MG | 3 | PA; SP; Och; QL |
| ZELBORAF ORAL TABLET 240 MG | 2 | PA; SP; QL |
| ZEPZELCA INTRAVENOUS RECON SOLN 4 MG | 3 | SP; QL |
| ZEVALIN (Y-90) INTRAVENOUS KIT 3.2 MG/2 ML | 2 | SP |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 3 | PA; SP |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 2 | PA; SP; QL |
| ZOLINZA ORAL CAPSULE 100 MG | 2 | SP |
| ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG | 3 | SP |
| ZORTRESS ORAL TABLET 1 MG | 2 | SP |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 2 | PA; SP; Och; QL |
| ZYKADIA ORAL TABLET 150 MG | 2 | PA; SP; Och; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH | | |
| ANTICONVULSANTS | | |
| APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG | 3 | ST; QL |
| BANZEL ORAL SUSPENSION 40 MG/ML | 2 | ST; QL |
| BANZEL ORAL TABLET 200 MG, 400 MG | 2 | ST; QL |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 3 | ST; QL |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 3 | ST; QL |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg</i> | 1 | ST |
| <i>carbamazepine oral capsule, er multiphase 12 hr 300 mg</i> | 1 | |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> | 1 | |
| <i>carbamazepine oral tablet 200 mg</i> | 1 | |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> | 1 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 1 | |
| CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG | 3 | ST |
| CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 300 MG | 3 | |
| CELONTIN ORAL CAPSULE 300 MG | 2 | |
| CEREBYX INJECTION SOLUTION 100 MG PE/2 ML, 500 MG PE/10 ML | 3 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | 1 | ST; QL |
| <i>clobazam oral tablet 10 mg, 20 mg</i> | 1 | QL |
| <i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG | 3 | |
| DEPAKOTE ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG | 3 | |
| DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG | 3 | |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG | 3 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG | 3 | PA; SP; QL |
| DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG | 3 | QL |
| DIASTAT RECTAL KIT 2.5 MG | 3 | QL |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i> | 1 | QL |
| DILANTIN EXTENDED ORAL CAPSULE 100 MG | 3 | |
| DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG | 3 | |
| DILANTIN ORAL CAPSULE 30 MG | 2 | |
| DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML | 3 | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> | 1 | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> | 1 | |
| <i>divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> | 1 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 2 | PA; SP |
| <i>epitol oral tablet 200 mg</i> | 1 | |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG | 3 | ST |
| <i>ethosuximide oral capsule 250 mg</i> | 1 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> | 1 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 1 | ST; QL |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | 1 | ST; QL |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 3 | PA; SP; QL |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> | 1 | |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 2 | ST; QL |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 2 | ST; QL |
| GABAPAL KIT, CREAM AND CAPSULE 100 MG-3.88 %- 4" X 4" | 3 | |
| <i> gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)</i> | 1 | |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 1 | |
| KEPPRA INTRAVENOUS SOLUTION 500 MG/5 ML | 3 | |
| KEPPRA ORAL SOLUTION 100 MG/ML | 3 | |
| KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG | 3 | |
| KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG | 3 | |
| LAMICTAL ODT ORAL TABLET,DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG | 3 | ST; QL |
| LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG | 3 | |
| LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG | 3 | |
| LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG | 3 | ST |
| LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 200 MG, 25 MG, 250 MG, 300 MG, 50 MG | 3 | ST; QL |
| LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7) | 3 | ST |
| LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7) | 3 | ST |
| LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7) | 3 | ST |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 1 | |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14)</i> | 1 | ST |
| <i>lamotrigine oral tablet extended release 24hr 100 mg</i> | 1 | ST |
| <i>lamotrigine oral tablet extended release 24hr 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 1 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg | 1 | |
| lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg | 1 | ST; QL |
| lamotrigine oral tablets,dose pack 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) | 1 | |
| levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml | 1 | |
| levetiracetam intravenous solution 500 mg/5 ml | 1 | |
| levetiracetam oral solution 100 mg/ml, 500 mg/5 ml (5 ml) | 1 | |
| levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg | 1 | |
| levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg | 1 | |
| LIDOTIN KIT, CREAM AND CAPSULE 100 MG- 3.88 % | 3 | |
| LIPRITIN II KIT 100 MG-2.5 %- 2.5 %-6CM X 7CM | 3 | |
| LIPRITIN KIT 100 MG-2.5 %- 2.5 %-6CM X 7CM | 3 | |
| NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 3 | QL |
| ONFI ORAL SUSPENSION 2.5 MG/ML | 3 | ST; QL |
| ONFI ORAL TABLET 10 MG, 20 MG | 3 | QL |
| oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml) | 1 | |
| oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg | 1 | |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG | 3 | ST; QL |
| PEGANONE ORAL TABLET 250 MG | 2 | |
| phenobarbital oral elixir 20 mg/5 ml (4 mg/ml) | 1 | |
| phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg | 1 | |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG | 3 | |
| phenytoin oral suspension 100 mg/4 ml, 125 mg/5 ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| phenytoin oral tablet, chewable 50 mg | 1 | |
| phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg | 1 | |
| phenytoin sodium intravenous solution 50 mg/ml | 1 | |
| phenytoin sodium intravenous syringe 50 mg/ml | 1 | |
| pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg | 1 | QL |
| pregabalin oral solution 20 mg/ml | 1 | |
| primidone oral tablet 250 mg, 50 mg | 1 | |
| roweepra oral tablet 1,000 mg, 500 mg, 750 mg | 3 | |
| SABRIL ORAL TABLET 500 MG | 2 | ST; SP; QL |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG | 3 | ST; QL |
| subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg | 1 | |
| subvenite starter (blue) kit oral tablets, dose pack 25 mg (35) | 1 | |
| subvenite starter (green) kit oral tablets, dose pack 25 mg (84) - 100 mg (14) | 1 | |
| subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) - 100 mg (7) | 1 | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | 3 | PA; QL |
| tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg | 1 | ST; QL |
| topiramate oral capsule, sprinkle 15 mg, 25 mg | 1 | |
| TOPIRAMATE ORAL CAPSULE, SPRINKLE, ER 24HR 100 MG, 150 MG, 200 MG, 25 MG, 50 MG | 1 | ST; QL |
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg | 1 | |
| TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG | 3 | ST; QL |
| valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml) | 1 | |
| valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml) | 1 | |
| valproic acid oral capsule 250 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 2 | QL |
| <i>vigabatrin oral powder in packet 500 mg</i> | 1 | ST; SP; QL |
| <i>vigadronate oral powder in packet 500 mg</i> | 1 | ST; SP; QL |
| VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML | 2 | QL |
| VIMPAT ORAL SOLUTION 10 MG/ML | 2 | QL |
| VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 2 | QL |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 3 | ST; QL |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 3 | ST; QL |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 3 | ST; QL |
| ZARONTIN ORAL CAPSULE 250 MG | 3 | |
| ZARONTIN ORAL SOLUTION 250 MG/5 ML | 3 | |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| ANTIPARKINSONISM AGENTS | | |
| APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML | 2 | PA; SP; QL |
| <i>benztropine injection solution 1 mg/ml</i> | 1 | |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>bromocriptine oral capsule 5 mg</i> | 1 | |
| <i>bromocriptine oral tablet 2.5 mg</i> | 1 | |
| <i>carbidopa oral tablet 25 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1 | |
| COMTAN ORAL TABLET 200 MG | 3 | |
| <i>entacapone oral tablet 200 mg</i> | 1 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 3 | PA; SP; QL |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 3 | PA; SP; QL |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 3 | ST; QL |
| NOURIANZ ORAL TABLET 20 MG, 40 MG | 3 | PA; QL |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1) | 3 | QL |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | |
| <i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i> | 1 | ST; QL |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> | 1 | QL |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 1 | |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 1 | ST; QL |
| RYTARY ORAL CAPSULE, EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG | 3 | ST; QL |
| <i>selegiline hcl oral capsule 5 mg</i> | 1 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 1 | |
| TASMAR ORAL TABLET 100 MG | 3 | ST; QL |
| <i>tolcapone oral tablet 100 mg</i> | 1 | ST; QL |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 1 | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | |
| MIGRAINE & CLUSTER HEADACHE THERAPY | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML | 2 | PA; QL |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML | 2 | PA |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-Injector 225 MG/1.5 ML | 2 | PA; QL |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 2 | PA; QL |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i> | 2 | ST; QL |
| <i>dihydroergotamine injection solution 1 mg/ml</i> | 1 | QL |
| <i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> | 1 | QL |
| <i>eletiptan oral tablet 20 mg, 40 mg</i> | 2 | ST; QL |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 2 | PA; QL |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3) | 2 | PA; QL |
| ERGOMAR SUBLINGUAL TABLET 2 MG | 3 | QL |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i> | 1 | QL |
| <i>frovatriptan oral tablet 2.5 mg</i> | 2 | ST; QL |
| <i>migergot rectal suppository 2-100 mg</i> | 2 | QL |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | 1 | QL |
| NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG | 3 | PA |
| REYVOW ORAL TABLET 100 MG, 50 MG | 3 | PA; QL |
| <i>rizatriptan oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i> | 1 | QL |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> | 1 | QL |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | QL |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 1 | QL |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 1 | QL |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml | 1 | QL |
| sumatriptan-naproxen oral tablet 85-500 mg | 2 | ST; QL |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 3 | PA; QL |
| VYEPTI INTRAVENOUS SOLUTION 100 MG/ML | 3 | PA; QL |
| zolmitriptan oral tablet 2.5 mg, 5 mg | 2 | ST; QL |
| zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg | 2 | ST; QL |
| ZOMIG NASAL SPRAY,NON-AEROSOL 2.5 MG, 5 MG | 2 | ST; QL |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | 2 | PA; SP; QL |
| dalfampridine oral tablet extended release 12 hr 10 mg | 1 | PA; SP; QL |
| donepezil oral tablet 10 mg, 23 mg, 5 mg | 1 | |
| donepezil oral tablet,disintegrating 10 mg, 5 mg | 1 | |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML | 3 | |
| FIRDAPSE ORAL TABLET 10 MG | 3 | PA; SP; QL |
| galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg | 1 | QL |
| galantamine oral solution 4 mg/ml | 1 | QL |
| galantamine oral tablet 12 mg, 4 mg, 8 mg | 1 | QL |
| memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg | 1 | QL |
| memantine oral solution 2 mg/ml | 1 | QL |
| memantine oral tablet 10 mg, 5 mg | 1 | QL |
| NUEDEXTA ORAL CAPSULE 20-10 MG | 2 | PA; QL |
| RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML | 2 | SP; QL |
| RAZADYNE ER ORAL CAPSULE,EXT REL. PELLETS 24 HR 16 MG, 24 MG, 8 MG | 3 | QL |
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg | 1 | |
| rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| RUZURGI ORAL TABLET 10 MG | 3 | PA; SP; QL |
| TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML | 3 | PA; SP; QL |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> | 1 | PA; SP; QL |
| TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML | 3 | PA; SP; QL |
| ZOLGENSMA INTRAVENOUS KIT 2 X 10EXP13 VG/ML | 3 | PA; SP; QL |
| MUSCLE RELAXANTS & ANTISPASMODIC THERAPY | | |
| <i>atracurium intravenous solution 10 mg/ml</i> | 1 | |
| <i>baclofen oral tablet 10 mg, 20 mg</i> | 1 | |
| BACLOFEN ORAL TABLET 5 MG | 1 | |
| <i>carisoprodol oral tablet 250 mg, 350 mg</i> | 1 | ST; QL |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | |
| <i>cisatracurium intravenous solution 2 mg/ml</i> | 1 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>cyclobenzaprine oral tablet 7.5 mg</i> | 1 | ST |
| DANTRIUM ORAL CAPSULE 25 MG, 50 MG | 3 | |
| <i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>meprobamate oral tablet 200 mg, 400 mg</i> | 1 | |
| MESTINON ORAL SYRUP 60 MG/5 ML | 3 | |
| <i>metaxall oral tablet 800 mg</i> | 1 | |
| <i>metaxalone oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | |
| NIMBEX INTRAVENOUS SOLUTION 2 MG/ML | 3 | |
| NORGESIC FORTE ORAL TABLET 50-770-60 MG | 3 | QL |
| <i>orphenadrine citrate injection solution 30 mg/ml</i> | 1 | |
| <i>orphenadrine citrate oral tablet extended release 100 mg</i> | 1 | |
| <i>orphenadrine-asa-caffeine oral tablet 50-770-60 mg</i> | 2 | QL |
| <i>orphengesic forte oral tablet 50-770-60 mg</i> | 2 | QL |
| <i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| PYRIDOSTIGMINE BROMIDE ORAL TABLET 30 MG | 1 | |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| <i>pyridostigmine bromide oral tablet extended release 180 mg</i> | 1 | |
| <i>regonol injection solution 5 mg/ml</i> | 2 | |
| SKELAXIN ORAL TABLET 800 MG | 3 | |
| <i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>tizanidine oral tablet 2 mg, 4 mg</i> | 1 | |
| NARCOTIC ANALGESICS | | |
| <i>acetaminophen-caff-dihydrocod oral capsule 320.5-30-16 mg</i> | 1 | ST; QL |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 1 | ST; QL |
| <i>acetaminophen-codeine oral solution 300 mg-30 mg /12.5 ml</i> | 1 | ST |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i> | 1 | ST; QL |
| ALLZITAL ORAL TABLET 25-325 MG | 3 | ST |
| ARYMO ER ORAL TABLET,ORAL ONLY,EXTND RELEASE 15 MG, 30 MG, 60 MG | 2 | ST; QL |
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i> | 1 | ST; QL |
| BELBUCA BUCCAL FILM 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG | 2 | ST |
| <i>buprenorphine hcl injection solution 0.3 mg/ml</i> | 1 | ST |
| <i>buprenorphine hcl injection syringe 0.3 mg/ml</i> | 1 | ST |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 1 | QL |
| <i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 1 | ST; QL |
| <i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i> | 1 | ST; QL |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i> | 1 | ST; QL |
| <i>butalbital-acetaminophen oral capsule 50-300 mg</i> | 1 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| butalbital-acetaminophen oral tablet 25-325 mg | 1 | ST |
| butalbital-acetaminophen oral tablet 50-300 mg | 1 | ST; QL |
| butalbital-acetaminophen oral tablet 50-325 mg | 1 | |
| butalbital-acetaminophen-caff oral capsule 50-300-40 mg | 2 | |
| butalbital-acetaminophen-caff oral capsule 50-325-40 mg | 1 | |
| butalbital-acetaminophen-caff oral tablet 50-325-40 mg | 1 | |
| butalbital-aspirin-caffeine oral capsule 50-325-40 mg | 1 | |
| butalbital-aspirin-caffeine oral tablet 50-325-40 mg | 1 | |
| codeine sulfate oral tablet 15 mg, 30 mg, 60 mg | 1 | ST; QL |
| codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg | 1 | ST; QL |
| DILAUDID (PF) INJECTION SYRINGE 0.2 MG/ML | 1 | ST |
| DILAUDID (PF) INJECTION SYRINGE 0.5 MG/0.5 ML, 1 MG/ML, 2 MG/ML, 4 MG/ML | 3 | ST |
| diskets oral tablet,soluble 40 mg | 2 | ST; QL |
| duramorph (pf) injection solution 0.5 mg/ml, 1 mg/ml | 3 | ST |
| endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 1 | ST; QL |
| FENTANYL (PF)-BUPIVACAINE-NACL INJECTION SOLUTION 2 MCG/ML- 0.0625 %, 2 MCG/ML- 0.1 %, 2 MCG/ML- 0.125 % | 1 | ST |
| FENTANYL CITRATE (PF) INTRAVENOUS PT CONTROLLED ANALGESIA SYRING 1,500 MCG/30 ML (50 MCG/ML) | 1 | ST |
| FENTANYL CITRATE (PF) INTRAVENOUS SYRINGE 250 MCG/5 ML (50 MCG/ML) | 1 | ST |
| FENTANYL CITRATE (PF)-0.9%NACL INTRAVENOUS PT CONTROLLED ANALGESIA SYRING 500 MCG/50 ML (10 MCG/ML) | 1 | ST |
| fentanyl citrate (pf)-0.9%nacl intravenous syringe 10 mcg/ml | 1 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| FENTANYL CITRATE (PF)-0.9% NACL INTRAVENOUS SYRINGE 50 MCG/5 ML (10 MCG/ML) | 1 | ST |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 1 | PA; ST; QL |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i> | 1 | PA; ST; QL |
| FENTANYL-ROPIVACAINE-NACL (PF) INJECTION SOLUTION 2-0.2 MCG/ML-% | 1 | ST |
| FIORICET ORAL CAPSULE 50-300-40 MG | 2 | |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 1 | ST; QL |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i> | 2 | ST; QL |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | ST; QL |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 1 | ST |
| HYDROMORPHONE (PF) IN WATER INJECTION SYRINGE 1 MG/ML, 2 MG/2 ML (1 MG/ML) | 1 | ST |
| HYDROMORPHONE (PF) IN WATER INTRAVENOUS PT CONTROLLED ANALGESIA SYRINGE 30 MG/30 ML (1 MG/ML), 6 MG/30 ML (0.2 MG/ML) | 1 | ST |
| HYDROMORPHONE (PF) INJECTION SOLUTION 1 MG/ML, 4 MG/ML | 1 | ST |
| <i>hydromorphone (pf) injection solution 10 mg/ml, 2 mg/ml</i> | 1 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS PATIENT CONTROL ANALGESIA SOLN 30 MG/30 ML (1 MG/ML), 6 MG/30 ML (0.2 MG/ML) | 1 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS PREFILLED PUMP RESERVOIR 20 MG/100 ML (0.2 MG/ML) | 3 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS PREFILLED PUMP RESERVOIR 50 MG/50 ML (1 MG/ML) | 1 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| hydromorphone (pf)-0.9 % nacl intravenous pt controlled analgesia syring 10 mg/50 ml (0.2 mg/ml) | 1 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS PT CONTROLLED ANALGESIA SYRING 30 MG/30 ML (1 MG/ML), 50 MG/50 ML (1 MG/ML), 55 MG/55 ML (1 MG/ML), 6 MG/30 ML (0.2 MG/ML) | 1 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS SOLUTION 0.2 MG/ML, 0.5 MG/ML, 1 MG/ML | 1 | ST |
| HYDROMORPHONE (PF)-0.9 % NACL INTRAVENOUS SYRINGE 1 MG/5 ML (0.2 MG/ML), 1 MG/ML, 2 MG/ML | 1 | ST |
| hydromorphone injection solution 1 mg/ml, 2 mg/ml | 1 | ST |
| HYDROMORPHONE INJECTION SYRINGE 0.5 MG/0.5 ML | 1 | ST |
| hydromorphone injection syringe 1 mg/ml, 2 mg/ml, 4 mg/ml | 1 | ST |
| hydromorphone oral liquid 1 mg/ml | 1 | ST |
| hydromorphone oral tablet 2 mg, 4 mg, 8 mg | 1 | ST |
| hydromorphone oral tablet extended release 24 hr 12 mg, 16 mg, 32 mg, 8 mg | 2 | PA; ST; QL |
| hydromorphone rectal suppository 3 mg | 1 | ST |
| HYSINGLA ER ORAL TABLET,ORAL ONLY,EXT.REL.24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 2 | ST; QL |
| ibuprofen-oxycodone oral tablet 400-5 mg | 1 | ST |
| INFUMORPH P/F INJECTION SOLUTION 10 MG/ML, 25 MG/ML | 3 | ST |
| levorphanol tartrate oral tablet 2 mg | 1 | ST |
| lorcet hd oral tablet 10-325 mg | 1 | ST; QL |
| meperidine oral tablet 100 mg, 50 mg | 1 | ST; QL |
| METHADONE IN 0.9 % SOD.CHLORID INTRAVENOUS SYRINGE 1 MG/ML (1 ML) | 3 | ST |
| methadone oral concentrate 10 mg/ml | 1 | ST; QL |
| methadone oral solution 10 mg/5 ml, 5 mg/5 ml | 1 | ST; QL |
| methadone oral tablet 10 mg, 5 mg | 1 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>methadone oral tablet,soluble 40 mg</i> | 1 | ST; QL |
| <i>methadose oral concentrate 10 mg/ml</i> | 2 | ST; QL |
| <i>methadose oral tablet,soluble 40 mg</i> | 1 | ST; QL |
| MITIGO (PF) INJECTION SOLUTION 10 MG/ML, 25 MG/ML | 1 | ST |
| MORPHINE (PF) IN 0.9 % SOD CHL INJECTION SYRINGE 2 MG/2 ML (1 MG/ML) | 1 | ST |
| MORPHINE (PF) IN 0.9 % SOD CHL INTRAVENOUS PT CONTROLLED ANALGESIA SYRINGE 150 MG/30 ML (5 MG/ML), 50 MG/50 ML (1 MG/ML), 55 MG/55 ML (1 MG/ML) | 1 | ST |
| <i>morphine (pf) in 0.9 % sod chl intravenous pt controlled analgesia syring 30 mg/30 ml (1 mg/ml)</i> | 1 | ST |
| <i>morphine (pf) in 0.9 % sod chl intravenous solution 1 mg/ml</i> | 1 | ST |
| <i>morphine (pf) in 0.9 % sod chl intravenous syringe 2 mg/2 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml)</i> | 1 | ST |
| MORPHINE (PF) IN 0.9 % SOD CHL INTRAVENOUS SYRINGE 2 MG/ML, 4 MG/ML | 1 | ST |
| <i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> | 1 | ST |
| MORPHINE (PF) INTRAVENOUS SYRINGE 1 MG/2 ML | 1 | ST |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 1 | ST |
| MORPHINE IN 0.9 % SODIUM CHLOR INJECTION PT CONTROLLED ANALGESIA SYRINGE 55 MG/55 ML (1 MG/ML) | 1 | ST |
| MORPHINE IN 0.9 % SODIUM CHLOR INTRAVENOUS PREFILLED PUMP RESERVOIR 50 MG/50 ML (1 MG/ML) | 1 | ST |
| MORPHINE IN 0.9 % SODIUM CHLOR INTRAVENOUS SOLUTION 1 MG/ML, 5 MG/ML | 1 | ST |
| MORPHINE INJECTION SOLUTION 10 MG/ML, 4 MG/ML, 5 MG/ML | 1 | ST |
| MORPHINE INJECTION SOLUTION 2 MG/ML | 3 | ST |
| <i>morphine injection solution 8 mg/ml</i> | 1 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| morphine injection syringe 10 mg/ml | 3 | ST |
| morphine injection syringe 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml | 1 | ST |
| MORPHINE INTRAMUSCULAR PEN INJECTOR 10 MG/0.7 ML | 1 | ST |
| morphine intravenous pt controlled analgesia syring 30 mg/30 ml (1 mg/ml) | 1 | ST |
| morphine intravenous solution 10 mg/ml, 4 mg/ml, 50 mg/ml | 1 | ST |
| MORPHINE INTRAVENOUS SOLUTION 8 MG/ML | 1 | ST |
| morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml | 1 | ST |
| MORPHINE INTRAVENOUS SYRINGE 8 MG/ML | 1 | ST |
| morphine oral capsule,extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg | 2 | ST; QL |
| morphine oral capsule,extend.release pellets 40 mg | 1 | ST |
| morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml) | 1 | ST |
| morphine oral tablet 15 mg, 30 mg | 1 | ST |
| morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg | 1 | ST; QL |
| morphine rectal suppository 10 mg, 20 mg, 30 mg, 5 mg | 1 | ST |
| MS CONTIN ORAL TABLET EXTENDED RELEASE 100 MG, 15 MG, 200 MG, 30 MG, 60 MG | 3 | ST; QL |
| OXAYDO ORAL TABLET, ORAL ONLY 5 MG, 7.5 MG | 2 | ST |
| oxycodone oral capsule 5 mg | 1 | ST |
| oxycodone oral concentrate 20 mg/ml | 2 | ST |
| oxycodone oral solution 5 mg/5 ml | 1 | ST |
| oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg | 1 | ST |
| OXYCODONE ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 1 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 1 | ST; QL |
| oxycodone-aspirin oral tablet 4.8355-325 mg | 1 | ST |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 2 | ST; QL |
| oxymorphone oral tablet 10 mg, 5 mg | 1 | ST |
| oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg | 1 | ST; QL |
| PROBUPHINE SUBDERMAL IMPLANT 74.2 MG | 2 | QL |
| SUBLIMAZE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML | 2 | SP; QL |
| tencon oral tablet 50-325 mg | 1 | |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG | 3 | ST; QL |
| zebutal oral capsule 50-325-40 mg | 1 | |
| ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG | 3 | ST; QL |
| NON-NARCOTIC ANALGESICS | | |
| adult aspirin regimen oral tablet,delayed release (dr/ec) 81 mg | 1 | |
| aspirin low dose oral tablet,delayed release (dr/ec) 81 mg | 1 | |
| aspirin oral tablet 325 mg | 1 | |
| aspirin oral tablet,chewable 81 mg | 1 | |
| aspirin oral tablet,delayed release (dr/ec) 325 mg, 81 mg | 1 | |
| aspir-trin oral tablet,delayed release (dr/ec) 325 mg | 1 | |
| bayer aspirin oral tablet 325 mg | 1 | |
| BUNAVAIL BUCCAL FILM 2.1-0.3 MG, 4.2-0.7 MG, 6.3-1 MG | 3 | QL |
| buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg | 1 | QL |
| butorphanol injection solution 1 mg/ml, 2 mg/ml | 1 | ST |
| butorphanol nasal spray,non-aerosol 10 mg/ml | 1 | ST |
| CALDOLOR INTRAVENOUS PIGGYBACK 800 MG/200 ML (4 MG/ML) | 2 | |
| CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML) | 2 | |
| celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg | 1 | |
| children's aspirin oral tablet,chewable 81 mg | 1 | |
| choline,magnesium salicylate oral liquid 500 mg/5 ml | 1 | |
| DICLOFENAC EPOLAMINE TRANSDERMAL PATCH 12 HOUR 1.3 % | 1 | |
| diclofenac potassium oral tablet 50 mg | 1 | |
| diclofenac sodium oral tablet extended release 24 hr 100 mg | 1 | |
| diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg | 1 | |
| diclofenac sodium topical drops 1.5 % | 1 | QL |
| diclofenac sodium topical gel 1 % | 1 | QL |
| diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg, 75-200 mg-mcg | 1 | |
| DICLOFONO TOPICAL GEL IN PACKET 1.6 % | 3 | ST |
| diflunisal oral tablet 500 mg | 1 | |
| DISALCID ORAL TABLET 500 MG, 750 MG | 3 | |
| e.c. prin oral tablet,delayed release (dr/ec) 325 mg | 1 | |
| ecotrin oral tablet,delayed release (dr/ec) 325 mg | 1 | |
| etodolac oral capsule 200 mg, 300 mg | 1 | |
| etodolac oral tablet 400 mg, 500 mg | 1 | |
| etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg | 1 | |
| fenoprofen oral tablet 600 mg | 1 | |
| FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 % | 3 | |
| flurbiprofen oral tablet 100 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| FROTEK TOPICAL CREAM IN PACKET 10 % | 3 | ST |
| <i>ibu</i> oral tablet 400 mg, 600 mg, 800 mg | 1 | |
| <i>ibuprofen</i> oral suspension 100 mg/5 ml | 1 | |
| <i>ibuprofen</i> oral tablet 400 mg, 600 mg, 800 mg | 1 | |
| INDOCIN RECTAL SUPPOSITORY 50 MG | 3 | QL |
| <i>indomethacin</i> oral capsule 25 mg, 50 mg | 1 | |
| <i>indomethacin</i> oral capsule, extended release 75 mg | 1 | |
| <i>ketoprofen</i> oral capsule 25 mg, 50 mg, 75 mg | 1 | |
| <i>ketoprofen</i> oral capsule, ext rel. pellets 24 hr 200 mg | 1 | |
| <i>ketorolac</i> injection cartridge 15 mg/ml, 30 mg/ml | 1 | |
| <i>ketorolac</i> injection solution 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml) | 1 | |
| <i>ketorolac</i> injection syringe 15 mg/ml, 30 mg/ml | 1 | |
| <i>ketorolac</i> intramuscular cartridge 60 mg/2 ml | 1 | |
| <i>ketorolac</i> intramuscular solution 60 mg/2 ml | 1 | |
| <i>ketorolac</i> intramuscular syringe 60 mg/2 ml | 1 | |
| <i>ketorolac</i> oral tablet 10 mg | 1 | QL |
| LICART TRANSDERMAL PATCH 24 HOUR 1.3 % | 3 | ST; QL |
| <i>lite coat aspirin</i> oral tablet 325 mg | 1 | |
| LODINE ORAL TABLET 400 MG | 3 | |
| LUCEMYRA ORAL TABLET 0.18 MG | 2 | QL |
| <i>meclofenamate</i> oral capsule 100 mg, 50 mg | 1 | |
| <i>mefenamic acid</i> oral capsule 250 mg | 1 | |
| <i>meloxicam</i> oral tablet 15 mg, 7.5 mg | 1 | |
| <i>nabumetone</i> oral tablet 500 mg, 750 mg | 1 | |
| <i>nalbuphine</i> injection solution 10 mg/ml, 20 mg/ml | 1 | ST |
| <i>naloxone</i> injection solution 0.4 mg/ml | 1 | |
| <i>naloxone</i> injection syringe 0.4 mg/ml, 1 mg/ml | 1 | |
| <i>naltrexone</i> oral tablet 50 mg | 1 | |
| <i>naproxen</i> oral tablet 250 mg, 375 mg, 500 mg | 1 | |
| <i>naproxen</i> oral tablet, delayed release (dr/ec) 375 mg, 500 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION | 2 | |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG | 2 | ST; QL |
| NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG | 2 | ST; QL |
| <i>oxaprozin oral tablet 600 mg</i> | 1 | |
| <i>pentazocine-naloxone oral tablet 50-0.5 mg</i> | 1 | ST |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | 1 | |
| READYSHARP KETOROLAC INJECTION KIT 15 MG/ML | 3 | |
| RELAFEN ORAL TABLET 500 MG, 750 MG | 3 | |
| <i>salsalate oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>st joseph aspirin oral tablet, chewable 81 mg</i> | 1 | |
| <i>st. joseph aspirin oral tablet, delayed release (dr/ec) 81 mg</i> | 1 | |
| SUBOXONE SUBLINGUAL FILM 12-3 MG, 2-0.5 MG, 4-1 MG, 8-2 MG | 2 | QL |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 1 | |
| <i>tolmetin oral capsule 400 mg</i> | 1 | |
| <i>tolmetin oral tablet 200 mg, 600 mg</i> | 1 | |
| TORONOVA II SUIK KIT 30 MG/ML | 3 | |
| TORONOVA SUIK KIT 30 MG/ML | 3 | |
| <i>tramadol oral tablet 50 mg</i> | 1 | ST; QL |
| <i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i> | 1 | ST; QL |
| <i>tramadol oral tablet, er multiphase 24 hr 100 mg, 200 mg, 300 mg</i> | 1 | ST; QL |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 1 | ST; QL |
| ULTRAM ORAL TABLET 50 MG | 3 | ST; QL |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG | 2 | SP |
| ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | 2 | SP |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | 2 | SP |
| ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG | 3 | SP |
| ADZENYS ER ORAL SUSPEN, IR - ER, BIPHASIC 24HR 1.25 MG/ML | 3 | ST; QL |
| ADZENYS XR-ODT ORAL TABLET,DISINTEG ER BIPHASE 24H 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG | 3 | ST |
| <i>alprazolam intensol oral concentrate 1 mg/ml</i> | 2 | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | |
| <i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i> | 1 | |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 1 | |
| <i>amphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | PA; QL |
| <i>aripiprazole oral solution 1 mg/ml</i> | 1 | ST; QL |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> | 1 | QL |
| <i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i> | 1 | ST; QL |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML, 441 MG/1.6 ML, 662 MG/2.4 ML, 882 MG/3.2 ML | 2 | SP |
| armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg | 1 | QL |
| atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg | 1 | QL |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 3 | ST; QL |
| bupropion hcl oral tablet 100 mg, 75 mg | 1 | |
| bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg | 1 | |
| BUPROPION HCL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG | 1 | ST |
| bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg | 1 | |
| buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg | 1 | |
| CAPLYTA ORAL CAPSULE 42 MG | 3 | ST; QL |
| chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg | 1 | |
| chlorpromazine injection solution 25 mg/ml | 1 | |
| chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg | 1 | |
| citalopram oral solution 10 mg/5 ml | 1 | |
| citalopram oral tablet 10 mg | 1 | \$0 Copay |
| citalopram oral tablet 20 mg, 40 mg | 1 | |
| clomipramine oral capsule 25 mg, 50 mg, 75 mg | 2 | |
| clonidine hcl oral tablet extended release 12 hr 0.1 mg | 1 | QL |
| clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg | 1 | |
| clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg | 1 | QL |
| clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg | 1 | ST; QL |
| CLOZARIL ORAL TABLET 200 MG, 50 MG | 3 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG | 3 | ST; QL |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> | 1 | QL |
| <i>dexamphetamine oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 1 | QL |
| <i>dexamphetamine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | QL |
| <i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> | 1 | QL |
| <i>dextroamphetamine oral solution 5 mg/5 ml</i> | 1 | QL |
| <i>dextroamphetamine oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 1 | QL |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | QL |
| <i>diazepam injection solution 5 mg/ml</i> | 1 | |
| <i>diazepam injection syringe 5 mg/ml</i> | 1 | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | 1 | |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 1 | |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | |
| <i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 1 | |
| <i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i> | 2 | QL |
| EDLUAR SUBLINGUAL TABLET 10 MG, 5 MG | 3 | |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 3 | ST; QL |
| <i>ergoloid oral tablet 1 mg</i> | 1 | |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>estazolam oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> | 1 | QL |
| <i>FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG</i> | 3 | ST; QL |
| <i>FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)</i> | 3 | ST; QL |
| <i>FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)</i> | 3 | ST; QL |
| <i>FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG</i> | 3 | ST; QL |
| <i>flumazenil intravenous solution 0.1 mg/ml</i> | 1 | |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fluoxetine oral capsule,delayed release(dr/ec) 90 mg</i> | 1 | |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 1 | |
| <i>fluoxetine oral tablet 10 mg</i> | 1 | |
| <i>fluoxetine oral tablet 20 mg</i> | 2 | |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 1 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 1 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>flurazepam oral capsule 15 mg, 30 mg</i> | 1 | |
| <i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i> | 2 | QL |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | QL |
| <i>guanidine oral tablet 125 mg</i> | 1 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> | 1 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| haloperidol lactate intramuscular syringe 5 mg/ml | 1 | |
| haloperidol lactate oral concentrate 2 mg/ml | 1 | |
| haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg | 1 | |
| HETLIOZ ORAL CAPSULE 20 MG | 3 | PA; SP |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg | 1 | |
| imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg | 2 | |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML, 410 MG/1.315 ML, 546 MG/1.75 ML, 819 MG/2.625 ML | 3 | SP |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG | 2 | ST; QL |
| lithium carbonate oral capsule 150 mg, 300 mg, 600 mg | 1 | |
| lithium carbonate oral tablet 300 mg | 1 | |
| lithium carbonate oral tablet extended release 300 mg, 450 mg | 1 | |
| lithium citrate oral solution 8 meq/5 ml | 1 | |
| lorazepam injection solution 2 mg/ml, 4 mg/ml | 1 | |
| lorazepam injection syringe 2 mg/ml, 4 mg/ml | 1 | |
| lorazepam intensol oral concentrate 2 mg/ml | 1 | |
| lorazepam oral concentrate 2 mg/ml | 1 | |
| lorazepam oral tablet 0.5 mg, 1 mg, 2 mg | 1 | |
| loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg | 1 | |
| maprotiline oral tablet 25 mg, 50 mg, 75 mg | 1 | |
| MARPLAN ORAL TABLET 10 MG | 3 | ST |
| methamphetamine oral tablet 5 mg | 1 | QL |
| methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg | 1 | QL |
| methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg, 60 mg | 1 | QL |
| methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml | 1 | |
| methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| methylphenidate hcl oral tablet extended release 10 mg | 1 | |
| methylphenidate hcl oral tablet extended release 20 mg | 1 | QL |
| methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg | 1 | QL |
| METHYLPHENIDATE HCL ORAL TABLET EXTENDED RELEASE 24HR 72 MG | 2 | QL |
| methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg | 1 | QL |
| MIDAZOLAM (PF) IN 0.9 % NACL INTRAVENOUS SYRINGE 2 MG/2 ML (1 MG/ML), 5 MG/5 ML (1 MG/ML) | 1 | |
| midazolam (pf) injection cartridge 5 mg/ml | 1 | |
| MIDAZOLAM IN 0.9 % SOD CHLORID INTRAVENOUS SOLUTION 1 MG/ML | 1 | |
| MIDAZOLAM IN 0.9 % SOD CHLORID INTRAVENOUS SYRINGE 2 MG/2 ML (1 MG/ML), 5 MG/5 ML (1 MG/ML) | 1 | |
| MIDAZOLAM IN NACL,ISO-OSMO(PF) INTRAVENOUS SOLUTION 100 MG/100 ML (1 MG/ML) | 1 | |
| MIDAZOLAM INTRAVENOUS SYRINGE 150 MG/30 ML (5 MG/ML) | 1 | |
| midazolam oral syrup 2 mg/ml | 1 | |
| mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg | 1 | |
| mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg | 1 | |
| MKO (MIDAZOLAM-KETAMINE-ONDAN) SUBLINGUAL TROCHE 3-25-2 MG | 1 | |
| modafinil oral tablet 100 mg, 200 mg | 1 | QL |
| molindone oral tablet 10 mg, 25 mg | 1 | QL |
| molindone oral tablet 5 mg | 1 | |
| nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg | 1 | |
| nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg | 1 | |
| nortriptyline oral solution 10 mg/5 ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| NUPLAZID ORAL CAPSULE 34 MG | 3 | PA; SP; QL |
| NUPLAZID ORAL TABLET 10 MG | 3 | PA; SP; QL |
| <i>olanzapine intramuscular recon soln 10 mg</i> | 1 | QL |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> | 1 | \$0 Copay; QL |
| <i>olanzapine oral tablet 20 mg</i> | 1 | QL |
| <i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> | 1 | QL |
| <i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> | 1 | QL |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i> | 1 | |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 6 mg, 9 mg</i> | 2 | ST; QL |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | \$0 Copay |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> | 2 | |
| <i>paroxetine mesylate(menop.sym) oral capsule 7.5 mg</i> | 1 | ST; QL |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 1 | |
| PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG | 3 | SP |
| PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG | 3 | ST |
| <i>phenelzine oral tablet 15 mg</i> | 1 | |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 2 | |
| PROZAC ORAL CAPSULE 10 MG, 20 MG | 3 | |
| QUAZEPAM ORAL TABLET 15 MG | 2 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | \$0 Copay; QL |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 1 | QL |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>ramelteon oral tablet 8 mg</i> | 1 | ST; QL |
| RELEXXII ORAL TABLET EXTENDED RELEASE 24HR 72 MG | 3 | QL |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | 3 | ST; QL |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML | 2 | SP |
| <i>risperidone oral solution 1 mg/ml</i> | 1 | QL |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | \$0 Copay; QL |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | QL |
| SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | ST; QL |
| <i>seconal sodium oral capsule 100 mg</i> | 2 | |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 3 | ST; QL |
| <i>sertraline oral concentrate 20 mg/ml</i> | 1 | |
| <i>sertraline oral tablet 100 mg, 50 mg</i> | 1 | \$0 Copay |
| <i>sertraline oral tablet 25 mg</i> | 1 | |
| SILENOR ORAL TABLET 3 MG, 6 MG | 3 | ST; QL |
| SUNOSI ORAL TABLET 150 MG, 75 MG | 3 | PA; QL |
| <i>temazepam oral capsule 15 mg, 30 mg</i> | 1 | |
| <i>temazepam oral capsule 22.5 mg, 7.5 mg</i> | 2 | |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>tranylcypromine oral tablet 10 mg</i> | 2 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | |
| <i>triazolam oral tablet 0.125 mg, 0.25 mg</i> | 1 | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 3 | ST; QL |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i> | 1 | |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1 | |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i> | 2 | |
| VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG | 3 | ST; QL |
| VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23) | 3 | ST; QL |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 3 | ST; QL |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6) | 3 | ST; QL |
| VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG | 2 | ST; QL |
| VYVANSE ORAL TABLET,CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG | 2 | ST; QL |
| WAKIX ORAL TABLET 17.8 MG, 4.45 MG | 3 | PA; SP; QL |
| XYREM ORAL SOLUTION 500 MG/ML | 3 | PA; SP; QL |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 1 | QL |
| <i>zenzedi oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | QL |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> | 1 | QL |
| <i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> | 1 | QL |
| <i>zolpidem sublingual tablet 1.75 mg, 3.5 mg</i> | 1 | ST; QL |
| ZOLPIMIST ORAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 3 | ST |
| ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML | 3 | |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG, 405 MG | 3 | SP |

CARDIOVASCULAR, HYPERTENSION & LIPIDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ANTIARRHYTHMIC AGENTS | | |
| amiodarone oral tablet 100 mg, 200 mg, 400 mg | 1 | |
| bretlyium tosylate injection solution 50 mg/ml | 1 | |
| disopyramide phosphate oral capsule 100 mg, 150 mg | 1 | |
| dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg | 1 | |
| flecainide oral tablet 100 mg, 150 mg, 50 mg | 1 | |
| mexiletine oral capsule 150 mg, 200 mg, 250 mg | 1 | |
| MULTAQ ORAL TABLET 400 MG | 3 | ST |
| NORPACE CR ORAL CAPSULE, EXTENDED RELEASE 100 MG, 150 MG | 3 | ST |
| pacerone oral tablet 100 mg, 200 mg, 400 mg | 1 | |
| procainamide injection solution 100 mg/ml, 500 mg/ml | 1 | |
| propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg | 1 | |
| propafenone oral tablet 150 mg, 225 mg, 300 mg | 1 | |
| quinidine gluconate oral tablet extended release 324 mg | 1 | |
| quinidine sulfate oral tablet 200 mg, 300 mg | 1 | |
| sotalol af oral tablet 120 mg, 160 mg, 80 mg | 1 | |
| SOTALOL INTRAVENOUS SOLUTION 150 MG/10 ML (15 MG/ML) | 2 | |
| sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg | 1 | |
| SOTYLIZE ORAL SOLUTION 5 MG/ML | 2 | ST; QL |
| ANTIHYPERTENSIVE THERAPY | | |
| acebutolol oral capsule 200 mg, 400 mg | 1 | |
| aliskiren oral tablet 150 mg, 300 mg | 1 | ST; QL |
| amiloride oral tablet 5 mg | 1 | |
| amiloride-hydrochlorothiazide oral tablet 5-50 mg | 1 | |
| amlodipine oral tablet 10 mg, 2.5 mg, 5 mg | 1 | |
| amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg | 1 | |
| amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg | 1 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg | 1 | ST |
| amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg | 1 | ST |
| atenolol oral tablet 100 mg, 25 mg, 50 mg | 1 | |
| atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg | 1 | |
| benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg | 1 | |
| benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg | 1 | |
| betaxolol oral tablet 10 mg, 20 mg | 1 | |
| bisoprolol fumarate oral tablet 10 mg, 5 mg | 1 | |
| bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg | 1 | |
| BREVIBLOC IN NACL (ISO-OSM) INTRAVENOUS PARENTERAL SOLUTION 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) | 3 | |
| BREVIBLOC INTRAVENOUS SOLUTION 100 MG/10 ML (10 MG/ML) | 3 | |
| bumetanide injection solution 0.25 mg/ml | 1 | |
| bumetanide oral tablet 0.5 mg, 1 mg, 2 mg | 1 | |
| BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG | 2 | QL |
| candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg | 1 | |
| candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg | 1 | |
| captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg | 1 | |
| captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg | 1 | |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24HR 4 MG, 8 MG | 3 | ST |
| cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg | 1 | |
| carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>carvedilol phosphate oral capsule, er multiphase 24 hr 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>chlorothiazide sodium intravenous recon soln 500 mg</i> | 1 | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr</i> | 1 | |
| <i>corlopam intravenous solution 10 mg/ml</i> | 1 | |
| DEM SER ORAL CAPSULE 250 MG | 3 | |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | 1 | |
| DIOVAN HCT ORAL TABLET 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG | 3 | |
| DIOVAN ORAL TABLET 160 MG, 320 MG, 40 MG, 80 MG | 3 | |
| DIURIL IV INTRAVENOUS RECON SOLN 500 MG | 3 | |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| DYRENIUM ORAL CAPSULE 100 MG, 50 MG | 3 | ST |
| EDARBI ORAL TABLET 40 MG, 80 MG | 2 | ST |
| EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG | 2 | ST |
| EDECIN ORAL TABLET 25 MG | 3 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 1 | |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i> | 1 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> | 1 | |
| <i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> | 1 | PA |
| <i>eprosartan oral tablet 600 mg</i> | 1 | ST |
| <i>esmolol in nacl (iso-osm) intravenous parenteral solution 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml)</i> | 1 | |
| ESMOLOL IN STERILE WATER INTRAVENOUS PARENTERAL SOLUTION 2,000 MG/100 ML (20 MG/ML), 2,500 MG/250 ML (10 MG/ML) | 1 | |
| <i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i> | 1 | |
| <i>ethacrynone sodium intravenous recon soln 50 mg</i> | 1 | |
| <i>ethacrynic acid oral tablet 25 mg</i> | 1 | |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| FLOLAN INTRAVENOUS RECON SOLN 0.5 MG, 1.5 MG | 3 | PA; SP |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 1 | |
| FUROSEMIDE IN 0.9 % NACL INTRAVENOUS PIGGYBACK 100 MG/100 ML (1 MG/ML) | 1 | |
| <i>furosemide injection solution 10 mg/ml</i> | 1 | |
| <i>furosemide injection syringe 10 mg/ml</i> | 1 | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>hydralazine injection solution 20 mg/ml</i> | 1 | |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg | 1 | |
| indapamide oral tablet 1.25 mg, 2.5 mg | 1 | |
| irbesartan oral tablet 150 mg, 300 mg, 75 mg | 1 | |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg | 1 | |
| isradipine oral capsule 2.5 mg, 5 mg | 1 | |
| labetalol intravenous solution 5 mg/ml | 1 | |
| labetalol intravenous syringe 20 mg/4 ml (5 mg/ml) | 1 | |
| labetalol oral tablet 100 mg, 200 mg, 300 mg | 1 | |
| LASIX ORAL TABLET 20 MG, 40 MG, 80 MG | 3 | |
| lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg | 1 | |
| lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg | 1 | |
| losartan oral tablet 100 mg, 25 mg, 50 mg | 1 | |
| losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg | 1 | |
| matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 1 | |
| methyldopa oral tablet 250 mg, 500 mg | 1 | |
| methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg | 1 | |
| methyldopate intravenous solution 250 mg/5 ml | 1 | |
| metolazone oral tablet 10 mg, 2.5 mg, 5 mg | 1 | |
| metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg | 1 | |
| metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg | 1 | |
| metoprolol tartrate intravenous solution 5 mg/5 ml | 1 | |
| metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg | 1 | |
| metyrosine oral capsule 250 mg | 1 | |
| minoxidil oral tablet 10 mg, 2.5 mg | 1 | |
| moexipril oral tablet 15 mg, 7.5 mg | 1 | |
| nadolol oral tablet 20 mg, 40 mg, 80 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i> | 1 | |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | 1 | |
| <i>nifedipine oral capsule 10 mg, 20 mg</i> | 1 | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | 1 | |
| <i>nimodipine oral capsule 30 mg</i> | 1 | |
| <i>nisoldipine oral tablet extended release 24 hr 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg</i> | 1 | |
| NYMALIZE ORAL SYRINGE 30 MG/5 ML, 60 MG/10 ML | 3 | PA; SP; QL |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> | 1 | ST |
| <i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | 1 | ST |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | 1 | ST |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG | 3 | PA; SP |
| <i>osmitrol 20 % intravenous parenteral solution 20 %</i> | 2 | |
| <i>papaverine injection solution 30 mg/ml</i> | 1 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 1 | |
| <i>phenoxybenzamine oral capsule 10 mg</i> | 1 | PA; SP; QL |
| <i>phentolamine injection recon soln 5 mg</i> | 1 | |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | |
| PRESTALIA ORAL TABLET 14-10 MG, 3.5-2.5 MG, 7-5 MG | 3 | ST |
| <i>propranolol intravenous solution 1 mg/ml</i> | 1 | |
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> | 1 | |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 1 | |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 1 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML | 3 | PA; SP |
| SODIUM EDECRIN INTRAVENOUS RECON SOLN 50 MG | 3 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> | 1 | |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | 1 | |
| TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG | 2 | ST; QL |
| TEKTURNA ORAL TABLET 150 MG, 300 MG | 3 | ST; QL |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> | 1 | |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> | 1 | |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | 1 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 1 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 1 | |
| <i>treprostин sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> | 1 | PA; SP |
| <i>triamterene oral capsule 100 mg, 50 mg</i> | 1 | ST |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| triaterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg | 1 | |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 2 | PA; SP; QL |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 2 | PA; SP; QL |
| valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg | 1 | |
| valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg | 1 | |
| veletri intravenous recon soln 0.5 mg, 1.5 mg | 1 | PA; SP |
| verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg | 1 | |
| verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg | 1 | |
| verapamil oral tablet 120 mg, 40 mg, 80 mg | 1 | |
| verapamil oral tablet extended release 120 mg, 180 mg, 240 mg | 1 | |
| CARDIAC GLYCOSIDES | | |
| digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) | 1 | |
| digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) | 1 | |
| digoxin oral solution 50 mcg/ml (0.05 mg/ml) | 2 | |
| digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) | 1 | |
| LANOXIN ORAL TABLET 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) | 3 | |
| COAGULATION THERAPY | | |
| ADVATE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 4,000 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| ADYNNOVATE INTRAVENOUS SOLUTION 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT, 750 (+/-) UNIT | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| AFSTYLA INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT RANGE, 1,500 (+/-) UNIT RANGE, 2,000 (+/-) UNIT RANGE, 2,500 (+/-) UNIT RANGE, 250 (+/-) UNIT RANGE, 3,000 (+/-) UNIT RANGE, 500 (+/-) UNIT RANGE | 2 | SP |
| ALPHANATE INTRAVENOUS RECON SOLN 1,000 (400 VWF) UNIT/10 ML, 1,500 (600 VWF) UNIT/10 ML, 2,000 (800 VWF) UNIT/10 ML, 250 (100 VWF) UNIT/5 ML, 500 (200 VWF) UNIT/5 ML | 2 | SP |
| ALPHANINE SD INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| ALPROLIX INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 4,000 UNIT, 500 UNIT | 2 | SP |
| AMICAR ORAL SOLUTION 250 MG/ML (25 %) | 3 | |
| AMICAR ORAL TABLET 1,000 MG, 500 MG | 2 | |
| <i>aminocaproic acid intravenous solution 250 mg/ml</i> | 1 | |
| <i>aminocaproic acid oral solution 250 mg/ml (25 %)</i> | 1 | |
| <i>aminocaproic acid oral tablet 1,000 mg, 500 mg</i> | 1 | |
| ANDEXXA INTRAVENOUS RECON SOLN 100 MG, 200 MG | 3 | PA; SP |
| ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS PARENTERAL SOLUTION 250 MG/250 ML (1 MG/ML) | 3 | SP |
| ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS SOLUTION 1 MG/ML | 3 | SP |
| ARGATROBAN IN NACL (ISO-OS) INTRAVENOUS SOLUTION 50 MG/50 ML (1 MG/ML) | 3 | SP |
| ARGATROBAN INTRAVENOUS SOLUTION 100 MG/ML | 3 | SP |
| ARIXTRA SUBCUTANEOUS SYRINGE 10 MG/0.8 ML, 2.5 MG/0.5 ML, 5 MG/0.4 ML, 7.5 MG/0.6 ML | 3 | SP; QL |
| <i>aspirin-dipyridamole oral capsule, er multiphase</i> <i>12 hr 25-200 mg</i> | 1 | |
| BENEFIX INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 500 UNIT | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| BENEFIX INTRAVENOUS RECON SOLN 3,000 UNIT | 3 | SP |
| <i>bivalirudin intravenous recon soln 250 mg</i> | 1 | PA; SP |
| BIVALIRUDIN INTRAVENOUS SOLUTION 250 MG/50 ML (5 MG/ML) | 3 | PA |
| BIVALIRUDIN-0.9 % SODIUM CHLOR INTRAVENOUS PIGGYBACK 250 MG/50 ML (5 MG/ML), 500 MG/100 ML (5 MG/ML) | 3 | SP |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 2 | QL |
| CABLIVI INJECTION KIT 11 MG | 3 | PA; SP; QL |
| CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT | 2 | SP |
| CEPROTIN (GREEN BAR) INTRAVENOUS RECON SOLN 1,000 UNIT | 2 | SP |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 1 | |
| <i>clopidogrel oral tablet 300 mg</i> | 1 | QL |
| <i>clopidogrel oral tablet 75 mg</i> | 1 | |
| COAGADEX INTRAVENOUS RECON SOLN 250 (+/-) UNIT RANGE, 500 (+/-) UNIT RANGE | 2 | SP |
| CORIFACT INTRAVENOUS RECON SOLN 1,000-1,600 UNIT | 2 | SP |
| DEFITELIO INTRAVENOUS SOLUTION 80 MG/ML | 3 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 1 | |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 2 | PA; SP; QL |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 2 | QL |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG | 2 | QL |
| ELOCTATE INTRAVENOUS RECON SOLN 1,000 UNIT, 1,500 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 4,000 UNIT, 5,000 UNIT, 500 UNIT, 6,000 UNIT, 750 UNIT | 2 | SP |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> | 1 | SP; QL |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> | 1 | SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ESPEROCT INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT | 3 | SP |
| FEIBA NF INTRAVENOUS RECON SOLN 1,750-3,250 UNIT, 350-650 UNIT, 700-1,300 UNIT | 2 | SP |
| FIBRYGA INTRAVENOUS RECON SOLN 1 GRAM (700 MG- 1,300 MG) | 3 | |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 1 | SP; QL |
| FRAGMIN SUBCUTANEOUS SOLUTION 25,000 ANTI-XA UNIT/ML | 2 | SP; QL |
| FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML, 12,500 ANTI-XA UNIT/0.5 ML, 15,000 ANTI-XA UNIT/0.6 ML, 18,000 ANTI-XA UNIT/0.72 ML, 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML, 7,500 ANTI-XA UNIT/0.3 ML | 2 | SP; QL |
| HEMLIBRA SUBCUTANEOUS SOLUTION 105 MG/0.7 ML, 150 MG/ML, 30 MG/ML, 60 MG/0.4 ML | 3 | PA; SP |
| HEMOFIL M HIGH INTRAVENOUS RECON SOLN 801-1,500 UNIT | 2 | SP |
| HEMOFIL M LOW INTRAVENOUS RECON SOLN 220-400 UNIT | 2 | SP |
| HEMOFIL M MID INTRAVENOUS RECON SOLN 401-800 UNIT | 2 | SP |
| HEMOFIL M SUPER HIGH INTRAVENOUS RECON SOLN 1,501-2,000 UNIT | 2 | SP |
| <i>hep flush-10 (pf) intravenous solution 10 unit/ml</i> | 1 | |
| HEPARIN (PORCINE) IN 0.9% NACL INTRAVENOUS PARENTERAL SOLUTION 2,500 UNIT/500 ML (5 UNIT/ML), 30,000 UNIT/1,000 ML, 5,000 UNIT/1,000 ML, 5,000 UNIT/500 ML (10 UNIT/ML) | 1 | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | 1 | |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| heparin (porcine) injection cartridge 5,000 unit/ml (1 ml) | 1 | |
| heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml | 1 | |
| heparin (porcine) injection syringe 5,000 unit/ml | 1 | |
| heparin flush(porcine)-0.9nacl intravenous kit 100 unit/ml | 1 | |
| heparin lock flush (porcine) intravenous solution 100 unit/ml | 1 | |
| heparin lock flush intravenous solution 10 unit/ml | 1 | |
| heparin lock flush intravenous syringe 10 unit/ml | 1 | |
| heparin lockflush(porcine)(pf) intravenous syringe 10 unit/ml, 100 unit/ml | 1 | |
| HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML | 3 | |
| heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml | 1 | |
| heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml | 1 | |
| heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml | 1 | |
| HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML | 1 | |
| heparin, porcine (pf) intravenous solution 100 unit/ml (1 ml) | 1 | |
| heparin, porcine (pf) intravenous syringe 1 unit/ml, 100 unit/ml | 1 | |
| HEPARIN, PORCINE (PF) SUBCUTANEOUS SYRINGE 5,000 UNIT/0.5 ML | 1 | |
| HUMATE-P INTRAVENOUS RECON SOLN 1,000-2,400 UNIT, 250-600 UNIT, 500-1,200 UNIT | 2 | SP |
| IDEVION INTRAVENOUS RECON SOLN 3,500 (+/-) UNIT | 3 | SP |
| IXINITY INTRAVENOUS RECON SOLN 1,000 UNIT, 1,500 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 500 UNIT | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg | 1 | |
| JIVI INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| KCENTRA INTRAVENOUS RECON SOLN 1,000 UNIT (800-1240 UNIT), 500 UNIT (400-620 UNIT) | 3 | SP |
| KOATE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 250 (+/-) UNIT, 500 (+/-) UNIT | 3 | SP |
| KOGENATE FS INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| KOVALTRY INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| LOVENOX SUBCUTANEOUS SOLUTION 300 MG/3 ML | 3 | QL |
| MEPHYTON ORAL TABLET 5 MG | 3 | |
| MONONINE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT | 2 | SP |
| NOVOEIGHT INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 2,000 (+/-) UNIT, 250 (+/-) UNIT, 3,000 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| NOVOSSEVEN RT INTRAVENOUS RECON SOLN 1 MG (1,000 MCG), 2 MG (2,000 MCG), 5 MG (5,000 MCG), 8 MG (8,000 MCG) | 2 | SP |
| NPLATE SUBCUTANEOUS RECON SOLN 125 MCG | 2 | PA; SP |
| NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG | 2 | PA; SP; QL |
| OBIZUR INTRAVENOUS RECON SOLN 500 (+/-) UNIT RANGE | 2 | |
| pentoxifylline oral tablet extended release 400 mg | 1 | |
| phytonadione (vitamin k1) injection solution 10 mg/ml | 1 | |
| PHYTONADIONE (VITAMIN K1) INJECTION SYRINGE 1 MG/0.5 ML | 1 | |
| phytonadione (vitamin k1) oral tablet 5 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| prasugrel oral tablet 10 mg, 5 mg | 1 | QL |
| PRAXBIND INTRAVENOUS SOLUTION 2.5 GRAM/50 ML | 3 | SP |
| PROFILNINE INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 1,500 (+/-) UNIT, 500 (+/-) UNIT | 2 | SP |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG | 2 | PA; SP; QL |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG | 2 | PA; SP; QL |
| <i>protamine intravenous solution 10 mg/ml</i> | 1 | |
| REBINYN INTRAVENOUS RECON SOLN 1,000 (+/-) UNIT, 2,000 (+/-) UNIT, 500 (+/-) UNIT | 3 | SP |
| RIASTAP INTRAVENOUS RECON SOLN 1 GRAM (900MG-1,300MG) | 2 | |
| RIXUBIS INTRAVENOUS RECON SOLN 1,000 UNIT, 2,000 UNIT, 250 UNIT, 3,000 UNIT, 500 UNIT | 3 | SP |
| TAVALISSE ORAL TABLET 100 MG, 150 MG | 3 | PA; SP; QL |
| TRANEXAMIC ACID IN NAACL,ISO-OS INTRAVENOUS PIGGYBACK 1,000 MG/100 ML (10 MG/ML) | 1 | |
| <i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> | 1 | |
| TRETEN INTRAVENOUS RECON SOLN 2,500 UNIT | 2 | SP |
| <i>vitamin k injection solution 1 mg/0.5 ml</i> | 1 | |
| <i>vitamin k1 injection solution 10 mg/ml</i> | 1 | |
| VONVENDI INTRAVENOUS RECON SOLN 1,300 (+/-) UNIT RANGE, 650 (+/-) UNIT RANGE | 2 | SP |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| WILATE INTRAVENOUS RECON SOLN 1,000-1,000 UNIT, 500-500 UNIT | 2 | SP |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | 2 | QL |
| XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ZONTIVITY ORAL TABLET 2.08 MG | 3 | QL |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg | 1 | ST; QL |
| atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg | 1 | QL |
| cholestyramine (with sugar) oral powder 4 gram | 1 | |
| cholestyramine (with sugar) oral powder in packet 4 gram | 1 | |
| cholestyramine light oral powder 4 gram | 1 | |
| cholestyramine light oral powder in packet 4 gram | 1 | |
| colesevelam oral tablet 625 mg | 1 | |
| colestipol oral granules 5 gram | 1 | |
| colestipol oral packet 5 gram | 1 | |
| colestipol oral tablet 1 gram | 1 | |
| ezetimibe oral tablet 10 mg | 1 | QL |
| ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg | 1 | QL |
| ezetimibe-simvastatin oral tablet 10-80 mg | 1 | ST; QL |
| fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg | 1 | |
| fenofibrate nanocrystallized oral tablet 145 mg, 48 mg | 1 | |
| FENOFIBRATE ORAL CAPSULE 150 MG, 50 MG | 1 | ST |
| fenofibrate oral tablet 120 mg, 160 mg, 40 mg, 54 mg | 1 | |
| fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg | 1 | |
| fenofibric acid oral tablet 105 mg, 35 mg | 1 | |
| fluvastatin oral capsule 20 mg, 40 mg | 1 | ST; QL |
| fluvastatin oral tablet extended release 24 hr 80 mg | 1 | ST; QL |
| gemfibrozil oral tablet 600 mg | 1 | |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG | 3 | ST; QL |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | QL |
| NEXLETOL ORAL TABLET 180 MG | 3 | PA |
| NEXLIZET ORAL TABLET 180-10 MG | 2 | PA; QL |
| <i>niacin oral tablet 500 mg</i> | 1 | |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> | 1 | QL |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 1 | QL |
| <i>prevalite oral powder 4 gram</i> | 1 | |
| <i>prevalite oral powder in packet 4 gram</i> | 1 | |
| QUESTRAN LIGHT ORAL POWDER 4 GRAM | 3 | |
| QUESTRAN ORAL POWDER 4 GRAM | 3 | |
| QUESTRAN ORAL POWDER IN PACKET 4 GRAM | 3 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 2 | PA; QL |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 2 | PA; QL |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 2 | PA; QL |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | QL |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | QL |
| <i>simvastatin oral tablet 80 mg</i> | 1 | ST; QL |
| VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM | 2 | ST; QL |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 2 | QL |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 2 | ST; QL |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG | 2 | |
| GIAPREZA INTRAVENOUS SOLUTION 2.5 MG/ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| NIPRIDE RTU INTRAVENOUS SOLUTION 20 MG/100 ML (0.2 MG/ML), 50 MG/100 ML (0.5 MG/ML) | 3 | |
| RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG | 3 | QL |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> | 1 | QL |
| VECAMYL ORAL TABLET 2.5 MG | 3 | PA |
| VYNDAMAX ORAL CAPSULE 61 MG | 3 | PA; SP; QL |
| VYNDAQEL ORAL CAPSULE 20 MG | 3 | PA; SP; QL |
| NITRATES | | |
| DILATRATE-SR ORAL CAPSULE, EXTENDED RELEASE 40 MG | 2 | ST |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | |
| MINITRAN TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR | 1 | |
| <i>nitro-bid transdermal ointment 2 %</i> | 2 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.3 MG/HR, 0.4 MG/HR, 0.6 MG/HR, 0.8 MG/HR | 3 | |
| <i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i> | 1 | |
| <i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i> | 1 | |
| <i>nitroglycerin oral capsule, extended release 2.5 mg, 6.5 mg, 9 mg</i> | 1 | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 1 | |
| <i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| NITROLINGUAL TRANSLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY | 3 | |
| NITROMIST TRANSLINGUAL AEROSOL, SPRAY 400 MCG/SPRAY | 3 | |
| <i>nitro-time oral capsule, extended release 2.5 mg, 6.5 mg, 9 mg</i> | 1 | |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| acitretin oral capsule 10 mg, 17.5 mg, 25 mg | 1 | |
| calcipotriene scalp solution 0.005 % | 1 | ST |
| calcipotriene topical cream 0.005 % | 1 | ST |
| CALCIPOTRIENE TOPICAL FOAM 0.005 % | 3 | |
| calcipotriene topical ointment 0.005 % | 1 | ST |
| calcipotriene-betamethasone topical ointment 0.005-0.064 % | 1 | ST |
| calcitriol topical ointment 3 mcg/gram | 1 | ST |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 2 | PA; SP; QL |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 2 | PA; SP; QL |
| COSENTYX PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 2 | PA; SP; QL |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML | 2 | PA; SP; QL |
| arithocreme hp topical cream 1 % | 2 | ST |
| hydrocortisone-pramoxine topical cream 2.5-1 % | 1 | |
| ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML | 3 | PA; SP; QL |
| selenium sulfide topical lotion 2.5 % | 1 | |
| selenium sulfide topical shampoo 2.25 % | 2 | |
| SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML | 3 | PA; SP; QL |
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2) | 2 | PA; SP; QL |
| SORILUX TOPICAL FOAM 0.005 % | 3 | ST |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 2 | PA; SP; QL |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 2 | PA; SP; QL |
| <i>sulfacetamide sodium topical cleanser 10 %</i> | 1 | |
| <i>sulfacetamide sodium topical cleanser, gel 10 %</i> | 1 | |
| TACLONEX TOPICAL SUSPENSION 0.005-0.064 % | 2 | ST |
| TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 3 | PA; SP; QL |
| TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 3 | PA; SP; QL |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 3 | PA; SP; QL |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML | 3 | PA; SP; QL |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 2 | PA; SP; QL |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML | 2 | PA; SP; QL |
| ZITHRANOL TOPICAL SHAMPOO 1 % | 3 | |
| BURN THERAPY | | |
| <i>silver sulfadiazine topical cream 1 %</i> | 1 | |
| <i>ssd topical cream 1 %</i> | 1 | |
| KERATOLYTICS | | |
| <i>salicylic acid topical cream 6 %</i> | 1 | |
| <i>salicylic acid topical cream,extended release 6 %</i> | 1 | |
| <i>salicylic acid topical film forming liquid w/appl 27.5 %</i> | 1 | |
| <i>salicylic acid topical film-forming soln er w/ appl 28.5 %</i> | 1 | |
| <i>salicylic acid topical foam 6 %</i> | 1 | |
| <i>salicylic acid topical gel 6 %</i> | 1 | |
| <i>salicylic acid topical liquid 26 %</i> | 1 | |
| <i>salicylic acid topical lotion 6 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| salicylic acid topical lotion,extended release 6 % | 1 | |
| salicylic acid topical shampoo 6 % | 1 | |
| salicylic acid-ceramides no.1 topical kit,cleanser and cream er 6 % | 2 | |
| SALIMEZ FORTE TOPICAL CREAM 10 % | 3 | |
| salimez topical cream 6 % | 2 | |
| salvax topical foam 6 % | 1 | |
| ULTRASAL-ER TOPICAL FILM-FORMING SOLN ER W/ APPL 28.5 % | 3 | |
| MISCELLANEOUS DERMATOLOGICALS | | |
| AMELUZ TOPICAL GEL 10 % | 3 | |
| atopavo topical emulsion | 1 | |
| ATRAPRO HYDROGEL TOPICAL GEL | 3 | |
| avo cream topical emulsion | 1 | |
| CARAC TOPICAL CREAM 0.5 % | 2 | PA |
| cem-urea topical gel 45 % | 1 | |
| CERACADE TOPICAL EMULSION | 3 | |
| CERAMAX TOPICAL CREAM | 3 | |
| CERAMAX TOPICAL LOTION | 3 | |
| DEXERYL TOPICAL CREAM | 3 | |
| diclofenac sodium topical gel 3 % | 1 | ST; QL |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 2 | PA; SP; QL |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML | 2 | PA; SP; QL |
| emulsion sb topical emulsion | 1 | |
| ESKATA TOPICAL SOLUTION WITH APPLICATOR 40 % | 3 | |
| EUCRISA TOPICAL OINTMENT 2 % | 3 | ST |
| FLUOROURACIL TOPICAL CREAM 0.5 % | 1 | PA |
| fluorouracil topical cream 5 % | 1 | |
| fluorouracil topical solution 2 %, 5 % | 1 | |
| HALUCORT TOPICAL GEL | 3 | |
| IODOFLEX TOPICAL PADS, MEDICATED 0.9 % | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| IODOSORB TOPICAL GEL 0.9 % | 3 | |
| LEVICYN ANTIPIRURITIC SG TOPICAL SPRAY GEL | 3 | |
| LEVICYN ANTIPIRURITIC TOPICAL GEL | 3 | |
| LEVULAN TOPICAL SOLUTION 20 % | 3 | |
| <i>luxamend topical cream</i> | 3 | |
| <i>mb hydrogel topical kit,cream and gel 96.53-3-0.4 -0.066 %</i> | 1 | |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i> | 1 | |
| <i>methyl salicylate oil</i> | 1 | |
| <i>methyl salicylate topical liquid</i> | 1 | |
| PANRETIN TOPICAL GEL 0.1 % | 3 | SP |
| PICATO TOPICAL GEL 0.015 %, 0.05 % | 2 | QL |
| <i>pimecrolimus topical cream 1 %</i> | 1 | ST |
| <i>podofilox topical solution 0.5 %</i> | 1 | |
| <i>pruclair topical cream</i> | 1 | |
| QBREXZA TOPICAL TOWELETTE 2.4 % | 2 | PA; QL |
| REGRANEX TOPICAL GEL 0.01 % | 2 | |
| SCENESSE SUBCUTANEOUS IMPLANT 16 MG | 3 | PA; SP; QL |
| SEBUDERM TOPICAL GEL | 3 | |
| <i>silver nitrate applicators topical stick 75-25 %</i> | 1 | |
| <i>silver nitrate topical solution 0.5 %, 10 %, 25 %, 50 %</i> | 1 | |
| <i>sonafine topical emulsion</i> | 1 | |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> | 1 | |
| <i>umecta topical foam 40 %</i> | 1 | |
| <i>urea nail stick topical solution 50 %</i> | 1 | |
| <i>urea topical cream 39 %, 40 %, 45 %, 47 %, 50 %</i> | 1 | |
| <i>urea topical foam 35 %</i> | 1 | |
| <i>urea topical gel 45 %</i> | 1 | |
| UVADEX INJECTION SOLUTION 20 MCG/ML | 2 | |
| VALCHLOR TOPICAL GEL 0.016 % | 2 | PA; SP |
| <i>wintergreen oil oil</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| THERAPY FOR ACNE | | |
| <i>adapalene topical cream 0.1 %</i> | 1 | |
| <i>adapalene topical gel 0.3 %</i> | 1 | |
| <i>adapalene topical gel with pump 0.3 %</i> | 1 | |
| ADAPALENE TOPICAL LOTION 0.1 % | 1 | |
| <i>adapalene topical solution 0.1 %</i> | 2 | |
| <i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> | 1 | ST |
| <i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i> | 1 | |
| AVAR-E LS TOPICAL CREAM 10-2 % | 3 | |
| <i>avita topical cream 0.025 %</i> | 1 | |
| AVITA TOPICAL GEL 0.025 % | 2 | |
| <i>azelaic acid topical gel 15 %</i> | 1 | ST |
| <i>benzepro topical towelette 6 %</i> | 1 | |
| <i>benzoyl peroxide topical foam 9.8 %</i> | 1 | |
| <i>bp 10-1 topical cleanser 10-1 %</i> | 1 | |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>cleansing wash topical cleanser 10-4-10 %</i> | 1 | |
| <i>clindamycin phosphate topical foam 1 %</i> | 1 | |
| <i>clindamycin phosphate topical gel 1 %</i> | 1 | \$0 Copay |
| CLINDAMYCIN PHOSPHATE TOPICAL GEL, ONCE DAILY 1 % | 1 | |
| <i>clindamycin phosphate topical lotion 1 %</i> | 1 | |
| <i>clindamycin phosphate topical solution 1 %</i> | 1 | \$0 Copay; QL |
| <i>clindamycin phosphate topical swab 1 %</i> | 1 | \$0 Copay |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %, 1.2 %(1 % base) -5 %</i> | 1 | |
| <i>clindamycin-benzoyl peroxide topical gel with pump 1-5 %, 1.2-2.5 %</i> | 1 | ST |
| <i>clindamycin-tretinoin topical gel 1.2-0.025 %</i> | 2 | |
| <i>dapsone topical gel 5 %</i> | 1 | |
| <i>ery pads topical swab 2 %</i> | 1 | |
| <i>erythromycin with ethanol topical gel 2 %</i> | 1 | |
| <i>erythromycin with ethanol topical solution 2 %</i> | 1 | \$0 Copay; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> | 1 | |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| <i>metronidazole topical cream 0.75 %</i> | 1 | |
| <i>metronidazole topical gel 0.75 %</i> | 1 | |
| <i>metronidazole topical gel 1 %</i> | 2 | |
| <i>metronidazole topical gel with pump 1 %</i> | 2 | |
| <i>metronidazole topical lotion 0.75 %</i> | 2 | |
| MIRVASO TOPICAL GEL WITH PUMP 0.33 % | 2 | |
| <i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| NEUAC KIT TOPICAL COMBO PACK, CREAM AND GEL 1.2-5 % | 3 | |
| <i>neuac topical gel 1.2 %(1 % base) -5 %</i> | 1 | |
| PR BENZOYL PEROXIDE TOPICAL CLEANSER 7 % | 1 | |
| <i>rosadan topical cream 0.75 %</i> | 1 | |
| <i>rosula cleansing cloths topical pads, medicated 10-5 %</i> | 1 | |
| <i>sss 10-5 topical cream 10-5 % (w/w)</i> | 1 | |
| <i>sss 10-5 topical foam 10-5 %</i> | 1 | |
| <i>sulfacetamide sodium-sulfur topical cleanser 10-2 %, 9-4 %, 9-4.5 %, 9.8-4.8 %</i> | 1 | |
| <i>sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)</i> | 1 | \$0 Copay; QL |
| <i>sulfacetamide sodium-sulfur topical cream 10-2 %, 10-5 % (w/w), 9.8-4.8 %</i> | 1 | |
| <i>sulfacetamide sodium-sulfur topical lotion 10-5 % (w/v), 10-5 % (w/w), 9.8-4.8 %</i> | 1 | |
| <i>sulfacetamide sodium-sulfur topical pads, medicated 10-4 %</i> | 1 | |
| <i>sulfacetamide sodium-sulfur topical suspension 10-5 %, 8-4 %</i> | 1 | |
| <i>sulfacetamide sod-sulfur-urea topical cleanser 10-5-10 %</i> | 1 | \$0 Copay; QL |
| <i>sulfacetamide-sulfur-cleansr23 topical kit 9-4.5 %</i> | 1 | |
| <i>sulfacleanse 8-4 topical suspension 8-4 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>tazarotene topical cream 0.1 %</i> | 1 | |
| TAZORAC TOPICAL CREAM 0.05 % | 2 | ST |
| TAZORAC TOPICAL GEL 0.05 %, 0.1 % | 2 | ST |
| <i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> | 2 | |
| <i>tretinoin microspheres topical gel with pump 0.04 %, 0.1 %</i> | 1 | ST |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 1 | |
| <i>tretinoin topical gel 0.01 %</i> | 1 | |
| <i>tretinoin topical gel 0.025 %, 0.05 %</i> | 2 | |
| VANOXIDE-HC TOPICAL SUSPENSION 5-0.5 % | 3 | |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| TOPICAL ANESTHETICS | | |
| COCAINE NASAL SOLUTION 4 % | 1 | |
| <i>ethyl chloride topical aerosol,spray 100 %</i> | 3 | |
| <i>glydo mucous membrane jelly in applicator 2 %</i> | 1 | |
| GOPRELTO NASAL SOLUTION 4 % | 3 | |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %)</i> | 1 | |
| LIDOCAINE (PF) INJECTION SYRINGE 200 MG/10 ML (2 %), 60 MG/3 ML (2 %) | 1 | |
| <i>lidocaine (pf) injection syringe 50 mg/5 ml (1 %)</i> | 1 | |
| LIDOCAINE HCL INJECTION SYRINGE 100 MG/5 ML (2 %) | 1 | |
| <i>lidocaine hcl laryngotracheal solution 4 %</i> | 1 | |
| <i>lidocaine hcl mucous membrane jelly 2 %</i> | 1 | |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> | 1 | |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 1 | |
| <i>lidocaine hcl topical cream 3 %</i> | 1 | |
| <i>lidocaine hcl-hydrocortison ac topical cream 3-0.5 %</i> | 1 | |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 1 | |
| <i>lidocaine topical ointment 5 %</i> | 1 | QL |
| <i>lidocaine viscous mucous membrane solution 2 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 1 | |
| <i>lta pre-attached laryngotracheal solution 4 %</i> | 2 | |
| NUMBRINO NASAL SOLUTION 4 % | 1 | |
| TOPICAL ANTIBACTERIALS | | |
| <i>gentamicin topical cream 0.1 %</i> | 1 | QL |
| <i>gentamicin topical ointment 0.1 %</i> | 1 | |
| <i>hydrocortisone-iodoquinol topical cream 1-1 %</i> | 1 | |
| <i>hydrocortisone-iodoquinol-aloe topical cream in packet 1.9-1 %</i> | 1 | |
| <i>lugols topical solution 5-10 %</i> | 1 | |
| <i>mafenide acetate topical packet 50 gram</i> | 1 | |
| <i>mupirocin calcium topical cream 2 %</i> | 1 | QL |
| <i>mupirocin topical ointment 2 %</i> | 1 | |
| NEO-SYNALAR KIT TOPICAL CREAM 0.5 % (0.35 % BASE)-0.025 % | 3 | ST |
| NEO-SYNALAR TOPICAL CREAM 0.5 % (0.35 % BASE)-0.025 % | 3 | ST |
| QUINJA TOPICAL GEL 1.25-1 % | 3 | |
| <i>strong iodine topical solution 5-10 %</i> | 1 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> | 1 | \$0 Copay |
| SULFAMYLYON TOPICAL CREAM 85 MG/G | 2 | |
| SULFAMYLYON TOPICAL PACKET 50 GRAM | 2 | |
| TOPICAL ANTIFUNGALS | | |
| ALA-QUIN TOPICAL CREAM 3-0.5 % | 3 | |
| <i>ciclopirox topical cream 0.77 %</i> | 1 | QL |
| <i>ciclopirox topical gel 0.77 %</i> | 2 | |
| <i>ciclopirox topical shampoo 1 %</i> | 2 | |
| <i>ciclopirox topical solution 8 %</i> | 1 | QL |
| <i>ciclopirox topical suspension 0.77 %</i> | 1 | QL |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | 1 | |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| DERMACINRX THERAZOLE PAK TOPICAL COMBO PACK 1-0.05-20 % | 3 | |
| ECONASIL TOPICAL KIT 1 %- 4" X 4" | 3 | |
| <i>econazole topical cream 1 %</i> | 2 | QL |
| ERTACZO TOPICAL CREAM 2 % | 3 | ST |
| JUBLIA TOPICAL SOLUTION WITH APPLICATOR 10 % | 3 | PA; QL |
| KERYDIN TOPICAL SOLUTION WITH APPLICATOR 5 % | 3 | PA; QL |
| <i>ketoconazole topical cream 2 %</i> | 1 | QL |
| <i>ketoconazole topical foam 2 %</i> | 2 | |
| <i>ketoconazole topical shampoo 2 %</i> | 1 | |
| <i>ketodan kit topical combo pack 2 %</i> | 2 | |
| <i>ketodan topical foam 2 %</i> | 2 | |
| <i>naftifine topical cream 1 %</i> | 2 | |
| <i>naftifine topical cream 2 %</i> | 2 | QL |
| <i>naftifine topical gel 1 %</i> | 1 | |
| <i>nyamyc topical powder 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 1 | |
| <i>nystatin topical powder 100,000 unit/gram</i> | 1 | |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 2 | |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 2 | |
| <i>nystop topical powder 100,000 unit/gram</i> | 1 | |
| <i>oxiconazole topical cream 1 %</i> | 2 | QL |
| OXISTAT TOPICAL LOTION 1 % | 3 | |
| ZOLPAK TOPICAL KIT 1 %- 6 CM X 7 CM | 3 | |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical ointment 5 %</i> | 2 | |
| ZOVIRAX TOPICAL OINTMENT 5 % | 3 | |
| TOPICAL CORTICOSTEROIDS | | |
| ADVANCED ALLERGY COLLECT KIT TOPICAL KIT 2.5 % | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ALA-SCALP TOPICAL LOTION 2 % | 2 | |
| <i>alclometasone topical cream 0.05 %</i> | 1 | |
| <i>alclometasone topical ointment 0.05 %</i> | 1 | |
| <i>amcinonide topical cream 0.1 %</i> | 2 | ST |
| <i>amcinonide topical lotion 0.1 %</i> | 1 | ST |
| AQUA GLYCOLIC HC TOPICAL COMBO PACK 2 % | 3 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 1 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical foam 0.12 %</i> | 1 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 1 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> | 1 | |
| <i>clobetasol scalp solution 0.05 %</i> | 1 | |
| <i>clobetasol topical cream 0.05 %</i> | 1 | |
| <i>clobetasol topical foam 0.05 %</i> | 1 | |
| <i>clobetasol topical gel 0.05 %</i> | 1 | |
| <i>clobetasol topical lotion 0.05 %</i> | 1 | |
| <i>clobetasol topical ointment 0.05 %</i> | 1 | |
| <i>clobetasol topical shampoo 0.05 %</i> | 1 | |
| <i>clobetasol topical spray,non-aerosol 0.05 %</i> | 1 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 1 | |
| <i>clobetasol-emollient topical foam 0.05 %</i> | 1 | |
| <i>desonide topical cream 0.05 %</i> | 2 | |
| <i>desonide topical lotion 0.05 %</i> | 2 | |
| <i>desonide topical ointment 0.05 %</i> | 2 | |
| <i>desoximetasone topical cream 0.05 %</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>desoximetasone topical cream 0.25 %</i> | 1 | |
| <i>desoximetasone topical gel 0.05 %</i> | 2 | |
| <i>desoximetasone topical ointment 0.05 %</i> | 2 | |
| <i>desoximetasone topical ointment 0.25 %</i> | 1 | |
| DUOBRII TOPICAL LOTION 0.01-0.045 % | 3 | ST |
| <i>fluocinolone and shower cap scalp oil 0.01 %</i> | 1 | |
| <i>fluocinolone topical cream 0.01 %, 0.025 %</i> | 1 | |
| <i>fluocinolone topical oil 0.01 %</i> | 1 | |
| <i>fluocinolone topical ointment 0.025 %</i> | 1 | |
| <i>fluocinolone topical solution 0.01 %</i> | 1 | |
| <i>fluocinonide topical cream 0.05 %</i> | 1 | |
| <i>fluocinonide topical cream 0.1 %</i> | 2 | |
| <i>fluocinonide topical gel 0.05 %</i> | 1 | |
| <i>fluocinonide topical ointment 0.05 %</i> | 1 | |
| <i>fluocinonide topical solution 0.05 %</i> | 1 | |
| <i>fluocinonide-e topical cream 0.05 %</i> | 1 | |
| FLUOPAR TOPICAL KIT 0.1-5 % | 3 | |
| <i>flurandrenolide topical cream 0.05 %</i> | 2 | |
| <i>flurandrenolide topical lotion 0.05 %</i> | 1 | |
| <i>flurandrenolide topical ointment 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical cream 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical lotion 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 1 | |
| <i>halcinonide topical cream 0.1 %</i> | 2 | ST |
| <i>halobetasol propionate topical cream 0.05 %</i> | 1 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 1 | |
| <i>hydrocortisone butyrate topical cream 0.1 %</i> | 2 | |
| <i>hydrocortisone butyrate topical lotion 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i> | 1 | |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 1 | |
| <i>hydrocortisone butyr-emollient topical cream 0.1 %</i> | 2 | |
| <i>hydrocortisone topical cream 2.5 %</i> | 1 | |
| <i>hydrocortisone topical lotion 2.5 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| hydrocortisone topical ointment 2.5 % | 1 | |
| hydrocortisone valerate topical cream 0.2 % | 1 | |
| hydrocortisone valerate topical ointment 0.2 % | 2 | |
| mometasone topical cream 0.1 % | 1 | |
| mometasone topical ointment 0.1 % | 1 | |
| mometasone topical solution 0.1 % | 1 | |
| NUCORT TOPICAL LOTION 2 % | 3 | |
| prednicarbate topical cream 0.1 % | 1 | |
| prednicarbate topical ointment 0.1 % | 1 | |
| SCALACORT DK TOPICAL COMBO PACK 2-2 % | 3 | |
| scalacort topical lotion 2 % | 3 | |
| TASOPROL TOPICAL KIT 0.05 %- 4" X 4" | 3 | |
| triamcinolone acetonide topical aerosol 0.147 mg/gram | 2 | |
| triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 % | 1 | |
| triamcinolone acetonide topical lotion 0.025 %, 0.1 % | 1 | |
| triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 % | 1 | |
| triderm topical cream 0.1 %, 0.5 % | 1 | |
| TOPICAL ENZYMES | | |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 2 | |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| crotan topical lotion 10 % | 3 | ST |
| EURAX TOPICAL CREAM 10 % | 3 | ST |
| EURAX TOPICAL LOTION 10 % | 3 | ST |
| lindane topical shampoo 1 % | 1 | |
| malathion topical lotion 0.5 % | 1 | |
| permethrin topical cream 5 % | 1 | |
| SKLICE TOPICAL LOTION 0.5 % | 3 | |
| spinosad topical suspension 0.9 % | 1 | |
| ULESFIA TOPICAL LOTION 5 % | 3 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| DIAGNOSTICS & MISCELLANEOUS AGENTS | | |
| ANTIDOTES | | |
| ATROOPEN INTRAMUSCULAR PEN INJECTOR 0.5 MG/0.7 ML, 1 MG/0.7 ML | 3 | |
| DUODOTE INTRAMUSCULAR PEN INJECTOR 600-2.1 MG/2ML-MG/0.7ML | 3 | |
| IRRIGATING SOLUTIONS | | |
| <i>lactated ringers irrigation solution</i> | 3 | |
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i> | 1 | |
| PHYSIOLYTE IRRIGATION SOLUTION 140-5-3-98 MEQ/L | 3 | |
| PHYSIOSOL IRRIGATION IRRIGATION SOLUTION 140-5-3-98 MEQ/L | 3 | |
| <i>ringer's irrigation solution</i> | 1 | |
| SORBITOL IRRIGATION SOLUTION 3 %, 3.3 % | 1 | |
| SORBITOL-MANNITOL TRANSURETHRAL SOLUTION 2.7-0.54 GRAM/100 ML | 1 | |
| <i>tis-u-sol pentalyte irrigation irrigation solution 800-40-20-8.75- 6.25 mg/100 ml</i> | 3 | |
| MISCELLANEOUS AGENTS | | |
| ABLYSINOL INTRA-ARTERIAL SOLUTION 99 % | 3 | |
| <i>acamprostate oral tablet,delayed release (dr/ec) 333 mg</i> | 1 | |
| <i>acetic acid irrigation solution 0.25 %</i> | 1 | |
| AGRYLIN ORAL CAPSULE 0.5 MG | 3 | SP |
| AMMONUL INTRAVENOUS SOLUTION 10-10 % | 2 | |
| AMPHADASE INJECTION SOLUTION 150 UNIT/ML | 3 | |
| <i>anagrelide oral capsule 0.5 mg, 1 mg</i> | 1 | |
| <i>aqua care sodium chloride irrigation solution 0.9 %</i> | 1 | |
| <i>aqua care sterile water irrigation solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG, 500 MG | 2 | SP |
| <i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i> | 1 | |
| CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG | 2 | SP |
| CARNITOR ORAL SOLUTION 100 MG/ML | 3 | |
| CARNITOR ORAL TABLET 330 MG | 3 | |
| <i>cevimeline oral capsule 30 mg</i> | 1 | |
| CHEMET ORAL CAPSULE 100 MG | 2 | |
| <i>clovique oral capsule 250 mg</i> | 1 | SP; QL |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> | 1 | PA; SP |
| <i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> | 1 | PA; SP |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 1 | |
| ENDARI ORAL POWDER IN PACKET 5 GRAM | 3 | PA; SP |
| EVOXAC ORAL CAPSULE 30 MG | 3 | |
| EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG | 3 | PA; SP |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 2 | PA; SP |
| FERRIPROX ORAL TABLET 1,000 MG, 500 MG | 2 | PA; SP |
| GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML | 3 | PA; SP; QL |
| HYLENEX INJECTION SOLUTION 150 UNIT/ML | 3 | |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 2 | PA; SP |
| INFASURF INTRATRACHEAL SUSPENSION 35 MG/ML | 3 | |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> | 1 | |
| <i>levocarnitine oral solution 100 mg/ml</i> | 1 | |
| <i>levocarnitine oral tablet 330 mg</i> | 1 | |
| LITHOSTAT ORAL TABLET 250 MG | 3 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| NITYR ORAL TABLET 10 MG, 2 MG, 5 MG | 2 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG | 3 | PA; SP; QL |
| OXBRYTA ORAL TABLET 500 MG | 3 | PA; SP |
| <i>pilocarpine hcl oral tablet 5 mg</i> | 1 | |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG | 2 | SP |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML | 2 | SP |
| RADIOGARDASE ORAL CAPSULE 0.5 GRAM | 3 | |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 2 | PA; SP; QL |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML) | 3 | PA; SP |
| RILUTEK ORAL TABLET 50 MG | 3 | |
| <i>riluzole oral tablet 50 mg</i> | 1 | |
| <i>risedronate oral tablet 30 mg</i> | 1 | ST; QL |
| <i>sodium benzoate-sod phenylacet intravenous solution 10-10 %</i> | 1 | |
| <i>sodium chlor 0.9% bacteriostat injection solution 0.9 %</i> | 1 | |
| <i>sodium chloride 0.9 % (flush) injection syringe</i> | 2 | |
| <i>sodium chloride 0.9 % injection solution</i> | 1 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 1 | |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | 1 | |
| <i>sodium chloride injection syringe 0.9 %</i> | 1 | |
| <i>sodium chloride irrigation solution 0.9 %</i> | 1 | |
| <i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> | 1 | PA; SP; QL |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> | 1 | PA; SP; QL |
| SOLIRIS INTRAVENOUS SOLUTION 300 MG/30 ML | 2 | PA; SP; QL |
| SURVANTA INTRATRACHEAL SUSPENSION 25 MG/ML | 3 | |
| THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG | 3 | SP |
| THIOLA ORAL TABLET 100 MG | 3 | SP |
| TIGLUTIK ORAL SUSPENSION 50 MG/10 ML | 3 | SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>trientine oral capsule 250 mg</i> | 1 | SP; QL |
| ULTOMIRIS INTRAVENOUS SOLUTION 300 MG/30 ML (10 MG/ML) | 3 | PA; SP; QL |
| <i>water for irrigation, sterile irrigation solution</i> | 1 | |
| XURIDEN ORAL GRANULES IN PACKET 2 GRAM | 2 | PA; SP; QL |
| ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG | 2 | SP |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | 1 | SP |
| SMOKING DETERRENTS | | |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 1 | QL |
| CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG | 2 | QL |
| CHANTIX ORAL TABLET 0.5 MG, 1 MG | 2 | QL |
| CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42) | 2 | QL |
| NICODERM CQ TRANSDERMAL PATCH 24 HOUR 14 MG/24 HR, 21 MG/24 HR, 7 MG/24 HR | 2 | ST; QL |
| NICORETTE BUCCAL GUM 2 MG | 2 | ST; QL |
| <i>nicorette buccal gum 4 mg</i> | 1 | ST; QL |
| NICORETTE BUCCAL LOZENGE 2 MG, 4 MG | 2 | ST; QL |
| NICORETTE BUCCAL MINI LOZENGE 2 MG, 4 MG | 2 | ST; QL |
| <i>nicotine (polacrilex) buccal gum 2 mg, 4 mg</i> | 1 | ST; QL |
| <i>nicotine (polacrilex) buccal lozenge 2 mg, 4 mg</i> | 1 | ST; QL |
| <i>nicotine (polacrilex) buccal mini lozenge 2 mg, 4 mg</i> | 1 | ST; QL |
| <i>nicotine transdermal patch 24 hour 14 mg/24 hr, 21 mg/24 hr, 7 mg/24 hr</i> | 1 | ST; QL |
| <i>nicotine transdermal patch, td daily, sequential 21-14-7 mg/24 hr</i> | 1 | ST; QL |
| NICOTROL INHALATION CARTRIDGE 10 MG | 2 | QL |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>quit 2 buccal gum 2 mg</i> | 1 | ST; QL |
| <i>quit 2 buccal lozenge 2 mg</i> | 1 | ST; QL |
| <i>quit 4 buccal gum 4 mg</i> | 1 | ST; QL |
| <i>quit 4 buccal lozenge 4 mg</i> | 1 | ST; QL |
| <i>stop smoking aid buccal lozenge 2 mg, 4 mg</i> | 1 | ST; QL |

EAR, NOSE & THROAT MEDICATIONS

MISCELLANEOUS AGENTS

| | | |
|--|---|----|
| <i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i> | 1 | QL |
| <i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i> | 1 | QL |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | 1 | |
| DEBACTEROL MUCOUS MEMBRANE SOLUTION 30-50 % | 3 | |
| DEBACTEROL MUCOUS MEMBRANE SWAB 30-50 % | 3 | |
| <i>ipratropium bromide nasal spray,non-aerosol 0.03 %, 42 mcg (0.06 %)</i> | 1 | |
| <i>olopatadine nasal spray,non-aerosol 0.6 %</i> | 2 | QL |
| <i>oralone dental paste 0.1 %</i> | 1 | |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> | 1 | |
| PATANASE NASAL SPRAY,NON-AEROSOL 0.6 % | 3 | QL |
| <i>periogard mucous membrane mouthwash 0.12 %</i> | 1 | |
| <i>pilocarpine hcl oral tablet 7.5 mg</i> | 1 | |
| <i>triamcinolone acetonide dental paste 0.1 %</i> | 1 | |

MISCELLANEOUS OTIC PREPARATIONS

| | | |
|---|---|--|
| <i>acetic acid otic (ear) solution 2 %</i> | 1 | |
| <i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> | 1 | |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> | 1 | |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 1 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 1 | |
| OTIPRIO INTRATYMPANIC SUSPENSION 6 % (6 MG/0.1 ML) | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| OTIC STEROID / ANTIBIOTIC | | |
| CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 % | 2 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> | 1 | |
| CIPROFLOXACIN-FLUOCINOLONE OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML) | 1 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | 1 | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5- 10,000-1 mg/ml-unit/ml-%</i> | 1 | |
| OTOVEL OTIC (EAR) SOLUTION 0.3-0.025 % (0.25 ML) | 3 | |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> | 1 | |
| BETAMETHASONE SOD PHOSPH-WATER INJECTION SOLUTION 6 MG/ML | 1 | |
| <i>cortisone oral tablet 25 mg</i> | 1 | |
| <i>decadron oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> | 1 | |
| <i>dexamethasone intensol oral drops 1 mg/ml</i> | 2 | |
| <i>dexamethasone oral elixir 0.5 mg/5 ml</i> | 1 | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 1 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 1 | |
| HEMADY ORAL TABLET 20 MG | 3 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 1 | |
| <i>methylprednisolone oral tablets,dose pack 4 mg</i> | 1 | |
| <i>millipred dp oral tablets,dose pack 5 mg (21 tabs), 5 mg (48 tabs)</i> | 2 | |
| <i>millipred oral tablet 5 mg</i> | 2 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ORAPRED ODT ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 30 MG | 3 | |
| P-CARE K80 INJECTION KIT 40 MG/ML | 3 | |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 1 | |
| <i>prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg</i> | 1 | |
| <i>prednisone intensol oral concentrate 5 mg/ml</i> | 2 | |
| <i>prednisone oral solution 5 mg/5 ml</i> | 1 | |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | |
| <i>prednisone oral tablets,dose pack 10 mg, 5 mg</i> | 1 | |
| PRO-C-DURE 5 INJECTION KIT 40 MG/ML | 3 | |
| PRO-C-DURE 6 INJECTION KIT 40 MG/ML | 3 | |
| TRIAMCINOL ACE-BUPIV-0.9% NACL INJECTION SUSPENSION 40-5 MG/ML | 1 | |
| <i>triamcinolone acetonide injection suspension 10 mg/ml, 40 mg/ml</i> | 1 | |
| ZCORT ORAL TABLETS,DOSE PACK 1.5 MG (25 TABS) | 3 | |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 1 | |
| SSKI ORAL SOLUTION 1 GRAM/ML | 1 | |
| TAPAZOLE ORAL TABLET 10 MG, 5 MG | 3 | |
| BLOOD GLUCOSE MONITORING DEVICES & SUPPLIES | | |
| BLOOD GLUCOSE TEST STRIP | 1 | |
| CONTOUR NEXT TEST STRIPS STRIP | 3 | |
| CONTOUR TEST STRIPS STRIP | 3 | PA |
| EASY TRAK II TEST STRIP STRIP | 3 | |
| FREESTYLE INSULINX STRIP | 2 | QL |
| FREESTYLE INSULINX TEST STRIPS STRIP | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| FREESTYLE LITE STRIPS STRIP | 3 | QL |
| FREESTYLE PRECISION NEO STRIPS STRIP | 2 | |
| FREESTYLE TEST STRIP | 2 | QL |
| ONETOUCH ULTRA BLUE TEST STRIP STRIP | 2 | |
| ONETOUCH VERIO TEST STRIPS STRIP | 2 | |
| PRECISION XTRA TEST STRIP | 2 | QL |
| DIABETES, SUPPLIES, & DURABLE MEDICAL EQUIPMENT | | |
| ACE AEROSOL CLOUD ENHANCER SPACER | 1 | |
| AEROCHAMBER MINI SPACER | 1 | |
| AEROCHAMBER PLUS FLOW-VU SPACER | 1 | |
| AEROCHAMBER PLUS Z STAT SPACER | 3 | |
| AEROTRACH PLUS SPACER | 1 | |
| AEROVENT PLUS SPACER | 1 | |
| BREATHERITE MDI SPACER SPACER | 1 | |
| COMPACT SPACE CHAMBER SPACER | 1 | |
| EASIVENT HOLDING CHAMBER SPACER | 1 | |
| FLEXICHAMBER SPACER | 1 | QL |
| INSPIRACHAMBER SPACER | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2" | 3 | |
| LITEAIRE MDI CHAMBER SPACER | 1 | |
| MICROCHAMBER SPACER | 1 | |
| MICROSPACER SPACER | 1 | |
| OPTICHAMBER DIAMOND VHC SPACER | 1 | |
| POCKET CHAMBER SPACER | 1 | |
| PRIMEAIRE SPACER | 1 | |
| PROCHAMBER SPACER | 1 | |
| RITEFLO AEROCHAMBER SPACER | 1 | |
| SPACE CHAMBER SPACER | 3 | |
| GLUCOSE ELEVATING AGENTS | | |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION | 2 | |
| <i>diazoxide oral suspension 50 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG | 2 | |
| GLUCAGON (HCL) EMERGENCY KIT INJECTION RECON SOLN 1 MG | 1 | |
| GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG | 2 | |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML | 2 | |
| PROGLYCEM ORAL SUSPENSION 50 MG/ML | 3 | |
| INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQUIPMENT | | |
| 2TEK GLUCOSE/BLOOD PRESSURE KIT | 3 | |
| ACCU-CHEK COMBO SYSTEM KIT | 3 | |
| ACCU-CHEK GUIDE L1-L2 CTRL SOL SOLUTION | 3 | |
| ACCU-CHEK SMARTVIEW CTRL SOL SOLUTION | 3 | |
| ACCUTREND GLUCOSE CONTROL SOLUTION | 3 | |
| ADVOCATE DUO DEVICE | 3 | |
| ADVOCATE LOW CONTROL SOLUTION | 3 | |
| ADVOCATE REDI-CODE DUO METER DEVICE | 3 | |
| ADVOCATE REDI-CODE+ CTRL LOW SOLUTION | 3 | |
| AGAMATRIX CONTROL HIGH SOLUTION | 3 | |
| ASSURE 4 CONTROL SOLUTION COMBO PACK | 3 | |
| ASSURE DOSE NORMAL CONTROL SOLUTION | 3 | |
| ASSURE PRISM CONTROL 1-2 SOLN SOLUTION | 3 | |
| AT HOME A1C DEVICE | 3 | |
| AUTOSOFT 30 INFUSION SET | 3 | |
| AUTOSOFT 90 INFUSION SET | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| AUTOSOFT XC INFUSION SET 23" INFUSION SET | 3 | |
| BD ULTRA-FINE NANO PEN NEEDLE NEEDLE 32 GAUGE X 5/32" | 2 | |
| BLOOD GLUCOSE CONTROL, NORMAL SOLUTION | 3 | |
| BREEZE 2 CONTROL SOLUTION,HIGH SOLUTION | 3 | |
| CARESENS CONTROL A NORMAL SOLUTION | 3 | |
| CEQUR SIMPLICITY DEVICE 2 UNIT | 3 | |
| CLEO 90 INFUSION SET 24" INFUSION SET | 3 | |
| CLEVER CHOICE LEVEL 2 CONTROL SOLUTION | 3 | |
| COMFORT INFUSION SET 43" INFUSION SET | 3 | |
| COMFORT SHORT INSULIN PUMP 23" INFUSION SET | 3 | |
| CONTACT DETACH INFUS SET 23" INFUSION SET | 3 | |
| CONTOUR CONTROL SOLUTION, NML SOLUTION | 3 | |
| CONTOUR NEXT LEV 2 CONTROL SOL SOLUTION | 3 | |
| CONTOUR NEXT LINK 2.4 KIT | 3 | |
| CONTOUR NEXT LINK KIT | 3 | |
| COOL CONTROL A SOLUTION SOLUTION | 3 | |
| DEXCOM G4 RECEIVER | 2 | PA |
| DEXCOM G5 RECEIVER | 2 | PA |
| DEXCOM G6 RECEIVER | 2 | PA |
| DEXCOM RECEIVER | 2 | PA |
| DIATRUE CONTROL SOLN NORMAL SOLUTION | 3 | |
| EASY PLUS II HIGH CONTROL SOLUTION | 3 | |
| EASY STEP HIGH CONTROL SOLN SOLUTION | 3 | |
| EASY TALK HIGH CONTROL SOLUTION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| EASY TRAK II CTRL SOLN-NORMAL SOLUTION | 3 | |
| EASY TRAK LOW CONTROL SOLUTION | 3 | |
| EASYGLUCO PLUS NORMAL CONTROL SOLUTION | 3 | |
| EASymax LOW CONTROL SOLUTION | 3 | |
| EASymax NORMAL CONTROL SOLUTION | 3 | |
| ELEMENT COMPACT NORMAL CONTROL SOLUTION | 3 | |
| ELEMENT NORMAL CONTROL SOLUTION | 3 | |
| EMBRACE EVO LEVEL 1 SOLUTION | 3 | |
| EMBRACE GLUCOSE CONTROL LOW SOLUTION | 3 | |
| EMBRACE TALK CONTROL-LOW (L1) SOLUTION | 3 | |
| EVERSENSE SENSOR-HOLDER SUBCUTANEOUS DEVICE | 3 | |
| EVOLUTION NORMAL CONTROL SOLUTION | 3 | |
| FORA D10 KIT | 3 | |
| FORA D15 GLUCOSE-BP MONITOR DEVICE | 3 | |
| FORA D40D GLUCOSE-BP MONITOR DEVICE | 3 | |
| FORA GTEL MULTI-FUNCTN MONITOR DEVICE | 3 | |
| FORA NORMAL CONTROL SOLUTION | 3 | |
| FORACARE GDH LOW CONTROL SOLUTION | 3 | |
| FORTISCARE NORMAL SOLUTION | 3 | |
| FREESTYLE CONTROL SOLUTION | 2 | QL |
| FREESTYLE FLASH SYSTEM KIT | 2 | |
| FREESTYLE FREEDOM KIT | 2 | |
| FREESTYLE FREEDOM LITE KIT | 2 | |
| FREESTYLE INSULINX | 2 | QL |
| FREESTYLE LIBRE 14 DAY READER | 3 | PA |
| FREESTYLE LIBRE 14 DAY SENSOR KIT | 3 | PA |
| FREESTYLE LITE METER KIT | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| FREESTYLE PRECISION NEO METER | 2 | |
| FREESTYLE SIDEKICK II KIT | 2 | |
| FREESTYLE SYSTEM KIT KIT | 2 | |
| GE100 CONTROL SOLUTION NORMAL SOLUTION | 3 | |
| GENTEEL VACUUM LANCING DEVICE COMBO PACK | 3 | |
| GLUCOCARD 01 NORMAL CONTROL SOLUTION | 3 | |
| GLUCOCOM CONTROL NORMAL SOLUTION | 3 | |
| GLUCOSE CONTROL SOLUTION | 3 | |
| GOJJI GLUCOSE CNTRL SOL-NORMAL SOLUTION | 3 | |
| GOJJI KETONE CONTROL SOLN-L1 SOLUTION | 3 | |
| GOJJI MULTI-FUNCTIONAL METER KIT | 3 | |
| HEALTHPRO HIGH-LOW CONTROL SOLUTION | 3 | |
| INFINITY CONTROL SOLUTION NORM SOLUTION | 3 | |
| INFINITY VOICE CTRL SOLN-LVL 2 SOLUTION | 3 | |
| INFUSION SET 43" 6MM INFUSION SET | 3 | |
| INPEN (FOR HUMALOG) SUBCUTANEOUS INSULIN PEN | 3 | |
| INPEN (FOR NOVOLOG OR FIASP) SUBCUTANEOUS INSULIN PEN | 3 | |
| INSET 30 INFUSION SET 23" INFUSION SET | 3 | |
| INSET INFUSION SET 23" INFUSION SET | 3 | |
| LANCING DEVICE | 2 | |
| MEDISENSE COMBO PACK | 3 | |
| MEDISENSE GLUCOSE KETONE COMBO PACK | 3 | |
| MINIMED MIO 32" INFUSION SET | 3 | |
| MINIMED MIO ADVANCE INF SET23" INFUSION SET | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| MINIMED QUICK SET 43" INFUSION SET | 3 | |
| MINIMED SILHOUETTE 23" INFUSION SET | 3 | |
| MINIMED SURE T 32" INFUSION SET | 3 | |
| MIO INFUSION SET INFUSION SET | 3 | |
| MYGLUCOHEALTH CONTROL SOLUTION SOLUTION | 3 | |
| NOVA MAX GLUCOSE CONTROL SOLUTION | 3 | |
| NOVAMAX PLUS GLU-KET SOLUTION | 3 | |
| NOVOPEN ECHO SUBCUTANEOUS INSULIN PEN | 3 | |
| OMNIPOD DASH 5 PACK POD SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD INSULIN MANAGEMENT | 3 | |
| ON CALL EXPRESS CONTROL SOLUTION | 3 | |
| ON CALL PLUS CONTROL SOLUTION | 3 | |
| ON CALL VIVID CONTROL SOLUTION | 3 | |
| ONETOUCH PING INSULIN PUMP | 3 | |
| ONETOUCH ULTRA CONTROL SOLUTION | 2 | |
| ONETOUCH ULTRA2 METER | 2 | |
| ONETOUCH ULTRAMINI KIT | 2 | |
| ONETOUCH VERIO FLEX METER | 2 | |
| ONETOUCH VERIO IQ METER | 2 | |
| ONETOUCH VERIO METER | 2 | |
| ONETOUCH VERIO REFLECT METER | 3 | |
| PRECISION XTRA KETONE-GLUCOSE KIT | 3 | |
| PRECISION XTRA MONITOR | 2 | QL |
| PREMIUM BLOOD GLUCOSE MONITOR | 1 | |
| PRODIGY CONTROL SOLUTION, LOW SOLUTION | 3 | |
| PRODIGY CONTROL SOLUTION, HIGH SOLUTION | 3 | |
| REFUAH PLUS GLUCOSE CONTROL SOLUTION | 3 | |
| REVEL PROGRAMMABLE PUMP | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| RIGHTEST CONTROL SOLUTION HIGH SOLUTION | 3 | |
| SAFE-CLIP BY MAIL DEVICE | 3 | |
| SMARTEST CONTROL SOLUTION | 3 | |
| SOLUS V2 CONTROL SOLUTION,HIGH SOLUTION | 3 | |
| T:SLIM X2 BASAL-IQ INSULIN PMP | 3 | |
| T:SLIM X2 CONTROL-IQ | 3 | |
| T:SLIM X2 INSULIN PUMP | 3 | |
| TELCARE CONTROL SOLUTION | 3 | |
| TRUE METRIX LEVEL 1 SOLUTION | 3 | |
| TRUECONTROL LEVEL 0 SOLUTION | 3 | |
| TRUSTEEL INFUSION SET 32" INFUSION SET | 3 | |
| UNISTRIP LOW CONTROL SOLUTION | 3 | |
| VARISOFT INFUSION SET 43" INFUSION SET | 3 | |
| VERASENS CONTROL SOLN-LEVEL 1 SOLUTION | 3 | |
| V-GO 20 DEVICE | 3 | |
| V-GO 30 DEVICE | 3 | |
| V-GO 40 DEVICE | 3 | |
| VIVAGUARD INO CTRL SOLN-L1,2,3 SOLUTION | 3 | |
| WAVESENSE CONTROL SOLUTION SOLUTION | 3 | |
| INSULIN THERAPY | | |
| AFREZZA INHALATION CARTRIDGE WITH INHALER 12 UNIT, 8 UNIT, 8 UNIT (90)/ 12 UNIT (90) | 3 | PA |
| AFREZZA INHALATION CARTRIDGE WITH INHALER 4 UNIT, 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60) | 3 | PA; QL |
| BASAGLAR KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | ST; QL |
| HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML) | 2 | QL |
| HUMALOG MIX 50-50 INSULN U-100 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50) | 2 | QL |
| HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50) | 2 | QL |
| HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25) | 2 | QL |
| HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25) | 2 | QL |
| HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | 2 | QL |
| HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 2 | QL |
| HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 2 | QL |
| HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 2 | QL |
| HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | QL |
| HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 2 | QL |
| HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML | 2 | QL |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 2 | QL |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 2 | QL |
| INSULIN LISPRO PROTAMIN-LISPRO SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25) | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| INSULIN LISPRO SUBCUTANEOUS INSULIN PEN 100 UNIT/ML | 1 | QL |
| INSULIN LISPRO SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML | 1 | QL |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML | 1 | QL |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | QL |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 2 | QL |
| LEVEMIR FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | QL |
| LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 2 | QL |
| LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML | 3 | |
| LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 3 | |
| LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| MYXREDLIN INTRAVENOUS SOLUTION 100 UNIT/100 ML (1 UNIT/ML) | 3 | |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | QL |
| RELION NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 3 | QL |
| RELION NOVOLIN R INJECTION SOLUTION 100 UNIT/ML | 3 | QL |
| SEMGLEE PEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | QL |
| SEMGLEE U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | QL |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | 2 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | 2 | QL |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | 2 | QL |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | QL |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 2 | QL |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 2 | QL |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | 2 | ST; QL |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML | 2 | SP |
| ANADROL-50 ORAL TABLET 50 MG | 3 | PA |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR | 2 | PA; QL |
| BRINEURA INTRAVENTRICULAR KIT 300 MG/10 ML (150MG/5ML X2) | 3 | SP; QL |
| <i>cabergoline oral tablet 0.5 mg</i> | 1 | |
| <i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i> | 1 | |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 1 | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | 1 | |
| <i>calcitriol oral solution 1 mcg/ml</i> | 1 | |
| CERDELGA ORAL CAPSULE 84 MG | 2 | PA; QL |
| CEREZYME INTRAVENOUS RECON SOLN 400 UNIT | 2 | PA; SP |
| CETROTIDE SUBCUTANEOUS KIT 0.25 MG | 2 | SP |
| <i>cinacalcet oral tablet 30 mg, 60 mg, 90 mg</i> | 1 | PA; SP |
| <i>clomiphene citrate oral tablet 50 mg</i> | 1 | |
| CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML, 20 MG/ML, 30 MG/ML | 3 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 1 | |
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i> | 1 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> | 1 | |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | 1 | |
| ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML | 2 | SP |
| ELELYSO INTRAVENOUS RECON SOLN 200 UNIT | 3 | PA; SP |
| FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG | 2 | SP |
| GALAFOLD ORAL CAPSULE 123 MG | 3 | PA; SP; QL |
| GONAL-F RFF REDI-JECT SUBCUTANEOUS PEN INJECTOR 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML | 2 | SP |
| GONAL-F RFF SUBCUTANEOUS RECON SOLN 75 UNIT | 2 | SP |
| GONAL-F SUBCUTANEOUS RECON SOLN 1,050 UNIT, 450 UNIT | 2 | SP |
| ISTURISA ORAL TABLET 1 MG, 10 MG, 5 MG | 3 | PA; SP; QL |
| JYNARQUE ORAL TABLET 15 MG, 30 MG | 3 | PA; SP; QL |
| JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM) | 3 | PA; SP |
| JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) | 3 | PA; SP; QL |
| KANUMA INTRAVENOUS SOLUTION 2 MG/ML | 2 | PA; SP |
| KORLYM ORAL TABLET 300 MG | 3 | PA; SP |
| KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG | 2 | PA; SP |
| KUVAN ORAL TABLET,SOLUBLE 100 MG | 2 | PA; SP |
| LUMIZYME INTRAVENOUS RECON SOLN 50 MG | 2 | PA; SP |
| MENOPUR SUBCUTANEOUS RECON SOLN 75 UNIT | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML | 3 | SP |
| <i>methyltestosterone oral capsule 10 mg</i> | 1 | ST |
| MIACALCIN INJECTION SOLUTION 200 UNIT/ML | 2 | |
| <i>miglustat oral capsule 100 mg</i> | 1 | PA; SP; QL |
| MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.) | 2 | SP; QL |
| NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML | 2 | SP |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 2 | PA; SP; QL |
| NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG | 3 | ST; QL |
| NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG | 3 | ST; QL |
| NOVAREL INTRAMUSCULAR RECON SOLN 10,000 UNIT, 5,000 UNIT | 2 | |
| ORILISSA ORAL TABLET 150 MG, 200 MG | 2 | PA; QL |
| OVIDREL SUBCUTANEOUS SYRINGE 250 MCG/0.5 ML | 2 | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> | 1 | PA |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML | 3 | PA; SP; QL |
| <i>pamidronate intravenous recon soln 30 mg, 90 mg</i> | 1 | |
| <i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i> | 1 | |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i> | 1 | |
| PARSABIV INTRAVENOUS SOLUTION 5 MG/ML | 3 | PA; SP; QL |
| SAMSCA ORAL TABLET 15 MG, 30 MG | 3 | PA; SP; QL |
| <i>sapropterin oral powder in packet 100 mg, 500 mg</i> | 1 | PA; SP |
| <i>sapropterin oral tablet,soluble 100 mg</i> | 1 | PA; SP |
| SENSIPAR ORAL TABLET 30 MG, 60 MG, 90 MG | 2 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 2 | SP |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 2 | PA; SP |
| SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML | 2 | PA; SP; QL |
| TEPEZZA INTRAVENOUS RECON SOLN 500 MG | 3 | PA; SP; QL |
| TESTONE CIK INTRAMUSCULAR KIT 200 MG/ML | 3 | PA |
| TESTOPEL IMPLANT PELLET 75 MG | 3 | |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> | 1 | PA; QL |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 1 | PA |
| <i>testosterone transdermal gel 50 mg/5 gram (1 %)</i> | 2 | PA |
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> | 2 | |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | 2 | PA |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | 1 | PA; QL |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i> | 2 | PA; QL |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> | 2 | PA |
| <i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i> | 1 | PA; QL |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i> | 2 | PA |
| <i>tolvaptan oral tablet 30 mg</i> | 1 | PA; SP; QL |
| VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML) | 2 | PA; SP |
| VPRIV INTRAVENOUS RECON SOLN 400 UNIT | 3 | PA; SP |
| ZAVESCA ORAL CAPSULE 100 MG | 3 | PA; SP; QL |
| ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG | 3 | |
| <i>zoledronic acid intravenous recon soln 4 mg</i> | 1 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| zoledronic acid intravenous solution 4 mg/5 ml | 1 | SP |
| zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml | 1 | PA; SP |
| ZOLEDRONIC AC-MANNITOL-0.9NACL INTRAVENOUS PIGGYBACK 4 MG/100 ML | 2 | SP |
| NON-INSULIN HYPOGLYCEMIC AGENTS | | |
| acarbose oral tablet 100 mg, 25 mg, 50 mg | 1 | |
| AVANDIA ORAL TABLET 2 MG, 4 MG | 3 | ST |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML | 2 | ST; QL |
| BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML | 2 | ST; QL |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 2 | ST; QL |
| FARXIGA ORAL TABLET 10 MG, 5 MG | 2 | ST; QL |
| glimepiride oral tablet 1 mg, 2 mg, 4 mg | 1 | |
| glipizide oral tablet 10 mg, 5 mg | 1 | |
| glipizide oral tablet extended release 24hr 10 mg, 2.5 mg, 5 mg | 1 | |
| glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg | 1 | |
| glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg | 1 | |
| glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg | 1 | |
| glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg | 1 | |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 2 | ST; QL |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG | 2 | ST; QL |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG | 2 | ST; QL |
| INVOKANA ORAL TABLET 100 MG, 300 MG | 2 | ST; QL |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG | 2 | ST; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG | 2 | ST; QL |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 2 | ST; QL |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 2 | ST; QL |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 2 | ST; QL |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG | 2 | ST; QL |
| <i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i> | 1 | |
| <i>metformin oral tablet extended release 24 hr 500 mg, 750 mg</i> | 1 | |
| <i> miglitol oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 1 | |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML) | 2 | ST; QL |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> | 1 | |
| <i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> | 1 | ST |
| <i>pioglitazone-metformin oral tablet 15-500 mg, 15- 850 mg</i> | 1 | ST |
| QTERN ORAL TABLET 10-5 MG | 3 | ST; QL |
| QTERN ORAL TABLET 5-5 MG | 2 | ST; QL |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i> | 1 | |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 2 | ST; QL |
| SEGLUROMET ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG | 2 | ST; QL |
| STEGLATRO ORAL TABLET 15 MG, 5 MG | 2 | ST; QL |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 2 | |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 2 | ST; QL |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 25-1,000 MG, 5-1,000 MG | 2 | ST; QL |
| TRADJENTA ORAL TABLET 5 MG | 2 | ST; QL |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 12.5-2.5-1,000 MG, 25-5-1,000 MG, 5-2.5-1,000 MG | 2 | ST; QL |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML | 2 | ST; QL |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3 | ST |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG, 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 2 | ST; QL |
| THYROID HORMONES | | |
| ARMOUR THYROID ORAL TABLET 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG | 2 | |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i> | 1 | |
| LEVOTHYROXINE INTRAVENOUS SOLUTION 100 MCG/ML, 20 MCG/ML, 40 MCG/ML | 1 | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| <i>liothyronine intravenous solution 10 mcg/ml</i> | 1 | |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>np thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | 2 | |
| SYNTHROID ORAL TABLET 300 MCG | 3 | |
| THYROLAR-1 ORAL TABLET 12.5-50 MCG | 3 | ST |
| THYROLAR-1/2 ORAL TABLET 6.25-25 MCG | 3 | ST |
| THYROLAR-1/4 ORAL TABLET 3.1-12.5 MCG | 3 | ST |
| THYROLAR-2 ORAL TABLET 25-100 MCG | 3 | ST |
| THYROLAR-3 ORAL TABLET 37.5-150 MCG | 3 | ST |
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| <i>unithroid oral tablet 300 mcg</i> | 3 | |
| <i>westhroid oral tablet 130 mg, 195 mg, 32.5 mg, 65 mg, 97.5 mg</i> | 1 | |

GASTROENTEROLOGY

ANTIDIARRHEALS & ANTISPASMODICS

| | | |
|--|---|----|
| ATROPINE IN 0.9 % SOD CHLORIDE INTRAVENOUS SYRINGE 1 MG/2.5 ML (0.4 MG/ML), 1.2 MG/3 ML (0.4 MG/ML), 2 MG/5 ML (0.4 MG/ML) | 1 | |
| <i>atropine injection solution 0.4 mg/ml, 1 mg/ml</i> | 1 | |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i> | 1 | |
| <i>belladonna alkaloids-opium rectal suppository 16.2-30 mg, 16.2-60 mg</i> | 1 | ST |
| <i>chlordiazepoxide-clidinium oral capsule 5-2.5 mg</i> | 1 | |
| CUVPOSA ORAL SOLUTION 1 MG/5 ML (0.2 MG/ML) | 3 | |
| <i>dicyclomine intramuscular solution 10 mg/ml</i> | 1 | |
| <i>dicyclomine oral capsule 10 mg</i> | 1 | |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 1 | |
| <i>dicyclomine oral tablet 20 mg</i> | 1 | |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i> | 1 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| diphenoxylate-atropine oral tablet 2.5-0.025 mg | 1 | ST |
| ed-spaz oral tablet,disintegrating 0.125 mg | 1 | |
| GLYCOPYRROLATE (PF) IN WATER INJECTION SYRINGE 0.2 MG/ML | 1 | |
| glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml), 1 mg/5 ml (0.2 mg/ml) | 1 | |
| GLYCOPYRROLATE (PF) IN WATER INTRAVENOUS SYRINGE 0.6 MG/3 ML (0.2 MG/ML) | 1 | |
| GLYCOPYRROLATE INTRAVENOUS SYRINGE 0.6 MG/3 ML (0.2 MG/ML) | 1 | |
| GLYRX-PF INJECTION SOLUTION 0.2 MG/ML | 3 | |
| HYOSCYAMINE SULFATE INJECTION SOLUTION 0.5 MG/ML | 1 | |
| hyoscyamine sulfate oral drops 0.125 mg/ml | 1 | |
| hyoscyamine sulfate oral elixir 0.125 mg/5 ml | 1 | |
| hyoscyamine sulfate oral tablet 0.125 mg | 1 | |
| hyoscyamine sulfate oral tablet extended release 12 hr 0.375 mg | 1 | |
| hyoscyamine sulfate oral tablet,disintegrating 0.125 mg | 1 | |
| hyoscyamine sulfate sublingual tablet 0.125 mg | 1 | |
| hyosyne oral drops 0.125 mg/ml | 1 | |
| hyosyne oral elixir 0.125 mg/5 ml | 1 | |
| methscopolamine oral tablet 2.5 mg, 5 mg | 1 | |
| MYTESI ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG | 3 | |
| opium tincture oral tincture 10 mg/ml (morphine) | 1 | ST |
| oscimin oral tablet 0.125 mg | 1 | |
| oscimin sl sublingual tablet 0.125 mg | 1 | |
| oscimin sr oral tablet extended release 12 hr 0.375 mg | 1 | |
| SYMAX DUOTAB ORAL TABLET,EXT RELEASE MULTIPHASE 0.125 MG-0.25 MG (0.375 MG) | 3 | |

MISCELLANEOUS GASTROINTESTINAL AGENTS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ACTIGALL ORAL CAPSULE 300 MG | 3 | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG | 3 | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML | 3 | |
| <i>alosetron oral tablet 0.5 mg, 1 mg</i> | 1 | |
| AMITIZA ORAL CAPSULE 24 MCG, 8 MCG | 3 | QL |
| ANA-LEX KIT RECTAL KIT 2-2 % | 1 | |
| ANALPRAM-HC RECTAL CREAM 1-1 %, 2.5- 1 % | 3 | |
| ANALPRAM-HC SINGLES RECTAL CREAM 2.5-1 % (4G) | 3 | |
| <i>anucort-hc rectal suppository 25 mg</i> | 1 | |
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i> | 1 | QL |
| <i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i> | 1 | QL |
| APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM | 3 | |
| AURYXIA ORAL TABLET 210 MG IRON | 3 | QL |
| AVSOLA INTRAVENOUS RECON SOLN 100 MG | 3 | |
| AZULFIDINE EN-TABS ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG | 3 | |
| AZULFIDINE ORAL TABLET 500 MG | 3 | |
| <i>balsalazide oral capsule 750 mg</i> | 1 | |
| BARHEMSYS INTRAVENOUS SOLUTION 5 MG/2 ML (2.5 MG/ML) | 3 | |
| <i>budesonide oral capsule,delayed,extend.release 3 mg</i> | 1 | |
| <i>budesonide oral tablet,delayed and ext.release 9 mg</i> | 1 | ST |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 1 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 1 | |
| CANASA RECTAL SUPPOSITORY 1,000 MG | 3 | |
| CHENODAL ORAL TABLET 250 MG | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | 2 | PA; SP |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 3 | PA; SP; QL |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 3 | PA; SP; QL |
| CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML | 3 | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML | 3 | |
| <i>compro rectal suppository 25 mg</i> | 1 | |
| <i>constulose oral solution 10 gram/15 ml</i> | 1 | |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 2 | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> | 1 | |
| CYSTADANE ORAL POWDER 1 GRAM/1.7 ML | 2 | SP |
| DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG | 3 | |
| <i>dimenhydrinate injection solution 50 mg/ml</i> | 1 | |
| DIPENTUM ORAL CAPSULE 250 MG | 3 | ST |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> | 1 | ST; QL |
| <i>droperidol injection solution 2.5 mg/ml</i> | 1 | |
| ENTEREG ORAL CAPSULE 12 MG | 3 | |
| ENTOCORT EC ORAL CAPSULE,DELAYED,EXTEND.RELEASE 3 MG | 3 | |
| ENTYVIO INTRAVENOUS RECON SOLN 300 MG | 2 | PA; SP; QL |
| <i>enulose oral solution 10 gram/15 ml</i> | 1 | |
| <i>fosaprepitant intravenous recon soln 150 mg</i> | 1 | |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 3 | PA; SP; QL |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram | 1 | |
| gavilyte-n oral recon soln 420 gram | 1 | |
| generlac oral solution 10 gram/15 ml | 1 | |
| GIMOTI NASAL SPRAY WITH PUMP 15 MG/SPRAY | 3 | QL |
| GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM | 3 | |
| GOLYTELY ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM | 3 | |
| granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml | 1 | |
| granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml) | 1 | |
| granisetron hcl oral tablet 1 mg | 1 | ST; QL |
| hydrocortisone acetate rectal suppository 25 mg, 30 mg | 1 | |
| hydrocortisone rectal enema 100 mg/60 ml | 1 | |
| hydrocortisone topical cream with perineal applicator 1 %, 2.5 % | 1 | |
| hydrocortisone-pramoxine rectal cream 1-1 %, 2.5-1 %, 2.5-1 % (4g) | 1 | |
| kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml | 1 | |
| lactulose oral packet 10 gram | 1 | |
| lactulose oral solution 10 gram/15 ml, 20 gram/30 ml | 1 | |
| lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg | 1 | |
| LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM | 3 | |
| lidocaine hcl-hydrocortison ac rectal cream 3-0.5 % | 1 | |
| LIDOCAINE HCL-HYDROCORTISON AC RECTAL GEL 3 %-2.5 % (7 GRAM) | 1 | |
| lidocaine hcl-hydrocortison ac rectal kit 2 %-2 % (7 gram), 3-0.5 %, 3-1 % (7 gram) | 1 | |
| lidocaine-hydrocortisone-aloe rectal gel 2.8-0.55 % | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>lidocaine-hydrocortisone-aloe rectal kit 3-2.5 % (7 gram)</i> | 1 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 2 | |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM | 2 | PA; QL |
| MARINOL ORAL CAPSULE 10 MG, 2.5 MG, 5 MG | 3 | ST; QL |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> | 1 | |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> | 1 | |
| <i>mesalamine rectal enema 4 gram/60 ml</i> | 1 | |
| <i>mesalamine rectal suppository 1,000 mg</i> | 1 | |
| <i>mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml</i> | 1 | |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | 1 | |
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | 1 | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 1 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>metoclopramide hcl oral tablet,disintegrating 10 mg, 5 mg</i> | 1 | |
| MOTEGRITY ORAL TABLET 1 MG, 2 MG | 3 | ST |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 2 | QL |
| MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM | 3 | |
| NULYTELY LEMON-LIME ORAL RECON SOLN 420 GRAM | 3 | |
| NULYTELY WITH FLAVOR PACKS ORAL RECON SOLN 420 GRAM | 3 | |
| OCALIVA ORAL TABLET 10 MG, 5 MG | 2 | PA; SP; QL |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | 1 | |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | 1 | |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | 1 | |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | 1 | QL |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 1 | |
| <i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ORTIKOS ORAL CAPSULE, EXTENDED RELEASE 6 MG, 9 MG | 3 | PA |
| OSMOPREP ORAL TABLET 1.5 GRAM | 3 | |
| PALONOSETRON INTRAVENOUS SOLUTION 0.25 MG/2 ML | 3 | |
| <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | 1 | |
| <i>palonosetron intravenous syringe 0.25 mg/5 ml</i> | 1 | |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> | 1 | |
| <i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet 100-7.5-2.691 gram</i> | 1 | |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> | 1 | |
| <i>peg-prep oral kit 5-210 mg-gram</i> | 1 | |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG | 2 | |
| PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML | 2 | |
| PLENUV ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM | 3 | |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i> | 1 | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>prochlorperazine rectal suppository 25 mg</i> | 1 | |
| PROCORT RECTAL CREAM 1.85-1.15 % | 3 | |
| PROCTOFOAM HC RECTAL FOAM 1-1 % | 3 | |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| <i>procto-pak topical cream with perineal applicator 1 %</i> | 1 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> | 1 | |
| RECTIV RECTAL OINTMENT 0.4 % (W/W) | 2 | |
| RELISTOR ORAL TABLET 150 MG | 2 | PA; QL |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML | 2 | PA; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML | 2 | PA; QL |
| RENFLEXIS INTRAVENOUS RECON SOLN 100 MG | 2 | PA; SP |
| SANCUSO TRANSDERMAL PATCH WEEKLY 3.1 MG/24 HOUR | 3 | ST; QL |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> | 1 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> | 1 | |
| <i>sevelamer carbonate oral tablet 800 mg</i> | 1 | |
| <i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i> | 1 | |
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| SOLESTA IMPLANT GEL FOR IMPLANT IN SYRINGE 50-15 MG/ML (4) | 3 | SP |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 1 | |
| <i>sps (with sorbitol) rectal enema 30-40 gram/120 ml</i> | 2 | |
| SUCRAID ORAL SOLUTION 8,500 UNIT/ML | 2 | PA; SP; QL |
| <i>sulfasalazine oral tablet 500 mg</i> | 1 | |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> | 1 | |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM | 2 | |
| SYMPROIC ORAL TABLET 0.2 MG | 2 | QL |
| SYNDROS ORAL SOLUTION 5 MG/ML | 3 | ST; QL |
| TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS | 3 | |
| <i>trilyte with flavor packets oral recon soln 420 gram</i> | 1 | |
| <i>trimethobenzamide oral capsule 300 mg</i> | 1 | |
| TRULANCE ORAL TABLET 3 MG | 2 | QL |
| UCERIS RECTAL FOAM 2 MG/ACTUATION | 2 | |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet 250 mg, 500 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| VARUBI ORAL TABLET 90 MG | 2 | QL |
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 2 | |
| VIBERZI ORAL TABLET 100 MG, 75 MG | 3 | PA; QL |
| VIOKACE ORAL TABLET 10,440-39,150-39,150 UNIT, 20,880-78,300- 78,300 UNIT | 2 | |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT | 2 | |
| ZOFRAN ORAL TABLET 4 MG, 8 MG | 3 | |
| ULCER THERAPY | | |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i> | 1 | QL |
| CARAFATE ORAL SUSPENSION 100 MG/ML | 2 | |
| CARAFATE ORAL TABLET 1 GRAM | 3 | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 1 | |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i> | 1 | |
| CYTOTEC ORAL TABLET 100 MCG, 200 MCG | 3 | |
| DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG | 3 | ST; QL |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i> | 1 | QL |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg, 40 mg</i> | 1 | QL |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i> | 1 | |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | 1 | |
| <i>famotidine intravenous solution 10 mg/ml</i> | 1 | |
| <i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>famotidine oral tablet 40 mg</i> | 1 | |
| HELIDAC ORAL COMBO PACK 250-500-262.4 MG | 3 | |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> | 1 | |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 2.5 MG, 5 MG | 2 | QL |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 1 | |
| <i>nizatidine oral solution 150 mg/10 ml</i> | 1 | |
| <i>omeprazole oral capsule, delayed release (dr/ec) 10 mg, 20 mg, 40 mg</i> | 1 | |
| <i>pantoprazole intravenous recon soln 40 mg</i> | 1 | |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> | 1 | |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> | 1 | QL |

ranitidine hcl oral syrup 15 mg/ml

ranitidine hcl oral tablet 300 mg

sucralfate oral suspension 100 mg/ml

sucralfate oral tablet 1 gram

IMMUNOLOGY, VACCINES & BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

| | | |
|--|---|------------|
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 3 | PA; SP |
| LEUKINE INJECTION RECON SOLN 250 MCG | 2 | PA; SP |
| NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 3 | PA; SP |
| NEULASTA SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 3 | PA; SP |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 2 | PA; SP |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 2 | PA; SP |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML | 2 | PA; SP; QL |
| REBLOZYL SUBCUTANEOUS RECON SOLN 25 MG, 75 MG | 3 | PA; SP |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 2 | PA; SP |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 2 | PA; SP |
| ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 3 | PA; SP |
| GROWTH HORMONES | | |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG | 2 | PA; SP; QL |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML | 2 | PA; SP |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) | 2 | PA; SP |
| NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 2 | PA; SP |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 2 | PA; SP |
| ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG | 3 | PA; QL |
| INTERFERONS | | |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 2 | PA; SP; QL |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 2 | PA; SP; QL |
| BAFIERTAM ORAL CAPSULE,DELAYED RELEASE(DR/EC) 95 MG | 3 | PA |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 2 | PA; SP; QL |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML | 2 | PA; SP; QL |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 240 mg</i> | 1 | PA; SP; QL |
| GILENYA ORAL CAPSULE 0.5 MG | 2 | PA; SP |
| <i>glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml</i> | 1 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml | 1 | PA; SP; QL |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 3 | SP; QL |
| LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML | 2 | PA; SP; QL |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 3 | PA; SP; QL |
| MAYZENT ORAL TABLET 0.25 MG, 2 MG | 2 | PA; SP; QL |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 3 | PA; SP; QL |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 3 | PA; SP; QL |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 3 | PA; SP; QL |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML | 3 | PA; SP; QL |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML | 2 | PA; SP; QL |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML | 2 | PA; SP; QL |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 2 | PA; SP; QL |
| REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML | 2 | PA; SP; QL |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 2 | PA; SP; QL |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 2 | PA; SP; QL |
| <i>ribavirin oral capsule 200 mg</i> | 1 | |
| <i>ribavirin oral tablet 200 mg</i> | 1 | |
| SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG | 2 | PA; SP; QL |
| TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 120 MG (14)- 240 MG (46), 240 MG | 2 | PA; SP; QL |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 3 | PA; SP; QL |
| ZEPOSIA ORAL CAPSULE 0.92 MG | 3 | PA; QL |
| ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG | 3 | PA; QL |
| ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3) | 3 | PA; QL |
| INTERLEUKINS | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 2 | SP |
| ALDARA TOPICAL CREAM IN PACKET 5 % | 3 | QL |
| ALFERON N INJECTION SOLUTION 5 MILLION UNIT/ML | 2 | SP |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 3 | SP |
| ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML | 2 | PA; SP; QL |
| <i>imiquimod topical cream in packet 5 %</i> | 1 | QL |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 2 | PA; SP |
| INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML | 2 | PA; SP |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 3 | PA; SP; QL |
| PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| VACCINES & MISCELLANEOUS IMMUNOLOGICALS | | |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 2 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5- 3-5 MCG)-5LF/0.5 ML | 2 | QL |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 2 | QL |
| AFLURIA QD 2020-21(3YR UP)(PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| AFLURIA QD 2020-21(6-35MO)(PF) INTRAMUSCULAR SYRINGE 30 MCG (7.5 MCG X 4)/0.25 ML | 2 | |
| AFLURIA QUAD 2020-2021(6MO UP) INTRAMUSCULAR SUSPENSION 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| ATGAM INTRAVENOUS SOLUTION 50 MG/ML | 2 | SP |
| BEXSERO INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML | 2 | QL |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | 2 | |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML | 2 | QL |
| BOTOX INJECTION RECON SOLN 100 UNIT, 200 UNIT | 2 | PA; SP |
| CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 % | 3 | PA; SP |
| CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %) | 3 | SP |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF- MCG-LF/0.5ML | 2 | |
| DYSPORT INTRAMUSCULAR RECON SOLN 300 UNIT, 500 UNIT | 3 | PA; SP |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 2 | QL |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 2 | |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 % | 3 | SP |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 % | 3 | PA; SP |
| FLUAD 2020-2021 (65 YR UP)(PF) INTRAMUSCULAR SYRINGE 45 MCG (15 MCG X 3)/0.5 ML | 2 | |
| FLUAD QUAD 2020-21(65Y UP)(PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLUARIX QUAD 2020-2021 (PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLUBLOK QUAD 2020-2021 (PF) INTRAMUSCULAR SYRINGE 180 MCG (45 MCG X 4)/0.5 ML | 2 | |
| FLUCELVAX QUAD 2020-2021 (PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLUCELVAX QUAD 2020-2021 INTRAMUSCULAR SUSPENSION 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLULALVAL QUAD 2020-2021 (PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLUMIST QUAD 2020-2021 NASAL NASAL SPRAY SYRINGE 10EXP6.5-7.5 FF UNIT/0.2 ML | 2 | |
| FLUZONE HIGHDOSE QUAD 20-21 PF INTRAMUSCULAR SYRINGE 240 MCG/0.7 ML | 2 | |
| FLUZONE QUAD 2020-2021 (PF) INTRAMUSCULAR SUSPENSION 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| FLUZONE QUAD 2020-2021 (PF) INTRAMUSCULAR SYRINGE 60 MCG (15 MCG X 4)/0.5 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| FLUZONE QUAD 2020-2021 INTRAMUSCULAR SUSPENSION 60 MCG (15 MCG X 4)/0.5 ML | 2 | |
| GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE | 2 | SP |
| GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE | 2 | PA; SP |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 2 | PA; SP |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 2 | PA; SP |
| GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) | 2 | SP |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 % | 3 | PA; SP |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 % | 3 | PA; SP |
| GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) | 2 | SP |
| GAMUNEX-C INJECTION SOLUTION 40 GRAM/400 ML (10 %) | 2 | PA; SP |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 2 | QL |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 2 | QL |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML | 2 | QL |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 2 | QL |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 2 | |
| HEPAGAM B INJECTION SOLUTION >312 UNIT/ML, GREATR THAN 312 UNIT/ML (5 ML) | 2 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 2 | |
| HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) | 2 | PA; SP |
| HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) | 2 | PA; SP |
| HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML, 220 UNIT/ML (5 ML) | 2 | SP |
| HYPERHEP B S/D INTRAMUSCULAR SYRINGE 220 UNIT/ML | 2 | SP |
| HYPERHEP B S-D NEONATAL INTRAMUSCULAR SYRINGE 110 UNIT/0.5 ML | 2 | SP |
| HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML | 3 | |
| HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML | 2 | |
| HYPERTET S/D (PF) INTRAMUSCULAR SYRINGE 250 UNIT | 2 | |
| HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %) | 3 | PA; SP |
| IMOGLAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML | 2 | |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML | 2 | |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 2 | |
| IPOP INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 2 | |
| KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML | 2 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 2 | QL |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 2 | QL |
| MYOBLOC INTRAMUSCULAR SOLUTION 10,000 UNIT/2 ML, 2,500 UNIT/0.5 ML, 5,000 UNIT/ML | 2 | PA; SP |
| PALFORZIA (LEVEL 1) ORAL CAPSULE, SPRINKLE 3 MG (1 MG X 3) | 2 | PA; SP |
| PALFORZIA (LEVEL 2) ORAL CAPSULE, SPRINKLE 6 MG (1 MG X 6) | 2 | PA; SP |
| PALFORZIA (LEVEL 3) ORAL CAPSULE, SPRINKLE 12 MG (1 MG X 2, 10 MG X 1) | 2 | PA; SP |
| PALFORZIA (LEVEL 4) ORAL CAPSULE, SPRINKLE 20 MG | 2 | PA; SP |
| PALFORZIA (LEVEL 5) ORAL CAPSULE, SPRINKLE 40 MG (20 MG X 2) | 2 | PA; SP |
| PALFORZIA (LEVEL 6) ORAL CAPSULE, SPRINKLE 80 MG (20 MG X 4) | 2 | PA; SP |
| PALFORZIA (LEVEL 7) ORAL CAPSULE, SPRINKLE 120 MG (20 MG X 1, 100 MG X 1) | 2 | PA; SP |
| PALFORZIA (LEVEL 8) ORAL CAPSULE, SPRINKLE 160 MG (20 MG X 3, 100 MG X 1) | 2 | PA; SP |
| PALFORZIA (LEVEL 9) ORAL CAPSULE, SPRINKLE 200 MG (100 MG X 2) | 2 | PA; SP |
| PALFORZIA (LEVEL 10) ORAL CAPSULE, SPRINKLE 240 MG (20 MG X 2, 100 MG X 2) | 2 | PA; SP |
| PALFORZIA INITIAL DOSE ORAL CAPSULE, SPRINKLE 0.5/1/1.5/3/6 MG | 2 | PA; SP |
| PALFORZIA LEVEL 11 MAINTENANCE ORAL POWDER IN PACKET 300 MG | 2 | PA; SP; QL |
| PANZYGA INTRAVENOUS SOLUTION 10 % | 3 | PA; SP |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 2 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 2 | |
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG- 62DU -10 MCG/0.5ML | 2 | |
| PENTACEL ACTHIB COMPONENT (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| PNEUMOVAX-23 INJECTION SOLUTION 25 MCG/0.5 ML | 2 | QL |
| PNEUMOVAX-23 INJECTION SYRINGE 25 MCG/0.5 ML | 2 | QL |
| PREVNAR 13 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 2 | |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 2 | PA; SP |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | 2 | |
| PROVENGE INTRAVENOUS SUSPENSION 50 MILLION CELL/250 ML | 2 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML | 2 | |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML | 2 | QL |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 5 MCG/0.5 ML | 2 | |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML | 2 | QL |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML | 2 | |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 2 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 2 | QL |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML | 2 | QL |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 2 | QL |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 2 | QL |
| TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 2 | |
| THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG | 2 | SP |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 2 | QL |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 2 | |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | 2 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 2 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 2 | QL |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 2 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 2 | QL |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 2 | QL |
| VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML | 2 | |
| VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT | 2 | |
| XEMBIFY SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) | 3 | PA; SP |
| ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML | 2 | QL |
| MUSCULOSKELETAL & RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>allopurinol sodium intravenous recon soln 500 mg</i> | 1 | |
| <i>aloprim intravenous recon soln 500 mg</i> | 2 | |
| COLCHICINE ORAL CAPSULE 0.6 MG | 1 | QL |
| <i>colchicine oral tablet 0.6 mg</i> | 1 | QL |
| COLCRYS ORAL TABLET 0.6 MG | 2 | QL |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | 1 | ST; QL |
| KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| MITIGARE ORAL CAPSULE 0.6 MG | 2 | QL |
| <i>probencid oral tablet 500 mg</i> | 1 | |
| <i>probencid-colchicine oral tablet 500-0.5 mg</i> | 1 | |
| ULORIC ORAL TABLET 40 MG, 80 MG | 3 | ST; QL |
| ZYLOPRIM ORAL TABLET 100 MG, 300 MG | 3 | |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral solution 70 mg/75 ml</i> | 1 | QL |
| <i>alendronate oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i> | 1 | |
| EVISTA ORAL TABLET 60 MG | 3 | QL |
| FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML | 2 | SP; QL |
| FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT | 3 | |
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | 1 | |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> | 1 | |
| <i>ibandronate oral tablet 150 mg</i> | 1 | |
| <i>raloxifene oral tablet 60 mg</i> | 1 | QL |
| <i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> | 1 | ST; QL |
| <i>risedronate oral tablet,delayed release (dr/ec) 35 mg</i> | 1 | ST; QL |
| TYMOLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 2 | PA; SP; QL |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 2 | PA; SP; QL |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 2 | PA; SP; QL |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 2 | PA; SP |
| ARAVA ORAL TABLET 10 MG, 20 MG | 3 | |
| BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG | 2 | SP; QL |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 3 | PA; SP; QL |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 3 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| DEPEN TITRATABS ORAL TABLET 250 MG | 3 | PA; QL |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 2 | PA; SP; QL |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 2 | PA; SP |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 2 | PA; SP; QL |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 2 | PA; SP; QL |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 2 | PA; SP; QL |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 2 | PA; SP; QL |
| HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 2 | PA; SP; QL |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 2 | PA; SP; QL |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML | 2 | PA; SP; QL |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 2 | PA; SP; QL |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 2 | PA; SP; QL |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 2 | PA; SP; QL |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 2 | PA; SP; QL |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 2 | PA; SP; QL |
| KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML | 3 | PA; SP; QL |
| KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML | 3 | PA; SP; QL |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| OLUMIANT ORAL TABLET 1 MG, 2 MG | 3 | PA; SP; QL |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG | 3 | PA; SP; QL |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 3 | PA; SP; QL |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 3 | PA; SP; QL |
| OTEZLA ORAL TABLET 30 MG | 2 | PA; SP; QL |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47) | 2 | PA; SP; QL |
| OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML | 2 | ST; QL |
| <i>penicillamine oral capsule 250 mg</i> | 1 | PA; SP |
| <i>penicillamine oral tablet 250 mg</i> | 3 | PA |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 2 | ST; QL |
| RIDAURA ORAL CAPSULE 3 MG | 2 | |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG | 2 | PA; SP; QL |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 2 | |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 2 | |
| SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML | 3 | PA; SP; QL |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML | 3 | PA; SP; QL |
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML | 3 | PA; SP; QL |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 2 | PA; SP; QL |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 2 | PA; SP; QL |

OBSTETRICS & GYNECOLOGY

DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| CAYA CONTOURED VAGINAL DIAPHRAGM 65-80 MM | 2 | |
| FC2 FEMALE CONDOM | 2 | QL |
| FEMCAP VAGINAL DEVICE 22 MM | 2 | |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HRS (5 YRS) 19.5 MG | 2 | |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.1 MCG/24 HRS (6 YRS) 52 MG | 2 | |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 20 MCG/24 HOURS (6 YRS) 52 MG | 2 | |
| PARAGARD T 380A INTRAUTERINE INTRAUTERINE DEVICE 380 SQUARE MM | 2 | |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HRS (3 YRS) 13.5 MG | 2 | |
| WIDE-SEAL DIAPHRAGM 60 VAGINAL DIAPHRAGM 60 MM | 2 | |
| ESTROGENS & PROGESTINS | | |
| <i>amabelz</i> oral tablet 0.5-0.1 mg, 1-0.5 mg | 1 | |
| ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG | 3 | |
| AYGESTIN ORAL TABLET 5 MG | 3 | |
| BIJUVA ORAL CAPSULE 1-100 MG | 3 | ST |
| <i>camila</i> oral tablet 0.35 mg | 1 | |
| COMBIPATCH TRANSDERMAL PATCH SEMIWEEKLY 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR | 2 | QL |
| <i>covaryx h.s.</i> oral tablet 0.625-1.25 mg | 1 | |
| <i>covaryx</i> oral tablet 1.25-2.5 mg | 1 | |
| CRINONE VAGINAL GEL 4 %, 8 % | 2 | |
| <i>deblitane</i> oral tablet 0.35 mg | 1 | |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML | 2 | |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML | 2 | QL |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML | 2 | |
| DEPO-PROVERA INTRAMUSCULAR SYRINGE 150 MG/ML | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | 2 | QL |
| DIVIGEL TRANSDERMAL GEL IN PACKET 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) | 2 | |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL |
| DUAVEE ORAL TABLET 0.45-20 MG | 2 | |
| <i>eemt hs oral tablet 0.625-1.25 mg</i> | 1 | |
| <i>eemt oral tablet 1.25-2.5 mg</i> | 1 | |
| <i>errin oral tablet 0.35 mg</i> | 1 | |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 1 | QL |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> | 1 | |
| <i>estradiol vaginal tablet 10 mcg</i> | 1 | |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 1 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 1 | |
| ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR) | 2 | QL |
| <i>estrogens-methyltestosterone oral tablet 0.625- 1.25 mg, 1.25-2.5 mg</i> | 1 | |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | |
| <i>heather oral tablet 0.35 mg</i> | 1 | |
| <i>hydroxyprogesterone(pf)(preg presv) intramuscular oil 250 mg/ml (1 ml)</i> | 1 | PA; SP; QL |
| <i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> | 1 | PA; SP; QL |
| <i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i> | 1 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG | 3 | QL |
| IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK 10 MCG, 4 MCG | 3 | QL |
| <i>incassia</i> oral tablet 0.35 mg | 1 | |
| <i>jencycla</i> oral tablet 0.35 mg | 1 | |
| <i>jinteli</i> oral tablet 1-5 mg-mcg | 1 | |
| <i>lyza</i> oral tablet 0.35 mg | 1 | |
| MAKENA (PF) SUBCUTANEOUS AUTO-INJECTOR 275 MG/1.1 ML | 2 | PA; SP; QL |
| MAKENA INTRAMUSCULAR OIL 250 MG/ML (1 ML) | 3 | PA; SP; QL |
| <i>medroxyprogesterone intramuscular suspension</i> 150 mg/ml | 1 | QL |
| <i>medroxyprogesterone intramuscular syringe</i> 150 mg/ml | 1 | QL |
| <i>medroxyprogesterone oral tablet</i> 10 mg, 2.5 mg, 5 mg | 1 | |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG | 3 | |
| <i>mimvey</i> oral tablet 1-0.5 mg | 1 | |
| <i>nora-be</i> oral tablet 0.35 mg | 1 | |
| <i>norethindrone (contraceptive)</i> oral tablet 0.35 mg | 1 | |
| <i>norethindrone acetate</i> oral tablet 5 mg | 1 | |
| <i>norethindrone ac-eth estradiol</i> oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg | 1 | |
| <i>norlyda</i> oral tablet 0.35 mg | 1 | |
| PREMARIN INJECTION RECON SOLN 25 MG | 2 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | 2 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 2 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 2 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 2 | |
| <i>progesterone intramuscular oil</i> 50 mg/ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> | 1 | |
| PROMETRIUM ORAL CAPSULE 100 MG, 200 MG | 3 | |
| PROVERA ORAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | |
| <i>sharobel oral tablet 0.35 mg</i> | 1 | |
| <i>tulana oral tablet 0.35 mg</i> | 1 | |
| <i>yuvafem vaginal tablet 10 mcg</i> | 1 | |
| MISCELLANEOUS OB/GYN | | |
| ANNOVERA VAGINAL RING 0.15-0.013 MG/24 HOUR | 2 | |
| CERVIDIL VAGINAL INSERT, EXTENDED RELEASE 10 MG | 3 | |
| CLEOCIN VAGINAL CREAM 2 % | 3 | |
| <i>clindamycin phosphate vaginal cream 2 %</i> | 1 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | QL |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | 1 | QL |
| GYNAZOLE-1 VAGINAL CREAM 2 % | 3 | |
| <i>gynol ii vaginal gel 3 %</i> | 1 | |
| <i>isoxsuprine oral tablet 10 mg, 20 mg</i> | 1 | |
| LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET 11.25 MG -5 MG (90) | 2 | PA; SP; QL |
| <i>metronidazole vaginal gel 0.75 %</i> | 1 | |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 1 | |
| MIFEPREX ORAL TABLET 200 MG | 3 | |
| <i>mifepristone oral tablet 200 mg</i> | 1 | |
| NEXPLANON SUBDERMAL IMPLANT 68 MG | 2 | QL |
| NUVARING VAGINAL RING 0.12-0.015 MG/24 HR | 2 | QL |
| ORIAHNN ORAL CAPSULE, SEQUENTIAL 300-1-0.5MG(AM) /300 MG(PM) | 3 | PA; QL |
| OSPHENA ORAL TABLET 60 MG | 3 | QL |
| PHEXXI VAGINAL GEL 1.8-1-0.4 % | 3 | |
| PREPIDIL VAGINAL GEL 0.5 MG/3 G | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| PROSTIN E2 VAGINAL SUPPOSITORY 20 MG | 3 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 1 | |
| <i>terconazole vaginal suppository 80 mg</i> | 2 | |
| TODAY CONTRACEPTIVE SPONGE VAGINAL CONTRACEPTIVE SPONGE 1,000 MG | 2 | |
| <i>tranexamic acid oral tablet 650 mg</i> | 1 | |
| TRIMO-SAN JELLY VAGINAL GEL 0.025-0.01 % | 3 | |
| TWIRLA TRANSDERMAL PATCH WEEKLY 120-30 MCG/24 HR | 3 | |
| <i>vaginal contraceptive foam vaginal foam 12.5 %</i> | 1 | |
| VCF CONTRACEPTIVE FILM VAGINAL FILM 28 % | 2 | |
| VCF CONTRACEPTIVE GEL VAGINAL GEL 4 % | 2 | |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | 1 | QL |
| ORAL CONTRACEPTIVES & RELATED AGENTS | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> | 1 | |
| AFTERA ORAL TABLET 1.5 MG | 2 | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> | 1 | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> | 1 | |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | |
| <i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | 1 | QL |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg- 30 mcg (84)/10 mcg (7)</i> | 1 | QL |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i> | 1 | |
| <i>apri oral tablet 0.15-0.03 mg</i> | 1 | |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | 1 | |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 1 | QL |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>aubra oral tablet 0.1-20 mg-mcg</i> | 1 | |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| aurovela 1/20 (21) oral tablet 1-20 mg-mcg | 1 | |
| aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |
| aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| aviane oral tablet 0.1-20 mg-mcg | 1 | |
| ayuna oral tablet 0.15-0.03 mg | 1 | |
| azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| BALCOLTRA ORAL TABLET 0.1 MG-0.02 MG (21)/36.5 MG(7) | 2 | QL |
| balziva (28) oral tablet 0.4-35 mg-mcg | 1 | |
| bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| BEYAZ ORAL TABLET 3-0.02-0.451 MG (24) (4) | 3 | |
| blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |
| blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| briellyn oral tablet 0.4-35 mg-mcg | 1 | |
| camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7) | 1 | QL |
| camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) | 1 | QL |
| caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg | 1 | |
| charlotte 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4) | 1 | |
| chateal (28) oral tablet 0.15-0.03 mg | 1 | |
| chateal eq (28) oral tablet 0.15-0.03 mg | 1 | |
| cryselle (28) oral tablet 0.3-30 mg-mcg | 1 | |
| cyclafem 1/35 (28) oral tablet 1-35 mg-mcg | 1 | |
| cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| cyred eq oral tablet 0.15-0.03 mg | 1 | |
| cyred oral tablet 0.15-0.03 mg | 1 | |
| dasetta 1/35 (28) oral tablet 1-35 mg-mcg | 1 | |
| dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg | 1 | |
| daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) | 1 | QL |
| desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg | 1 | |
| drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) | 1 | |
| drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg | 1 | |
| econtra ez oral tablet 1.5 mg | 1 | |
| econtra one-step oral tablet 1.5 mg | 1 | |
| elinet oral tablet 0.3-30 mg-mcg | 1 | |
| ELLA ORAL TABLET 30 MG | 2 | |
| emoquette oral tablet 0.15-0.03 mg | 1 | |
| enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10) | 1 | |
| enskyce oral tablet 0.15-0.03 mg | 1 | |
| estarylla oral tablet 0.25-35 mg-mcg | 1 | |
| ESTROSTEP FE-28 ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9) | 3 | |
| ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg | 1 | |
| falmina (28) oral tablet 0.1-20 mg-mcg | 1 | |
| fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg | 1 | |
| femynor oral tablet 0.25-35 mg-mcg | 1 | |
| GENERESS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4) | 3 | |
| gianvi (28) oral tablet 3-0.02 mg | 1 | |
| hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| hailey oral tablet 1.5-30 mg-mcg | 1 | |
| introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | 1 | QL |
| isibloom oral tablet 0.15-0.03 mg | 1 | |
| jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) | 1 | QL |
| jasmiel (28) oral tablet 3-0.02 mg | 1 | |
| jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | 1 | QL |
| juleber oral tablet 0.15-0.03 mg | 1 | |
| junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg | 1 | |
| junel 1/20 (21) oral tablet 1-20 mg-mcg | 1 | |
| junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |
| kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4) | 1 | |
| kalliga oral tablet 0.15-0.03 mg | 1 | |
| kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| kelnor 1/35 (28) oral tablet 1-35 mg-mcg | 1 | |
| kelnor 1-50 oral tablet 1-50 mg-mcg | 1 | |
| kurvelo (28) oral tablet 0.15-0.03 mg | 1 | |
| l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7) | 1 | QL |
| l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg / 0.15 mg-25 mcg | 1 | |
| larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg | 1 | |
| larin 1/20 (21) oral tablet 1-20 mg-mcg | 1 | |
| larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| larissa oral tablet 0.1-20 mg-mcg | 1 | |
| layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4) | 1 | |
| leena 28 oral tablet 0.5/1/0.5-35 mg-mcg | 1 | |
| lessina oral tablet 0.1-20 mg-mcg | 1 | |
| levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10) | 1 | |
| levonorgestrel oral tablet 1.5 mg | 1 | |
| levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) | 1 | |
| levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91) | 1 | QL |
| levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10) | 1 | |
| levora-28 oral tablet 0.15-0.03 mg | 1 | |
| lillow (28) oral tablet 0.15-0.03 mg | 1 | |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG (24)/10 MCG (2) | 2 | |
| lojaimiess oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7) | 1 | QL |
| loryna (28) oral tablet 3-0.02 mg | 1 | |
| low-ogestrel (28) oral tablet 0.3-30 mg-mcg | 1 | |
| lo-zumandimine (28) oral tablet 3-0.02 mg | 1 | |
| lutera (28) oral tablet 0.1-20 mg-mcg | 1 | |
| marlissa (28) oral tablet 0.15-0.03 mg | 1 | |
| melodetta 24 fe oral tablet, chewable 1 mg-20 mcg(24)/75 mg (4) | 1 | |
| mibelas 24 fe oral tablet, chewable 1 mg-20 mcg(24)/75 mg (4) | 1 | |
| microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg | 1 | |
| microgestin 1/20 (21) oral tablet 1-20 mg-mcg | 1 | |
| microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| mini oral tablet 0.25-35 mg-mcg | 1 | |
| mono-linyah oral tablet 0.25-35 mg-mcg | 1 | |
| my choice oral tablet 1.5 mg | 1 | |
| my way oral tablet 1.5 mg | 1 | |
| NATAZIA ORAL TABLET 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG | 2 | |
| necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg | 1 | |
| new day oral tablet 1.5 mg | 1 | |
| nikki (28) oral tablet 3-0.02 mg | 1 | |
| noreth-ethynodiol-iron oral tablet,chewable 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) | 1 | |
| norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg | 1 | |
| norethindrone-e.estradol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7) | 1 | |
| norethindrone-e.estradol-iron oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4) | 1 | |
| norgestimate-ethynodiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg | 1 | |
| nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg | 1 | |
| nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21) | 1 | |
| nortrel 1/35 (28) oral tablet 1-35 mg-mcg | 1 | |
| nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg | 1 | |
| ocella oral tablet 3-0.03 mg | 1 | |
| opcicon one-step oral tablet 1.5 mg | 1 | |
| option-2 oral tablet 1.5 mg | 1 | |
| orsythia oral tablet 0.1-20 mg-mcg | 1 | |
| philith oral tablet 0.4-35 mg-mcg | 1 | |
| pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| portia 28 oral tablet 0.15-0.03 mg | 1 | |
| previfem oral tablet 0.25-35 mg-mcg | 1 | |
| QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG | 3 | |
| reclipsen (28) oral tablet 0.15-0.03 mg | 1 | |
| rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg | 1 | |
| SAFYRAL ORAL TABLET 3-0.03-0.451 MG (21) (7) | 2 | |
| setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | 1 | QL |
| simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) | 1 | QL |
| SLYND ORAL TABLET 4 MG (28) | 2 | |
| sprintec (28) oral tablet 0.25-35 mg-mcg | 1 | |
| sronyx oral tablet 0.1-20 mg-mcg | 1 | |
| syeda oral tablet 3-0.03 mg | 1 | |
| TAKE ACTION ORAL TABLET 1.5 MG | 2 | |
| tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) | 1 | |
| tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 1 | |
| TAYTULLA ORAL CAPSULE 1 MG-20 MCG (24)/75 MG (4) | 2 | |
| tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) | 1 | |
| tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) | 1 | |
| tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>tri-lo-marzia</i> oral tablet 0.18/0.215/0.25 mg-25 mcg | 1 | |
| <i>tri-lo-mili</i> oral tablet 0.18/0.215/0.25 mg-25 mcg | 1 | |
| <i>tri-lo-sprintec</i> oral tablet 0.18/0.215/0.25 mg-25 mcg | 1 | |
| <i>tri-mili</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| <i>tri-previfem</i> (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| <i>tri-sprintec</i> (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| <i>trivora</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10) | 1 | |
| <i>tri-vylibra lo</i> oral tablet 0.18/0.215/0.25 mg-25 mcg | 1 | |
| <i>tri-vylibra</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 1 | |
| <i>tydemy</i> oral tablet 3-0.03-0.451 mg (21) (7) | 1 | |
| <i>velivet triphasic regimen</i> (28) oral tablet 0.1/.125/.15-25 mg-mcg | 1 | |
| <i>vienva</i> oral tablet 0.1-20 mg-mcg | 1 | |
| <i>viorele</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| <i>volnea</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 | 1 | |
| <i>vyfemla</i> (28) oral tablet 0.4-35 mg-mcg | 1 | |
| <i>vylibra</i> oral tablet 0.25-35 mg-mcg | 1 | |
| <i>wera</i> (28) oral tablet 0.5-35 mg-mcg | 1 | |
| <i>wymzyafe</i> oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7) | 1 | |
| YAZ (28) ORAL TABLET 3-0.02 MG | 3 | |
| <i>zarah</i> oral tablet 3-0.03 mg | 1 | |
| <i>zovia 1/35e</i> (28) oral tablet 1-35 mg-mcg | 1 | |
| <i>zumandimine</i> (28) oral tablet 3-0.03 mg | 1 | |
| OXYTOCICS | | |
| <i>methergine</i> oral tablet 0.2 mg | 3 | |
| <i>methylergonovine</i> oral tablet 0.2 mg | 1 | |
| OPHTHALMOLOGY | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ANTIBIOTICS | | |
| <i>ak-poly-bac ophthalmic (eye) ointment 500-10,000 unit/gram</i> | 1 | |
| AZASITE OPHTHALMIC (EYE) DROPS 1 % | 2 | |
| BACIGUENT OPHTHALMIC (EYE) OINTMENT 500 UNIT/GRAM | 3 | |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | 1 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> | 1 | |
| BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 % | 3 | ST |
| BETADINE OPHTHALMIC PREP OPHTHALMIC (EYE) SOLUTION 5 % | 3 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 1 | |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | 1 | |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | |
| MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 % | 3 | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>moxifloxacin ophthalmic (eye) drops, viscous 0.5 %</i> | 1 | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 2 | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | 1 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | 1 | |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | 1 | |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1 | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| TOBREX OPHTHALMIC (EYE) OINTMENT 0.3 % | 3 | |
| ZYMAXID OPHTHALMIC (EYE) DROPS 0.5 % | 3 | |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 1 | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 3 | |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| BETIMOL OPHTHALMIC (EYE) DROPS 0.25 %, 0.5 % | 3 | |
| BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 3 | ST |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> | 1 | |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> | 1 | |
| CHOLINESTERASE INHIBITOR MIOTICS | | |
| PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 % | 2 | |
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 1 | |
| ATROPINE OPHTHALMIC (EYE) DROPS, EMULSION 0.01 % | 1 | |
| <i>atropine ophthalmic (eye) ointment 1 %</i> | 1 | |
| CYCLOGYL OPHTHALMIC (EYE) DROPS 0.5 %, 1 %, 2 % | 3 | |
| <i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> | 1 | |
| CYCLOPEN-TROPIC-PHENYLEPH-WATR OPHTHALMIC (EYE) DROPS 1-1-2.5 % | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>homatropaire ophthalmic (eye) drops 5 %</i> | 1 | |
| PAREMYD OPHTHALMIC (EYE) DROPS 1-0.25 % | 3 | |
| PHENYLEPH-TROPICAMIDE IN WATER OPHTHALMIC (EYE) DROPS 2.5-1 % | 1 | |
| <i>tropicamide ophthalmic (eye) drops 0.5 %, 1 %</i> | 1 | |
| DIRECT ACTING MIOTICS | | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 1 | |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 % | 3 | |
| ALOCRIL OPHTHALMIC (EYE) DROPS 2 % | 3 | ST |
| ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 % | 3 | ST |
| <i>altacaine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| ALTAFLUOR BENOX OPHTHALMIC (EYE) DROPS 0.25-0.4 % | 1 | |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 1 | |
| BEPREVE OPHTHALMIC (EYE) DROPS 1.5 % | 2 | |
| CEQUA OPHTHALMIC (EYE) DROPPERETTE 0.09 % | 3 | PA; QL |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 1 | |
| CYCLOSPORINE IN KLARITY OPHTHALMIC (EYE) DROPS 0.1-0.25 % | 1 | |
| CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 % | 3 | PA; SP; QL |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 2 | PA; SP; QL |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| EYLEA INTRAVITREAL SOLUTION 2 MG/0.05 ML | 3 | QL |
| EYLEA INTRAVITREAL SYRINGE 2 MG/0.05 ML | 3 | QL |
| <i>fluorescein-proparacaine ophthalmic (eye) drops 0.25-0.5 %</i> | 1 | |
| LASTACRAFT OPHTHALMIC (EYE) DROPS 0.25 % | 3 | ST |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| OXERVATE OPHTHALMIC (EYE) DROPS 0.002 % | 3 | PA; SP; QL |
| PAZEO OPHTHALMIC (EYE) DROPS 0.7 % | 2 | ST; QL |
| PREDNISOL ACE-GATIFLOX-BROMFEN OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.5-0.075 % | 1 | |
| PREDNISOLN SP-MOXIFLOX-BROMFEN OPHTHALMIC (EYE) DROPS 1-0.5-0.075 % | 1 | |
| PREDNISOLONE ACETATE-NEPAFENAC OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.1 % | 1 | |
| PREDNISOLONE-MOXIFLO-NEPAFENAC OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.5-0.1 % | 1 | |
| PREDNISOLONE-MOXIFLOX-BROMFEN OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.5-0.075 % | 1 | |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 % | 2 | PA; QL |
| RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % | 2 | PA; QL |
| TETRACAINE HCL (PF) OPHTHALMIC (EYE) DROPS 0.5 % | 1 | |
| <i>tetracaine hcl ophthalmic (eye) drops 0.5 %</i> | 1 | |
| VISUDYNE INTRAVENOUS RECON SOLN 15 MG | 2 | SP |
| VITRASE INJECTION SOLUTION 200 UNIT/ML | 3 | |
| Xiidra OPHTHALMIC (EYE) DROPPERETTE 5 % | 2 | PA |
| ZERVIATE OPHTHALMIC (EYE) DROPPERETTE 0.24 % | 3 | |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| ACULAR LS OPHTHALMIC (EYE) DROPS 0.4 % | 3 | |
| ACULAR OPHTHALMIC (EYE) DROPS 0.5 % | 3 | |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| BROMSITE OPHTHALMIC (EYE) DROPS 0.075 % | 3 | ST |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 1 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 1 | |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 2 | |
| <i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i> | 1 | |
| PROLENSA OPHTHALMIC (EYE) DROPS 0.07 % | 2 | ST |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 1 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 1 | |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | 1 | |
| OTHER GLAUCOMA DRUGS | | |
| AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | ST |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i> | 1 | QL |
| BRIMONIDINE-DORZOLAMIDE (PF) OPHTHALMIC (EYE) DROPS 0.15-2 % | 1 | |
| COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % | 2 | |
| COSOPT (PF) OPHTHALMIC (EYE) DROPPERETTE 2-0.5 % | 3 | ST; QL |
| DORZOLAMIDE (PF) OPHTHALMIC (EYE) DROPS 2 % | 1 | |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 1 | |
| <i>dorzolamide-timolol (pf) ophthalmic (eye) dropperette 2-0.5 %</i> | 1 | ST; QL |
| DORZOLAMIDE-TIMOLOL (PF) OPHTHALMIC (EYE) DROPS 2-0.5 % | 1 | ST |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> | 1 | |
| LATANOPROST (PF) OPHTHALMIC (EYE) DROPS 0.005 % | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 2 | ST; QL |
| MITOSOL OPHTHALMIC (EYE) KIT 0.2 MG | 3 | |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 2 | ST; QL |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | 3 | ST; QL |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 % | 3 | ST |
| TIMOL-BRIMON-DORZO-LATANOP(PF) OPHTHALMIC (EYE) DROPS 0.5 %-0.15 %- 2 %-0.005 % | 1 | |
| TIMOLOL-BRIMONIDI-DORZOLAM(PF) OPHTHALMIC (EYE) DROPS 0.5-0.15-2 % | 1 | |
| TIMOLOL-DORZOLAMID-LATANOP(PF) OPHTHALMIC (EYE) DROPS 0.5-2-0.005 % | 1 | |
| TIMOLOL-LATANOPROST(PF) OPHTHALMIC (EYE) DROPS 0.5-0.005 % | 1 | |
| TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 % | 2 | ST; QL |
| TRUSOPT OPHTHALMIC (EYE) DROPS 2 % | 3 | |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 % | 3 | ST; QL |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | 1 | |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | 1 | |
| PREDNISOLONE ACET-GATIFLOXACIN OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.5 % | 1 | |
| PREDNISOLONE SOD PH-MOXIFLOX OPHTHALMIC (EYE) DROPS 1-0.5 % | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| PREDNISOLONE-MOXIFLOXACIN HCL OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.5 % | 1 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 % | 2 | |
| TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 % | 2 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | 1 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 2 | |
| STEROIDS | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % | 2 | |
| DUREZOL OPHTHALMIC (EYE) DROPS 0.05 % | 3 | |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> | 1 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 2 | ST; QL |
| LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 % | 2 | |
| LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 % | 3 | |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 2 | |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 2 | |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> | 1 | |
| PREDNISOLONE ACETATE (PF) OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 1 | |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | 1 | |
| STEROID-SULFONAMIDE COMBINATIONS | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 1 | |
| SULFONAMIDES | | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 1 | |
| SYMPATHOMIMETICS | | |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | 2 | ST |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.15 % | 3 | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>brimonidine ophthalmic (eye) drops 0.15 %, 0.2 %</i> | 1 | |
| VASOCONSTRICTOR DECONGESTANTS | | |
| CYCLOMYDRIL OPHTHALMIC (EYE) DROPS 0.2-1 % | 3 | |
| <i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i> | 1 | |
| UPNEEQ OPHTHALMIC (EYE) DROPPERETTE 0.1 % | 3 | |
| RESPIRATORY, ALLERGY, COUGH & COLD | | |
| ANTIHISTAMINE & ANTIALLERGENIC AGENTS | | |
| <i>adrenalin injection solution 1 mg/ml, 1 mg/ml (1 ml)</i> | 2 | |
| ADYPHREN AMP II INJECTION KIT 1 MG/ML | 3 | |
| ADYPHREN II INJECTION KIT 1 MG/ML | 3 | |
| AUVI-Q INJECTION AUTO-INJECTOR 0.1 MG/0.1 ML | 2 | |
| <i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> | 1 | |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 1 | |
| CLARINEX ORAL TABLET 5 MG | 3 | QL |
| <i>clemastine oral tablet 2.68 mg</i> | 1 | |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | 1 | |
| <i>cyproheptadine oral tablet 4 mg</i> | 1 | |
| <i>desloratadine oral tablet 5 mg</i> | 1 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>desloratadine oral tablet,disintegrating 2.5 mg, 5 mg</i> | 1 | QL |
| <i>dexchlorpheniramine maleate oral solution 2 mg/5 ml</i> | 1 | |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 1 | |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | 1 | |
| EPINEPHRINE HCL (PF) INJECTION SOLUTION 1 MG/ML (1 ML) | 1 | |
| EPINEPHRINE INJECTION AUTO-INJECTOR 0.15 MG/0.15 ML | 1 | |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i> | 1 | QL |
| <i>epinephrine injection solution 1 mg/ml, 1 mg/ml (1 ml)</i> | 1 | QL |
| <i>epinephrine injection syringe 0.1 mg/ml</i> | 1 | QL |
| EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML | 2 | QL |
| EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML | 2 | QL |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i> | 1 | |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 1 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>phenadoz rectal suppository 25 mg</i> | 1 | |
| <i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> | 1 | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 1 | |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> | 1 | |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| QUZYTIR INTRAVENOUS SOLUTION 10 MG/ML | 2 | |
| SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML | 3 | QL |
| COUGH & COLD THERAPY | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>benzonatate oral capsule 100 mg, 150 mg, 200 mg</i> | 1 | |
| BROMFED DM ORAL SYRUP 2-30-10 MG/5 ML | 1 | |
| <i>brompheniramine-pseudoeph-dm oral syrup 2-30-10 mg/5 ml</i> | 1 | |
| CAPCOF ORAL LIQUID 2-5-10 MG/5 ML | 3 | ST |
| CODITUSSIN DAC ORAL LIQUID 30-10-200 MG/5 ML | 3 | ST |
| HISTEX-AC ORAL SYRUP 2.5-10-10 MG/5 ML | 3 | ST |
| <i>hydrocodone-chlorpheniramine oral suspension, extended rel 12 hr 10-8 mg/5 ml</i> | 1 | ST; QL |
| <i>hydrocodone-homatropine oral syrup 5-1.5 mg/5 ml</i> | 1 | ST; QL |
| <i>hydrocodone-homatropine oral tablet 5-1.5 mg</i> | 1 | ST; QL |
| <i>hydromet oral syrup 5-1.5 mg/5 ml</i> | 1 | ST; QL |
| MAXI-TUSS CD ORAL LIQUID 4-10-10 MG/5 ML | 3 | ST |
| M-END PE ORAL LIQUID 1.33-3.33-6.33 MG/5 ML | 3 | ST |
| POLY-TUSSIN AC ORAL LIQUID 4-10-10 MG/5 ML | 3 | ST |
| <i>promethazine-codeine oral syrup 6.25-10 mg/5 ml</i> | 1 | ST; QL |
| <i>promethazine-dm oral syrup 6.25-15 mg/5 ml</i> | 1 | |
| <i>promethazine-phenyleph-codeine oral syrup 6.25-5-10 mg/5 ml</i> | 1 | ST; QL |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i> | 1 | |
| RESPA-AR ORAL TABLET EXTENDED RELEASE 12 HR 8-90-0.24 MG | 1 | |
| <i>virtussin dac oral syrup 30-10-100 mg/5 ml</i> | 1 | ST |
| PULMONARY AGENTS | | |
| ACCOLATE ORAL TABLET 10 MG, 20 MG | 3 | |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 1 | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 2 | PA; SP |
| ADRENALIN NASAL SOLUTION 1 MG/ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | 2 | QL |
| AIRDUO DIGIHALER INHALATION AERO POWDR BREATH ACT W/SENSOR 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION | 3 | |
| AIRDUO RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION | 3 | ST |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | 1 | |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml</i> | 1 | |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 1 | |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i> | 1 | |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i> | 1 | |
| <i>alyq oral tablet 20 mg</i> | 1 | PA; QL |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> | 1 | PA; SP; QL |
| <i>aminophylline intravenous solution 250 mg/10 ml</i> | 1 | |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 2 | QL |
| ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG | 3 | ST; QL |
| ARMONAIR DIGIHALER INHALATION AERO POWDR BREATH ACT W/SENSOR 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION | 3 | |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 2 | QL |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 2 | QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 2 | QL |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14) | 3 | |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 2 | QL |
| <i>azelastine-fluticasone nasal spray,non-aerosol 137-50 mcg/spray</i> | 1 | ST; QL |
| BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG | 2 | QL |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> | 1 | PA; SP; QL |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE | 2 | QL |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 3 | |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> | 1 | QL |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 2 | PA; SP; QL |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 2 | |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 1 | |
| CUROSURF INTRATRACHEAL SUSPENSION 120 MG/1.5 ML, 240 MG/3 ML | 3 | |
| DALIRESP ORAL TABLET 250 MCG, 500 MCG | 2 | QL |
| DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION | 2 | QL |
| DYMISTA NASAL SPRAY,NON-AEROSOL 137-50 MCG/SPRAY | 2 | ST; QL |
| ESBRIET ORAL CAPSULE 267 MG | 2 | PA; SP; QL |
| ESBRIET ORAL TABLET 267 MG, 801 MG | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | 2 | PA; SP |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 2 | PA; SP |
| FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML | 3 | PA; SP; QL |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION, 50 MCG/ACTUATION | 2 | QL |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION | 2 | QL |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 1 | QL |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> | 1 | QL |
| FLUTICASONE PROPION-SALMETEROL INHALATION AEROSOL POWDR BREATH ACTIVATED 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION | 1 | ST |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 1 | QL |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT | 3 | PA; SP |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> | 1 | PA; SP; QL |
| INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION | 2 | QL |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 1 | |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 1 | |
| KALYDECO ORAL GRANULES IN PACKET 25 MG | 2 | PA |
| KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG | 2 | PA; SP |
| KALYDECO ORAL TABLET 150 MG | 2 | PA; SP |
| LETAIRIS ORAL TABLET 10 MG, 5 MG | 3 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i> | 1 | |
| LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML | 3 | ST; QL |
| LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML | 3 | ST; QL |
| <i>metaproterenol oral syrup 10 mg/5 ml</i> | 1 | |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> | 2 | QL |
| <i>montelukast oral granules in packet 4 mg</i> | 1 | |
| <i>montelukast oral tablet 10 mg</i> | 1 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> | 1 | |
| <i>nebusal inhalation solution for nebulization 3 %</i> | 1 | |
| NEBUSAL INHALATION SOLUTION FOR NEBULIZATION 6 % | 3 | |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 2 | PA; SP; QL |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 2 | PA; SP; QL |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 2 | PA; SP; QL |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 2 | PA; SP; QL |
| OPSUMIT ORAL TABLET 10 MG | 2 | PA; SP; QL |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG | 2 | PA; SP; QL |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 2 | PA; SP; QL |
| PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML | 2 | QL |
| PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION | 3 | |
| PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION | 3 | |
| PROVENTIL HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION | 2 | QL |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 2 | PA; SP; QL |
| QNASL NASAL HFA AEROSOL INHALER 40 MCG/ACTUATION, 80 MCG/ACTUATION | 2 | QL |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION | 2 | QL |
| RUCONEST INTRAVENOUS RECON SOLN 2,100 UNIT | 2 | PA; SP; QL |
| SEEBRI NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 15.6 MCG | 3 | ST |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 2 | QL |
| <i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> | 1 | PA; QL |
| <i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> | 1 | PA; SP; QL |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> | 1 | PA; QL |
| SINUVA SINUS IMPLANT 1,350 MCG | 3 | PA; QL |
| <i>sodium chloride inhalation solution for nebulization 0.9 %, 10 %, 3 %, 7 %</i> | 1 | |
| SURFAXIN INTRATRACHEAL SUSPENSION 34 MG/ML | 3 | |
| SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION | 2 | QL |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 3 | PA; SP |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> | 1 | PA; QL |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 3 | PA; SP; QL |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 1 | |
| <i>terbutaline subcutaneous solution 1 mg/ml</i> | 1 | |
| <i>theophylline oral elixir 80 mg/15 ml</i> | 1 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| theophylline oral tablet extended release 12 hr 300 mg, 450 mg | 1 | |
| theophylline oral tablet extended release 24 hr 400 mg, 600 mg | 1 | |
| TICALAST NASAL KIT,SPRAY SUSPENSION AND SPRAY 137 MCG-50 MCG- 0.9 % | 3 | ST |
| TICANASE NASAL KIT,SPRAY SUSPENSION AND SPRAY 50 MCG- 0.9 % | 3 | ST |
| TICASPRAY NASAL KIT,SPRAY SUSPENSION AND SPRAY 50 MCG- 0.9 % | 3 | ST |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG | 3 | PA; SP; QL |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 2 | PA; SP; QL |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG | 2 | ST; QL |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N) | 2 | PA; SP |
| TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML) | 2 | PA; SP |
| TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML) | 2 | PA; SP |
| TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML | 2 | PA; SP |
| UTIBRON NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 27.5-15.6 MCG | 3 | ST |
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML | 3 | PA; SP |
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION | 3 | |
| wixela inhuh inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose | 1 | QL |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 2 | PA; SP; QL |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML | 2 | PA; SP; QL |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| XOPENEX CONCENTRATE INHALATION SOLUTION FOR NEBULIZATION 1.25 MG/0.5 ML | 3 | |
| XOPENEX INHALATION SOLUTION FOR NEBULIZATION 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML | 3 | |
| YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML | 2 | QL |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>zileuton oral tablet, er multiphase 12 hr 600 mg</i> | 2 | |
| ZYFLO ORAL TABLET 600 MG | 3 | ST |
| UROLOGICALS | | |
| ANTICHOLINERGICS & ANTISPASMODICS | | |
| <i>darifenacin oral tablet extended release 24 hr 15 mg, 7.5 mg</i> | 1 | ST |
| <i>flavoxate oral tablet 100 mg</i> | 1 | |
| GELNIQUE TRANSDERMAL GEL IN PACKET 10 % (100 MG/GRAM) | 2 | ST |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG | 2 | ST |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 1 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>solifenacain oral tablet 10 mg, 5 mg</i> | 1 | ST |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> | 1 | ST |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> | 1 | ST |
| TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG | 2 | ST |
| <i>trospium oral capsule,extended release 24hr 60 mg</i> | 1 | ST |
| <i>trospium oral tablet 20 mg</i> | 1 | ST |
| VESICARE ORAL TABLET 10 MG, 5 MG | 3 | ST |
| BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> | 1 | |
| <i>dutasteride oral capsule 0.5 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg | 1 | ST |
| finasteride oral tablet 5 mg | 1 | |
| FLOMAX ORAL CAPSULE 0.4 MG | 3 | |
| JALYN ORAL CAPSULE, ER MULTIPHASE 24 HR 0.5-0.4 MG | 3 | ST |
| silodosin oral capsule 4 mg, 8 mg | 1 | |
| tamsulosin oral capsule 0.4 mg | 1 | |
| CHOLINERGIC STIMULANTS | | |
| bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg | 1 | |
| MISCELLANEOUS UROLOGICALS | | |
| alprostadiol injection solution 500 mcg/ml | 1 | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | 2 | PA; SP |
| ELMIRON ORAL CAPSULE 100 MG | 2 | |
| hyophen oral tablet 81.6-0.12-10.8 mg | 1 | |
| K-PHOS ORIGINAL ORAL TABLET,SOLUBLE 500 MG | 2 | |
| methen-sod phos-meth blue-hyos oral tablet 81.6- 40.8-0.12 mg | 1 | |
| phosphasal oral tablet 81.6-10.8-40.8 mg | 2 | |
| potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) | 1 | |
| PROCYSB1 ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG | 2 | PA; SP |
| RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML | 2 | |
| uretron d-s oral tablet 81.6-10.8-40.8 mg | 2 | |
| urimar-t oral tablet 120-0.12-10.8 mg | 1 | |
| urin ds oral tablet 81.6-10.8-40.8 mg | 2 | |
| uro-458 oral tablet 81-10.8-40.8 mg | 1 | |
| UROCIT-K 10 ORAL TABLET EXTENDED RELEASE 10 MEQ (1,080 MG) | 3 | |
| UROCIT-K 15 ORAL TABLET EXTENDED RELEASE 15 MEQ | 3 | |
| UROCIT-K 5 ORAL TABLET EXTENDED RELEASE 5 MEQ (540 MG) | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| urogesic-blue oral tablet 81.6-40.8-0.12 mg | 1 | |
| uro-mp oral capsule 118-10-40.8-36 mg | 1 | |
| uryl oral tablet 81.6-40.8-0.12 mg | 2 | |
| ustell oral capsule 120-0.12 mg | 1 | |
| utira-c oral tablet 81.6-10.8-40.8 mg | 2 | |
| vilamit mb oral capsule 118-10-40.8-36 mg | 1 | |
| URINARY ANESTHETICS | | |
| phenazopyridine oral tablet 100 mg, 200 mg | 1 | |
| VITAMINS, HEMATINICS & ELECTROLYTES | | |
| ELECTROLYTES | | |
| CALCIUM GLUC IN NACL, ISO-OSM INTRAVENOUS SOLUTION 1 GRAM/50 ML, 2 GRAM/100 ML | 1 | |
| CALCIUM GLUCONATE IN WATER INTRAVENOUS SYRINGE 1 GRAM/10 ML (100 MG/ML) | 1 | |
| effer-k oral tablet, effervescent 25 meq | 1 | |
| GALZIN ORAL CAPSULE 25 MG (ZINC), 50 MG (ZINC) | 3 | |
| klor-con m10 oral tablet,er particles/crystals 10 meq | 1 | |
| klor-con m15 oral tablet,er particles/crystals 15 meq | 1 | |
| klor-con m20 oral tablet,er particles/crystals 20 meq | 1 | |
| lugols oral solution 5 % | 3 | |
| POTABA ORAL CAPSULE 500 MG | 3 | |
| potassium chloride oral capsule, extended release 10 meq, 8 meq | 1 | |
| potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml | 1 | |
| potassium chloride oral packet 20 meq | 1 | |
| potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq | 1 | |
| potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| sodium chloride 0.45 % intravenous parenteral solution 0.45 % | 1 | |
| sodium chloride 3 % intravenous parenteral solution 3 % | 1 | |
| sodium chloride 5 % intravenous parenteral solution 5 % | 1 | |
| sodium chloride intravenous parenteral solution 2.5 meq/ml, 4 meq/ml | 1 | |
| strong iodine oral solution 5 % | 1 | |
| MISCELLANEOUS VITAMINS, HEMATINICS, & ELECTROLYTES | | |
| DOJOLVI ORAL LIQUID 8.3 KCAL/ML | 3 | PA; SP |
| VITAMINS & HEMATINICS | | |
| complete natal dha oral combo pack 29-1-250-200 mg | 1 | |
| completenate oral tablet, chewable 29 mg iron- 1 mg | 1 | |
| elite-ob oral tablet 50 mg iron- 1.25 mg | 1 | |
| FERAHHEME INTRAVENOUS SOLUTION 510 MG/17 ML (30 MG/ML) | 3 | |
| fluoride (sodium) oral tablet, chewable 0.25 mg(0.55 mg sod. fluoride), 0.5 mg (1.1 mg sodium fluorid), 1 mg (2.2 mg sod. fluoride) | 1 | |
| folic acid oral tablet 1 mg, 400 mcg, 800 mcg | 1 | |
| INFED INJECTION SOLUTION 50 MG/ML | 3 | |
| kpn oral tablet | 1 | |
| m-natal plus oral tablet 27 mg iron- 1 mg | 1 | |
| mynatal advance oral tablet 90-1-50 mg | 1 | |
| mynatal oral capsule 65 mg iron- 1 mg | 1 | |
| mynatal oral tablet 90-1-50 mg | 1 | |
| mynatal plus oral tablet 65 mg iron- 1 mg | 1 | |
| mynatal-z oral tablet 65 mg iron- 1 mg | 1 | |
| mynate 90 plus oral tablet extended release 90 mg iron-1 mg | 1 | |
| NEXAVIR INJECTION SOLUTION 25.5 MG/ML | 3 | |
| OB COMPLETE ORAL TABLET 50 MG IRON- 1.25 MG | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg | 1 | |
| pnv 29-1 oral tablet 29 mg iron- 1 mg | 1 | |
| pnv-dha + docusate oral capsule 27-1.25-55-300 mg | 1 | |
| pnv-dha oral capsule 27 mg iron-1 mg -300 mg | 1 | |
| pnv-omega oral capsule 28-1-300 mg | 1 | |
| prenaissance oral capsule 29-1.25-55-325 mg | 1 | |
| prenaissance plus oral capsule 28-1-50-250 mg | 1 | |
| prenatabs rx oral tablet 29 mg iron- 1 mg | 1 | |
| PRENATAL ORAL TABLET 28-800 MG-MCG | 3 | |
| prenatal plus (calcium carb) oral tablet 27 mg iron- 1 mg | 1 | \$0 Copay |
| prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg | 1 | |
| preplus oral tablet 27 mg iron- 1 mg | 1 | |
| se-natal 19 chewable oral tablet,chewable 29 mg iron- 1 mg | 1 | |
| se-natal-19 oral tablet 29 mg iron- 1 mg | 3 | |
| taron-c dha oral capsule 35-1-200 mg | 1 | |
| taron-prex prenatal-dha oral capsule 30 mg iron- 1.2 mg-55 mg-265 mg | 1 | |
| TRIFERIC HEMODIALYSIS POWDER IN PACKET 272 MG IRON | 3 | |
| TRIFERIC HEMODIALYSIS SOLUTION 27.2 MG IRON/5 ML | 2 | |
| trinatal rx 1 oral tablet 60 mg iron-1 mg | 1 | |
| VENOFER INTRAVENOUS SOLUTION 100 MG IRON/5 ML, 200 MG IRON/10 ML, 50 MG IRON/2.5 ML | 3 | |
| virt-c dha oral capsule 35-1-200 mg | 1 | |
| virt-pn dha oral capsule 27 mg iron-1 mg -300 mg | 1 | |
| virt-pn plus oral capsule 28-1-300 mg | 1 | |
| vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg- 260 mg | 1 | |
| zatean-pn dha oral capsule 27 mg iron-1 mg -300 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>zatean-pn plus oral capsule 28-1-300 mg</i> | 1 | |
| <i>zingiber oral tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

| | | |
|-------------------------------------|---------|--|
| 2 | | |
| 2TEK GLUCOSE/BLOOD PRESSURE | 104 | |
| A | | |
| abacavir | 4 | |
| abacavir-lamivudine | 4 | |
| abacavir-lamivudine-zidovudine | 4 | |
| ABELCET | 3 | |
| ABILIFY MAINTENA | 58 | |
| abiraterone | 22 | |
| ABLYSINOL | 96 | |
| ABRAXANE | 22 | |
| acamprosate | 96 | |
| acarbose | 116 | |
| ACCOLATE | 163 | |
| ACCU-CHEK COMBO SYSTEM | 104 | |
| ACCU-CHEK GUIDE L1-L2 CTRL SOL | 104 | |
| ACCU-CHEK SMARTVIEW CONTRL SOL | 104 | |
| ACCUTREND GLUCOSE CONTROL | 104 | |
| ACE AEROSOL CLOUD ENHANCER | 103 | |
| acebutolol | 67 | |
| acetaminophen-caff-dihydrocod | 48 | |
| acetaminophen-codeine | 48 | |
| acetazolamide | 158 | |
| acetazolamide sodium | 158 | |
| acetic acid | 96, 100 | |
| acetylcysteine | 163 | |
| acitretin | 84 | |
| ACTEMRA | 139 | |
| ACTEMRA ACTPEN | 139 | |
| ACTHIB (PF) | 132 | |
| ACTIGALL | 121 | |
| ACTIMMUNE | 131 | |
| ACULAR | 157 | |
| ACULAR LS | 157 | |
| acyclovir | 4, 92 | |
| acyclovir sodium | 4 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 132 | |
| ADAKVEO | 22 | |
| adapalene | 88 | |
| ADAPALENE | 88 | |
| adapalene-benzoyl peroxide | 88 | |
| ADASUVE | 58 | |
| ADCETRIS | 22 | |
| adefovir | 4 | |
| ADEMPAS | 163 | |
| adrenalin | 161 | |
| ADRENALIN | 163 | |
| adriamycin | 22 | |
| ADRIAMYCIN | 22 | |
| adrucil | 22 | |
| adult aspirin regimen | 54 | |
| ADVAIR HFA | 164 | |
| ADVANCED ALLERGY COLLECT KIT | 92 | |
| ADVATE | 74 | |
| ADVOCATE DUO | 104 | |
| ADVOCATE LOW CONTROL | 104 | |
| ADVOCATE REDI-CODE DUO METER | 104 | |
| ADVOCATE REDI-CODE+ CTRL LOW | 104 | |
| ADYNOVATE | 74 | |
| ADYPHREN AMP II | 161 | |
| ADYPHREN II | 161 | |
| ADZENYS ER | 58 | |
| ADZENYS XR-ODT | 58 | |
| AEMCOLO | 12 | |
| AEROCHAMBER MINI | 103 | |
| AEROCHAMBER PLUS FLOW-VU | 103 | |
| AEROCHAMBER PLUS Z STAT | 103 | |
| AEROTRACH PLUS | 103 | |
| AEROVENT PLUS | 103 | |
| AFINITOR | 22 | |
| AFINITOR DISPERZ | 22 | |
| afirmelle | 146 | |
| AFLURIA QD 2020-21(3YR UP)(PF) | 132 | |
| AFLURIA QD 2020-21(6-35MO)(PF) | 132 | |
| AFLURIA QUAD 2020-2021(6MO UP) | 132 | |
| AFREZZA | 109 | |
| AFSTYLA | 75 | |
| AFTERA | 146 | |
| AGAMATRIX CONTROL HIGH | 104 | |
| AGRYLIN | 96 | |
| AIMOVIG AUTOINJECTOR | 45 | |
| AIRDUO DIGIHALER | 164 | |
| AIRDUO RESPICLICK | 164 | |
| AJOVY AUTOINJECTOR | 45 | |
| AJOVY SYRINGE | 45 | |
| ak-poly-bac | 154 | |
| AKTEN (PF) | 156 | |
| AKYNZEO (FOSNETUPITANT) | 121 | |
| ALA-QUIN | 91 | |
| ALA-SCALP | 93 | |
| albendazole | 12 | |
| ALBENZA | 12 | |
| albuterol sulfate | 164 | |
| alclometasone | 93 | |
| ALDARA | 131 | |
| ALDURAZYME | 112 | |
| ALECENSA | 22 | |
| alendronate | 139 | |
| ALFERON N | 131 | |
| alfuzosin | 170 | |
| ALIMTA | 22 | |
| ALINIA | 12 | |
| ALIQOPA | 22 | |
| aliskiren | 67 | |
| ALKERAN | 22 | |
| ALKERAN (AS HCL) | 22 | |
| allopurinol | 138 | |
| allopurinol sodium | 138 | |
| ALLZITAL | 48 | |
| almotriptan malate | 45 | |
| ALOCRIL | 156 | |
| ALOMIDE | 156 | |
| aloprim | 138 | |
| alosetron | 121 | |
| ALPHAGAN P | 161 | |
| ALPHANATE | 75 | |
| ALPHANINE SD | 75 | |
| alprazolam | 58 | |
| alprazolam intensol | 58 | |
| ALPROLIX | 75 | |
| alprostadiol | 171 | |
| ALREX | 160 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------------|----------|
| altacaine | 156 |
| ALTAFLUOR BENOX | 156 |
| altavera (28)..... | 146 |
| ALUNBRIG | 22 |
| alyacen 1/35 (28)..... | 146 |
| alyacen 7/7/7 (28)..... | 146 |
| alyq | 164 |
| amabelz..... | 142 |
| amantadine hcl..... | 4 |
| AMBISOME | 3 |
| ambrisentan | 164 |
| amcinonide | 93 |
| AMELUZ | 86 |
| amethia | 146 |
| amethia lo | 146 |
| amethyst (28)..... | 146 |
| AMICAR | 75 |
| amikacin | 12 |
| amiloride..... | 67 |
| amiloride-hydrochlorothiazide | 67 |
| aminocaproic acid | 75 |
| aminophylline..... | 164 |
| amiodarone | 67 |
| AMITIZA | 121 |
| amitriptyline | 58 |
| amitriptyline-chlordiazepoxide | 58 |
| amlodipine | 67 |
| amlodipine-atorvastatin..... | 81 |
| amlodipine-benazepril | 67 |
| amlodipine-olmesartan | 67 |
| amlodipine-valsartan | 68 |
| amlodipine-valsartan-hcthiazid | 68 |
| AMMONUL..... | 96 |
| amnesteem | 88 |
| amoxapine | 58 |
| amoxicil-clarithromy-lansopraz | 127 |
| amoxicillin..... | 16 |
| amoxicillin-pot clavulanate .. | 16 |
| AMPHADASE | 96 |
| amphetamine sulfate..... | 58 |
| amphotericin b..... | 3 |
| ampicillin..... | 16 |
| ampicillin sodium..... | 16, 17 |
| ampicillin-sulbactam | 17 |
| ANADROL-50..... | 112 |
| anagrelide | 96 |
| ANA-LEX KIT..... | 121 |
| ANALPRAM-HC..... | 121 |
| ANALPRAM-HC SINGLES | 121 |
| anastrozole..... | 22 |
| ANDEXXA | 75 |
| ANDRODERM | 112 |
| ANGELIQ | 142 |
| ANNOVERA..... | 145 |
| ANORO ELLIPTA..... | 164 |
| anucort-hc..... | 121 |
| APOKYN | 43 |
| apraclonidine | 161 |
| aprepitant | 121 |
| apri..... | 146 |
| APRISO..... | 121 |
| APTIOM..... | 38 |
| APTIVUS | 4 |
| APTIVUS (WITH VITAMIN E) | 4 |
| aqua care sodium chloride.... | 96 |
| aqua care sterile water | 96 |
| AQUA GLYCOLIC HC..... | 93 |
| ARAKODA | 12 |
| ARALAST NP | 97 |
| aranelle (28)..... | 146 |
| ARAVA..... | 139 |
| ARCALYST | 131 |
| ARCAPTA NEOHALER... | 164 |
| ARGATROBAN | 75 |
| ARGATROBAN IN 0.9 % SOD CHLOR | 75 |
| ARGATROBAN IN NACL (ISO-OS) | 75 |
| ARIKAYCE | 12 |
| ariPIPRAZOLE..... | 58 |
| ARISTADA | 59 |
| ARISTADA INITIO..... | 58 |
| ARIIXTRA | 75 |
| armodafinil | 59 |
| ARMONAIR DIGIHALER | 164 |
| ARMOUR THYROID | 118 |
| ARNUITY ELLIPTA..... | 164 |
| ARRANON | 23 |
| arsenic trioxide | 23 |
| ARSENIC TRIOXIDE | 23 |
| ARYMO ER | 48 |
| ARZERRA | 23 |
| ascomp with codeine | 48 |
| ashlyna..... | 146 |
| ASMANEX HFA | 164 |
| ASMANEX TWISTHALER | 165 |
| ASPARLAS..... | 23 |
| aspirin | 54 |
| aspirin low dose | 54 |
| aspirin-dipyridamole..... | 75 |
| aspir-trin | 54 |
| ASSURE 4 CONTROL SOLUTION | 104 |
| ASSURE DOSE NORMAL CONTROL | 104 |
| ASSURE PRISM CONTROL 1-2 SOLN | 104 |
| ASTAGRAF XL..... | 23 |
| AT HOME A1C | 104 |
| atazanavir..... | 4 |
| atenolol | 68 |
| atenolol-chlorthalidone | 68 |
| ATGAM | 132 |
| atomoxetine | 59 |
| atopavo | 86 |
| atorvastatin | 81 |
| atovaquone | 12 |
| atovaquone-proguanil | 12 |
| atracurium..... | 47 |
| ATRAPRO HYDROGEL | 86 |
| ATROPEN..... | 96 |
| atropine | 119, 155 |
| ATROPINE | 155 |
| ATROPINE IN 0.9 % SOD CHLORIDE | 119 |
| ATROVENT HFA..... | 165 |
| aubra | 146 |
| aubra eq | 146 |
| aurovela 1.5/30 (21)..... | 146 |
| aurovela 1/20 (21)..... | 147 |
| aurovela 24 fe | 147 |
| aurovela fe 1.5/30 (28) | 147 |
| aurovela fe 1-20 (28) | 147 |
| AURYXIA | 121 |
| AUSTEDO | 46 |
| AUTOSOFT 30 | 104 |
| AUTOSOFT 90 | 104 |
| AUTOSOFT XC INFUSION SET 23 | 105 |
| AUVI-Q | 161 |
| AVANDIA | 116 |
| AVAR-E LS | 88 |
| AVASTIN..... | 23 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------------|----------|
| AVELOX IN NACL (ISO-OSMOTIC)..... | 18 |
| aviane | 147 |
| avidoxy | 18 |
| avita | 88 |
| AVITA | 88 |
| avo cream | 86 |
| AVONEX | 129 |
| AVSOLA | 121 |
| AVYCAZ | 9 |
| AYGESTIN | 142 |
| ayuna | 147 |
| AYVAKIT | 23 |
| azacitidine..... | 23 |
| AZASITE | 154 |
| azathioprine | 23 |
| azathioprine sodium | 23 |
| azelaic acid | 88 |
| azelastine | 100, 156 |
| azelastine-fluticasone | 165 |
| azithromycin..... | 11 |
| AZOPT | 158 |
| aztreonam | 12 |
| AZULFIDINE | 121 |
| AZULFIDINE EN-TABS .. | 121 |
| azurette (28)..... | 147 |
| B | |
| BACIGUENT | 154 |
| bacitracin | 12, 154 |
| bacitracin-polymyxin b | 154 |
| baclofen | 47 |
| BACLOFEN | 47 |
| BAFIERTAM | 129 |
| BALCOLTRA | 147 |
| balsalazide | 121 |
| BALVERSA | 23 |
| balziva (28)..... | 147 |
| BANZEL | 38 |
| BAQSIMI | 103 |
| BARACLUDE | 4 |
| BARHEMSYS | 121 |
| BASAGLAR KWIKPEN U-100 INSULIN | 109 |
| BAVENCIO | 23 |
| BAXDELA | 18 |
| bayer aspirin | 54 |
| BD ULTRA-FINE NANO PEN NEEDLE | 105 |
| bekyree (28)..... | 147 |
| BELBUCA | 48 |

| | |
|---|----------|
| BELEODAQ | 23 |
| belladonna alkaloids-opium | 119 |
| BELRAPZO | 23 |
| BELSOMRA | 59 |
| benazepril | 68 |
| benazepril-hydrochlorothiazide | 68 |
| BENDAMUSTINE | 23 |
| BENDEKA | 23 |
| BENEFIX | 75, 76 |
| BENLYSTA | 139 |
| benzepro | 88 |
| BENZNIDAZOLE | 12 |
| benzonataate | 163 |
| benzoyl peroxide | 88 |
| benztropine | 43 |
| BEPREVE | 156 |
| BESIVANCE | 154 |
| BESPONSA | 23 |
| BETADINE OPHTHALMIC PREP | 154 |
| betamethasone acet,sod phos | 101 |
| betamethasone dipropionate | 93 |
| BETAMETHASONE SOD PHOSPH-WATER | 101 |
| betamethasone valerate..... | 93 |
| betamethasone, augmented... | 93 |
| BETASERON | 129 |
| betaxolol | 68, 155 |
| bethanechol chloride..... | 171 |
| BETIMOL | 155 |
| BETOPTIC S | 155 |
| BEVESPI AEROSPHERE | 165 |
| bexarotene | 23 |
| BEXSERO | 132 |
| BEYAZ | 147 |
| bicalutamide | 23 |
| BICILLIN C-R | 17 |
| BICILLIN L-A | 17 |
| BICNU | 23 |
| BIJUVA | 142 |
| BIKTARVY | 5 |
| BILTRICIDE | 12 |
| bimatoprost | 158 |
| bisoprolol fumarate..... | 68 |
| bisoprolol-hydrochlorothiazide | 68 |
| bivalirudin | 76 |
| BIVALIRUDIN | 76 |
| BIVALIRUDIN-0.9 % SODIUM CHLOR | 76 |
| BLENREP | 23 |
| bleomycin | 24 |
| BLINCYTO | 24 |
| blisovi 24 fe | 147 |
| blisovi fe 1.5/30 (28) | 147 |
| blisovi fe 1/20 (28) | 147 |
| BLOOD GLUCOSE CONTROL, NORMAL | 105 |
| BLOOD GLUCOSE TEST | 102 |
| BOOSTRIX TDAP | 132 |
| BORTEZOMIB | 24 |
| bosentan | 165 |
| BOSULIF | 24 |
| BOTOX | 132 |
| bp 10-1 | 88 |
| BRAFTOVI | 24 |
| BREATHERITE MDI SPACER | 103 |
| BREEZE 2 CONTROL SOLUTION,HIGH | 105 |
| BREO ELLIPTA | 165 |
| bretylium tosylate | 67 |
| BREVIBLOC | 68 |
| BREVIBLOC IN NACL (ISO-OSM) | 68 |
| BREZTRI AEROSPHERE | 165 |
| briellyn | 147 |
| BRILINTA | 76 |
| brimonidine | 161 |
| BRIMONIDINE-DORZOLAMIDE (PF) | 158 |
| BRINEURA | 112 |
| BRIVIACT | 38 |
| BROMFED DM | 163 |
| bromfenac | 157 |
| bromocriptine | 43 |
| brompheniramine-pseudoephedrin | 163 |
| BROMSITE | 158 |
| BRUKINSA | 24 |
| budesonide | 121, 165 |
| bumetanide | 68 |
| BUNAVAIL | 54 |
| buprenorphine | 48 |
| buprenorphine hcl | 48 |
| buprenorphine-naloxone | 54, 55 |
| bupropion hcl | 59 |
| BUPROPION HCL | 59 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------|---------|
| bupropion hcl (smoking deter) | 99 |
| buspirone | 59 |
| busulfan | 24 |
| BUSULFEX | 24 |
| butalbital compound w/codeine | 48 |
| butalbital-acetaminop-caf-cod | 48 |
| butalbital-acetaminophen48, 49 | |
| butalbital-acetaminophen-caff | 49 |
| butalbital-aspirin-caffeine | 49 |
| butorphanol | 55 |
| BYDUREON | 116 |
| BYDUREON BCISE | 116 |
| BYETTA | 116 |
| BYNFEZIA | 24 |
| BYSTOLIC | 68 |
| C | |
| cabergoline | 112 |
| CABLIVI | 76 |
| CABOMETYX | 24 |
| caffeine citrate | 97 |
| calcipotriene | 84 |
| CALCIPOTRIENE | 84 |
| calcipotriene-betamethasone | 84 |
| calcitonin (salmon) | 112 |
| calcitriol | 84, 112 |
| calcium acetate(phosphat bind) | 121 |
| CALCIUM GLUC IN NACL, ISO-OSM | 172 |
| CALCIUM GLUCONATE IN WATER | 172 |
| CALDOLOR | 55 |
| CALQUENCE | 24 |
| camila | 142 |
| CAMPTOSAR | 24 |
| camrese | 147 |
| camrese lo | 147 |
| CANASA | 121 |
| CANCIDAS | 3 |
| candesartan | 68 |
| candesartan-hydrochlorothiazid | 68 |
| CAPASTAT | 12 |
| CAPCOF | 163 |
| capecitabine | 24 |
| CAPLYTA | 59 |
| CAPRELSA | 24 |
| captopril | 68 |
| captopril-hydrochlorothiazide | 68 |
| CARAC | 86 |
| CARAFATE | 127 |
| CARBAGLU | 97 |
| carbamazepine | 38 |
| CARBATROL | 38 |
| carbidopa | 43 |
| carbidopa-levodopa | 43 |
| carbidopa-levodopa-entacapone | 44 |
| carbinoxamine maleate | 161 |
| carboplatin | 24 |
| CARDURA XL | 68 |
| CARESENS CONTROL A NORMAL | 105 |
| carisoprodol | 47 |
| carmustine | 24 |
| CARNITOR | 97 |
| carteolol | 155 |
| cartia xt | 68 |
| carvedilol | 68 |
| carvedilol phosphate | 69 |
| caspofungin | 3 |
| CAYA CONTOURED | 142 |
| CAYSTON | 12 |
| caziant (28) | 147 |
| cefaclor | 9 |
| cefadroxil | 9 |
| cefazolin | 9 |
| CEFAZOLIN IN 0.9% SOD CHLORIDE | 9 |
| cefazolin in dextrose (iso-os) | 9 |
| CEFAZOLIN IN DEXTROSE (ISO-OS) | 9 |
| CEFAZOLIN IN STERILE WATER | 9 |
| cefdinir | 9 |
| cefditoren pivoxil | 9 |
| cefepime | 9 |
| CEFEPIME IN DEXTROSE 5 % | 9 |
| cefepime in dextrose,iso-osm | 9 |
| cefixime | 9, 10 |
| CEFOTAN | 10 |
| cefotaxime | 10 |
| cefotetan | 10 |
| CEFOTETAN IN DEXTROSE, ISO-OSM | 10 |
| cefoxitin | 10 |
| cefoxitin in dextrose, iso-osm | 10 |
| cephodoxime | 10 |
| cefprozil | 10 |
| ceftazidime | 10 |
| CEFTAZIDIME IN D5W | 10 |
| ceftriaxone | 10 |
| CEFTRIAXONE | 10 |
| ceftriaxone in dextrose,iso-os | 10 |
| cefuroxime axetil | 10 |
| cefuroxime sodium | 10 |
| celecoxib | 55 |
| CELONTIN | 38 |
| cem-urea | 86 |
| cephalexin | 10, 11 |
| CEPROTIN (BLUE BAR) | 76 |
| CEPROTIN (GREEN BAR) | 76 |
| CEQUA | 156 |
| CEQUR SIMPLICITY | 105 |
| CERACADE | 86 |
| CERAMAX | 86 |
| CERDELGA | 112 |
| CEREBYX | 38 |
| CEREZYME | 112 |
| CERVIDIL | 145 |
| CETROTIDE | 112 |
| cevimeline | 97 |
| CHANTIX | 99 |
| CHANTIX CONTINUING MONTH BOX | 99 |
| CHANTIX STARTING MONTH BOX | 99 |
| charlotte 24 fe | 147 |
| chateal (28) | 147 |
| chateal eq (28) | 147 |
| CHEMET | 97 |
| CHENODAL | 121 |
| children's aspirin | 55 |
| chloramphenicol sod succinate | 12 |
| chlordiazepoxide hcl | 59 |
| chlordiazepoxide-clidinium | 119 |
| chlorhexidine gluconate | 100 |
| chloroquine phosphate | 12 |
| chlorothiazide sodium | 69 |
| chlorpromazine | 59 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------------|---------------|
| chlorthalidone | 69 |
| chlorzoxazone..... | 47 |
| CHOLBAM..... | 122 |
| cholestyramine (with sugar) .81 | |
| cholestyramine light | 81 |
| choline,magnesium salicylate | 55 |
| ciclopirox..... | 91 |
| cidofovir | 5 |
| cilostazol..... | 76 |
| CIMDUO..... | 5 |
| cimetidine | 127 |
| cimetidine hcl | 127 |
| CIMZIA..... | 122 |
| CIMZIA POWDER FOR RECONST..... | 122 |
| cinacalcet | 112 |
| CINRYZE..... | 165 |
| CINVANTI..... | 122 |
| CIPRODEX..... | 101 |
| ciprofloxacin..... | 18 |
| ciprofloxacin hcl...18, 100, 154 | |
| ciprofloxacin in 5 % dextrose | 18 |
| ciprofloxacin-dexamethasone | 101 |
| CIPROFLOXACIN- FLUOCINOLONE | 101 |
| cisatracurium | 47 |
| cisplatin | 24 |
| CISPLATIN | 24 |
| citalopram..... | 59 |
| cladribine..... | 24 |
| CLAFORAN | 11 |
| claravis | 88 |
| CLARINEX..... | 161 |
| clarithromycin | 11 |
| cleansing wash..... | 88 |
| clemastine..... | 161 |
| CLENPIQ | 122 |
| CLEO 90 INFUSION SET 24 | 105 |
| CLEOCIN..... | 12, 145 |
| CLEVER CHOICE LEVEL 2 CONTROL..... | 105 |
| clindamycin hcl | 12 |
| CLINDAMYCIN IN 0.9 % SOD CHLOR | 12 |
| clindamycin in 5 % dextrose 13 | |
| clindamycin palmitate hcl13 | |
| clindamycin pediatric | 13 |
| clindamycin phosphate ..13, 88, | |
| 145 | |
| CLINDAMYCIN PHOSPHATE | 88 |
| clindamycin-benzoyl peroxide | 88 |
| clindamycin-tretinoin | 88 |
| clobazam..... | 38 |
| clobetasol | 93 |
| clobetasol-emollient | 93 |
| clofarabine | 24 |
| CLOALAR | 24 |
| clomiphene citrate | 112 |
| clomipramine..... | 59 |
| clonazepam | 38 |
| clonidine | 69 |
| clonidine hcl | 59, 69 |
| clopидогрел | 76 |
| clorazepate dipotassium | 59 |
| clotrimazole | 3 |
| clotrimazole-betamethasone .91 | |
| clovique | 97 |
| clozapine..... | 59 |
| CLOZARIL | 59 |
| COAGADEX | 76 |
| COARTEM | 13 |
| COCAINE | 90 |
| codeine sulfate | 49 |
| codeine-butalbital-asa-caff ...49 | |
| CODITUSSIN DAC..... | 163 |
| colchicine..... | 138 |
| COLCHICINE..... | 138 |
| COLCRYS..... | 138 |
| colesevelam | 81 |
| colestipol | 81 |
| colistin (colistimethate na) ..13 | |
| COMBIGAN | 158 |
| COMBIPATCH..... | 142 |
| COMBIVENT RESPIMAT | 165 |
| COMBIVIR | 5 |
| COMETRIQ | 24 |
| COMFORT INFUSION SET 43 | 105 |
| COMFORT SHORT INSULIN PUMP 23 | 105 |
| COMPACT SPACE CHAMBER | 103 |
| complete natal dha..... | 173 |
| completenate..... | 173 |
| compro | 122 |
| COMTAN | 44 |
| constulose | 122 |
| CONTACT DETACH INFUS SET 23 | 105 |
| CONTOUR CONTROL SOLUTION, NML | 105 |
| CONTOUR NEXT LEV 2 CONTROL SOL..... | 105 |
| CONTOUR NEXT LINK...105 | |
| CONTOUR NEXT LINK 2.4 | 105 |
| CONTOUR NEXT TEST STRIPS | 102 |
| CONTOUR TEST STRIPS 102 | |
| COOL CONTROL A SOLUTION | 105 |
| COPAXONE | 129 |
| COPIKTRA | 24 |
| CORIFACT | 76 |
| CORLANOR | 82 |
| corlopam | 69 |
| cortisone | 101 |
| COSENTYX | 84 |
| COSENTYX (2 SYRINGES) | 84 |
| COSENTYX PEN | 84 |
| COSENTYX PEN (2 PENS) | 84 |
| COSMEGEN | 24 |
| COSOPT (PF)..... | 158 |
| COTELLIC..... | 24 |
| covaryx | 142 |
| covaryx h.s..... | 142 |
| CREON..... | 122 |
| CRESEMBIA..... | 3 |
| CRINONE | 142 |
| CRIXIVAN..... | 5 |
| cromolyn..... | 122, 156, 165 |
| crotan | 95 |
| cryselle (28) | 147 |
| CRYSVITA | 112 |
| CUROSURF | 165 |
| CUTAQUIG | 132 |
| CUVITRU | 132 |
| CUVPOSA | 119 |
| cyclafem 1/35 (28)..... | 147 |
| cyclafem 7/7/7 (28)..... | 147 |
| cyclobenzaprine | 47 |
| CYCLOGYL | 155 |
| CYCLOMYDRIL | 161 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | | | |
|--------------------------------|--------|-------------------------------|-------------|
| cyclopentolate | 155 | demeclocycline | 19 |
| CYCLOPEN-TROPIC-PHENYLEPH-WATR | 155 | DEM SER | 69 |
| cyclophosphamide | 25 | DEPAKOTE | 38 |
| CYCLOPHOSPHAMIDE | 25 | DEPAKOTE ER | 38 |
| CYCLOSERINE | 13 | DEPAKOTE SPRINKLES | 38 |
| cyclosporine | 25 | DEPEN TITRATABS | 140 |
| CYCLOSPORINE IN KLARITY | 156 | DEPO-ESTRADIOL | 142 |
| cyclosporine modified | 25 | DEPO-PROVERA | 142 |
| cyproheptadine | 161 | DEPO-SUBQ PROVERA | 104 |
| CYRAMZA | 25 | | 143 |
| cyred | 148 | DERMACINRX | |
| cyred eq | 148 | THERAZOLE PAK | 92 |
| CYSTADANE | 122 | DESCOVY | 5 |
| CYSTADROPS | 156 | desipramine | 60 |
| CYSTAGON | 171 | desloratadine | 161, 162 |
| CYSTARAN | 156 | desmopressin | 113 |
| cytarabine | 25 | desog-e.estradol/e.estradol | 148 |
| cytarabine (pf) | 25 | desogestrel-ethynodiol | 148 |
| CYTOTEC | 127 | desonide | 93 |
| D | | desoximetasone | 93, 94 |
| dacarbazine | 25 | DESVENLAFAXINE | 60 |
| dactinomycin | 25 | desvenlafaxine succinate | 60 |
| dalfampridine | 46 | dexamethasone | 101 |
| DALIRESP | 165 | dexamethasone intensol | 101 |
| DALVANCE | 13 | dexchlorpheniramine maleate | 162 |
| danazol | 113 | DEXCOM G4 RECEIVER | 105 |
| DANTRIUM | 47 | DEXCOM G5 RECEIVER | 105 |
| dantrolene | 47 | DEXCOM G6 RECEIVER | 105 |
| dapsone | 13, 88 | DEXCOM RECEIVER | 105 |
| DAPTACEL (DTAP PEDIATRIC) (PF) | 132 | DEXERYL | 86 |
| DAPTOMYCIN | 13 | DEXILANT | 127 |
| DARAPRIM | 13 | dexmethylphenidate | 60 |
| darifenacin | 170 | dexrazoxane hcl | 21 |
| DARZALEX | 25 | dextroamphetamine | 60 |
| DARZALEX FASPRO | 25 | dextroamphetamine-amphetamine | 60 |
| dasetta 1/35 (28) | 148 | DIACOMIT | 38, 39 |
| dasetta 7/7/7 (28) | 148 | DIASTAT | 39 |
| daunorubicin | 25 | DIASSTAT ACUDIAL | 39 |
| DAURISMO | 25 | DIATRUE CONTROL SOLN | |
| daysee | 148 | NORMAL | 105 |
| DEBACTEROL | 100 | diazepam | 39, 60 |
| deblitane | 142 | diazepam intensol | 60 |
| decadron | 101 | diazoxide | 103 |
| decitabine | 25 | DICLOFENAC EPOLAMINE | |
| deferasirox | 97 | | 55 |
| DEFITELIO | 76 | diclofenac potassium | 55 |
| DELZICOL | 122 | diclofenac sodium | 55, 86, 158 |
| | | diclofenac-misoprostol | 55 |
| | | DICLOFONO | 55 |
| | | dicloxacillin | 17 |
| | | dicyclomine | 119 |
| | | didanosine | 5 |
| | | DIFICID | 11 |
| | | diflunisal | 55 |
| | | digitek | 74 |
| | | digox | 74 |
| | | digoxin | 74 |
| | | dihydroergotamine | 45 |
| | | DILANTIN | 39 |
| | | DILANTIN EXTENDED | 39 |
| | | DILANTIN INFATABS | 39 |
| | | DILANTIN-125 | 39 |
| | | DILATRATE-SR | 83 |
| | | DILAUDID (PF) | 49 |
| | | diltiazem | 69 |
| | | dilt-xr | 69 |
| | | dimenhydrinate | 122 |
| | | dimethyl fumarate | 129 |
| | | DIOVAN | 69 |
| | | DIOVAN HCT | 69 |
| | | DIPENTUM | 122 |
| | | diphenhydramine hcl | 162 |
| | | diphenoxylate-atropine | 119, 120 |
| | | dipyridamole | 76 |
| | | DISALCID | 55 |
| | | diskets | 49 |
| | | disopyramide phosphate | 67 |
| | | disulfiram | 97 |
| | | DIURIL IV | 69 |
| | | divalproex | 39 |
| | | DIVIGEL | 143 |
| | | DOCEFREZ | 25 |
| | | docetaxel | 25 |
| | | dofetilide | 67 |
| | | DOJOLVI | 173 |
| | | donepezil | 46 |
| | | DOPTELET (15 TAB PACK) | |
| | | | 76 |
| | | DORYX | 19 |
| | | dorzolamide | 158 |
| | | DORZOLAMIDE (PF) | 158 |
| | | dorzolamide-timolol | 158 |
| | | dorzolamide-timolol (pf) | 158 |
| | | DORZOLAMIDE-TIMOLOL (PF) | 158 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | | | | | |
|--|-----|--------------------------------|-----|-------------------------------|----------|
| dotti..... | 143 | EASY TRAK II TEST STRIP | 102 | EMBRACE EVO LEVEL 1 | 106 |
| DOVATO | 5 | EASY TRAK LOW | | EMBRACE GLUCOSE | |
| doxazosin..... | 69 | CONTROL | 106 | CONTROL LOW | 106 |
| doxepin..... | 60 | EASYGLUCO PLUS | | EMBRACE TALK | |
| doxercalciferol..... | 113 | NORMAL CONTROL... | 106 | CONTROL-LOW (L1)... | 106 |
| doxorubicin..... | 25 | EASYMAX LOW CONTROL | | EMCYT | 26 |
| doxorubicin, peg-liposomal.. | 26 | | 106 | EMGALITY PEN..... | 45 |
| doxy-100..... | 19 | EASYMAX NORMAL | | EMGALITY SYRINGE..... | 45 |
| doxycycline hyclate..... | 19 | CONTROL | 106 | emoquette | 148 |
| DOXYCYCLINE HYCLATE | | ECONASIL | 92 | EMPLICITI | 26 |
| | 19 | econazole | 92 | EMSAM | 60 |
| doxycycline monohydrate | 19 | econtra ez..... | 148 | emtricitabine | 5 |
| DOXYCYCLINE | | econtra one-step..... | 148 | EMTRIVA | 5 |
| MONOHYDRATE | 19 | ecotrin | 55 | emulsion sb | 86 |
| drithocreme hp..... | 84 | EDARBI | 69 | EMVERM..... | 13 |
| dronabinol..... | 122 | EDARBYCLOR | 69 | enalapril maleate..... | 69 |
| droperidol | 122 | EDECRIN..... | 69 | enalaprilat | 69 |
| drospirenone-e.estradiol-lm.fa | | EDLUAR | 60 | enalapril-hydrochlorothiazide | |
| | 148 | ed-spaz..... | 120 | | 70 |
| drospirenone-ethinyl estradiol | | EDURANT | 5 | ENBREL..... | 140 |
| | 148 | eemt | 143 | ENBREL MINI | 140 |
| DROXIA | 26 | eemt hs..... | 143 | ENBREL SURECLICK | 140 |
| DUAVEE | 143 | efavirenz | 5 | ENDARI | 97 |
| DULERA | 165 | efavirenz-lamivu-tenofov disop | | endocet..... | 49 |
| duloxetine | 60 | | 5 | ENGERIX-B (PF) | 132, 133 |
| DUOBRII | 94 | effer-k | 172 | ENGERIX-B PEDIATRIC | |
| DUODOTE | 96 | EGRIFTA SV | 129 | (PF) | 133 |
| DUPIXENT PEN | 86 | ELAPRASE..... | 113 | ENHERTU | 26 |
| DUPIXENT SYRINGE | 86 | ELELYSO | 113 | enoxaparin | 76 |
| duramorph (pf) | 49 | ELEMENT COMPACT | | enpresse | 148 |
| DUREZOL | 160 | NORMAL CONTROL... | 106 | enskyce | 148 |
| dutasteride | 170 | ELEMENT NORMAL | | ENSPRYNG | 26 |
| dutasteride-tamsulosin..... | 171 | CONTROL | 106 | entacapone | 44 |
| DYMISTA | 165 | elatriptan..... | 45 | entecavir | 5 |
| DYRENium | 69 | ELIGARD | 26 | ENTEREG | 122 |
| DYSport | 132 | ELIGARD (3 MONTH) | 26 | ENTOCORT EC | 122 |
| E | | ELIGARD (4 MONTH) | 26 | ENTRESTO..... | 82 |
| e.c. prin..... | 55 | ELIGARD (6 MONTH) | 26 | ENTYVIO | 122 |
| e.e.s. 400..... | 11 | elinest..... | 148 | enulose | 122 |
| EASIVENT HOLDING | | ELIQUIS | 76 | ENVARSUS XR | 26 |
| CHAMBER | 103 | ELIQUIS DVT-PE TREAT | | EPIDIOLEX | 39 |
| EASY PLUS II HIGH | | 30D START | 76 | epinastine | 156 |
| CONTROL | 105 | ELITEK | 21 | epinephrine | 162 |
| EASY STEP HIGH | | elite-ob..... | 173 | EPINEPHRINE | 162 |
| CONTROL SOLN | 105 | ELLA..... | 148 | EPINEPHRINE HCL (PF) | 162 |
| EASY TALK HIGH | | ELLENCE | 26 | EPIPEN 2-PAK | 162 |
| CONTROL | 105 | ELMIRON..... | 171 | EPIPEN JR 2-PAK | 162 |
| EASY TRAK II CTRL SOLN-NORMAL | 106 | ELOCTATE | 76 | epirubicin | 26 |
| | | eluryng..... | 145 | epitol | 39 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---|-------------|
| EPIVIR | 5 |
| EPIVIR HBV..... | 5 |
| eplerenone | 70 |
| epoprostenol (glycine)..... | 70 |
| eprosartan | 70 |
| EPZICOM | 5 |
| EQUETRO | 39 |
| ERAXIS(WATER DILUENT) | 3 |
| ERBITUX..... | 26 |
| ergoloid..... | 60 |
| ERGOMAR..... | 45 |
| ergotamine-caffeine..... | 45 |
| ERIVEDGE | 26 |
| ERLEADA | 26 |
| erlotinib | 26 |
| errin | 143 |
| ERTACZO | 92 |
| ertapenem | 13 |
| ERWINAZE | 26 |
| ery pads | 88 |
| ery-tab..... | 11 |
| ERYTHROCIN | 11 |
| erythrocin (as stearate) | 11 |
| erythromycin | 11, 12, 154 |
| erythromycin ethylsuccinate | 11 |
| erythromycin with ethanol ... | 88 |
| erythromycin-benzoyl peroxide | 89 |
| ESBRIET..... | 165 |
| escitalopram oxalate..... | 60, 61 |
| ESKATA | 86 |
| esmolol | 70 |
| esmolol in nacl (iso-osm) | 70 |
| ESMOLOL IN STERILE WATER..... | 70 |
| esomeprazole magnesium .. | 127 |
| esomeprazole sodium | 127 |
| ESPEROCT | 77 |
| estarrylla | 148 |
| estazolam..... | 61 |
| estradiol | 143 |
| estradiol valerate | 143 |
| estradiol-norethindrone acet | 143 |
| ESTRING | 143 |
| estrogens-methyltestosterone | 143 |
| ESTROSTEP FE-28..... | 148 |
| eszopiclone | 61 |
| ethacrynat e sodium..... | 70 |
| ethacrynic acid..... | 70 |
| ethambutol | 13 |
| ethosuximide | 39 |
| ethyl chloride | 90 |
| ethynodiol diac-eth estradiol | 148 |
| ETHYOL | 21 |
| etodolac | 55 |
| etonogestrel-ethynodiol estradiol | 145 |
| ETOPOPHOS | 26 |
| etoposide..... | 26 |
| EUCRISA | 86 |
| EURAX | 95 |
| euthyrox | 118 |
| everolimus (antineoplastic) .. | 27 |
| everolimus (immunosuppressive) | 27 |
| EVERSENSE SENSOR- HOLDER..... | 106 |
| EVISTA | 139 |
| EVOLUTION NORMAL CONTROL | 106 |
| EVOXAC | 97 |
| EVRYSDI..... | 46 |
| exemestane | 27 |
| EXJADE | 97 |
| EYLEA | 156 |
| ezetimibe | 81 |
| ezetimibe-simvastatin | 81 |
| F | |
| FABRAZYME | 113 |
| falmina (28) | 148 |
| famciclovir..... | 5 |
| famotidine | 127 |
| famotidine (pf)..... | 127 |
| FANAPT | 61 |
| FARESTON | 27 |
| FARXIGA | 116 |
| FARYDAK..... | 27 |
| FASENRA..... | 166 |
| FASENRA PEN | 166 |
| FASLODEX | 27 |
| fayosim | 148 |
| FC2 FEMALE CONDOM . | 142 |
| febuxostat | 138 |
| FEIBA NF | 77 |
| felbamate | 39 |
| felodipine..... | 70 |
| FEMCAP | 142 |
| femynor..... | 148 |
| fenofibrate | 81 |
| FENOFIBRATE | 81 |
| fenofibrate micronized..... | 81 |
| fenofibrate nanocrystallized | .81 |
| fenofibric acid..... | 81 |
| fenofibric acid (choline) | 81 |
| fenoprofen..... | 55 |
| fentanyl | 50 |
| FENTANYL (PF)- | |
| BUPIVACAINE-NACL | 49 |
| fentanyl citrate | 50 |
| FENTANYL CITRATE (PF) | |
| | 49 |
| fentanyl citrate (pf)-0.9%nacl | 49 |
| FENTANYL CITRATE (PF)- | |
| 0.9%NACL | 49, 50 |
| FENTANYL- | |
| ROPIVACAINE-NACL (PF) | 50 |
| FERAHEME..... | 173 |
| FERRIPROX | 97 |
| FETROJA | 11 |
| FETZIMA | 61 |
| FIBRYGA..... | 77 |
| finasteride | 171 |
| FINTEPLA | 39 |
| FIORICET | 50 |
| FIRAZYR | 166 |
| FIRDAPSE | 46 |
| FIRMAGON KIT W DILUENT SYRINGE | 27 |
| FIRVANQ | 20 |
| flavoxate | 170 |
| FLEBOGAMMA DIF | 133 |
| flecainide | 67 |
| FLECTOR | 55 |
| FLEXICHAMBER | 103 |
| FLOLAN | 70 |
| FLOMAX | 171 |
| FLOVENT DISKUS | 166 |
| FLOVENT HFA..... | 166 |
| flouxuridine | 27 |
| FLUAD 2020-2021 (65 YR UP)(PF)..... | 133 |
| FLUAD QUAD 2020-21(65Y UP)(PF)..... | 133 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|----------------------------------|--------|
| FLUARIX QUAD 2020-2021 | |
| (PF)..... | 133 |
| FLUBLOK QUAD 2020-2021 | |
| (PF)..... | 133 |
| FLUCELVAX QUAD 2020- | |
| 2021..... | 133 |
| FLUCELVAX QUAD 2020- | |
| 2021 (PF)..... | 133 |
| fluconazole | 3 |
| fluconazole in nacl (iso-osm) .3 | |
| flucytosine | 3 |
| fludarabine..... | 27 |
| fludrocortisone | 101 |
| FLULALVAL QUAD 2020- | |
| 2021 (PF)..... | 133 |
| flumazenil..... | 61 |
| FLUMIST QUAD 2020-2021 | |
| | 133 |
| flunisolide..... | 166 |
| fluocinolone..... | 94 |
| fluocinolone acetonide oil ..100 | |
| fluocinolone and shower cap 94 | |
| fluocinonide..... | 94 |
| fluocinonide-e..... | 94 |
| FLUOPAR..... | 94 |
| fluorescein-proparacaine156 | |
| fluoride (sodium)..... | 173 |
| fluorometholone | 160 |
| fluorouracil | 27, 86 |
| FLUOROURACIL | 86 |
| fluoxetine..... | 61 |
| fluphenazine decanoate | 61 |
| fluphenazine hcl | 61 |
| flurandrenolide | 94 |
| flurazepam | 61 |
| flurbiprofen..... | 55 |
| flurbiprofen sodium..... | 158 |
| flutamide..... | 27 |
| fluticasone propionate ..94, 166 | |
| fluticasone propion-salmeterol | |
| | 166 |
| FLUTICASONE PROPION- | |
| SALMETEROL | 166 |
| fluvastatin | 81 |
| fluvoxamine..... | 61 |
| FLUZONE HIGHDOSE | |
| QUAD 20-21 PF..... | 133 |
| FLUZONE QUAD 2020-2021 | |
| | 134 |
| FLUZONE QUAD 2020-2021 | |
| (PF)..... | 133 |
| folic acid | 173 |
| FOLOTYN | 27 |
| fondaparinux..... | 77 |
| FORA D10 | 106 |
| FORA D15 GLUCOSE-BP | |
| MONITOR | 106 |
| FORA D40D GLUCOSE-BP | |
| MONITOR | 106 |
| FORA GTEL MULTI- | |
| FUNCTN MONITOR ...106 | |
| FORA NORMAL CONTROL | |
| | 106 |
| FORACARE GDH LOW | |
| CONTROL | 106 |
| FORTAZ | 11 |
| FORTEO | 139 |
| FORTISCARE NORMAL .106 | |
| FOSAMAX PLUS D..... | 139 |
| fosamprenavir | 5 |
| fosaprepitant | 122 |
| FOSCAVIR | 5 |
| fosinopril | 70 |
| fosinopril-hydrochlorothiazide | |
| | 70 |
| fosphenytoin | 39 |
| FRAGMIN..... | 77 |
| FREESTYLE CONTROL..106 | |
| FREESTYLE FLASH | |
| SYSTEM | 106 |
| FREESTYLE FREEDOM..106 | |
| FREESTYLE FREEDOM | |
| LITE | 106 |
| FREESTYLE INSULINX.102, | |
| 106 | |
| FREESTYLE INSULINX | |
| TEST STRIPS | 102 |
| FREESTYLE LIBRE 14 DAY | |
| READER | 106 |
| FREESTYLE LIBRE 14 DAY | |
| SENSOR..... | 106 |
| FREESTYLE LITE METER | |
| | 106 |
| FREESTYLE LITE STRIPS | |
| | 103 |
| FREESTYLE PRECISION | |
| NEO METER | 107 |
| FREESTYLE PRECISION | |
| NEO STRIPS..... | 103 |
| FREESTYLE SIDEKICK II | |
| | 107 |
| FREESTYLE SYSTEM KIT | |
| | 107 |
| FREESTYLE TEST | 103 |
| FROTEK..... | 56 |
| frovatriptan | 45 |
| FULPHILA | 128 |
| fulvestrant | 27 |
| furosemide | 70 |
| FUROSEMIDE IN 0.9 % | |
| NACL | 70 |
| FUZEON | 5 |
| fyavolv | 143 |
| FYCOMPA | 39 |
| G | |
| GABAPAL | 39 |
| gabapentin..... | 39, 40 |
| GALAFOLD..... | 113 |
| galantamine..... | 46 |
| GALZIN | 172 |
| GAMASTAN | 134 |
| GAMASTAN S/D | 134 |
| GAMIFANT | 27 |
| GAMMAGARD LIQUID ..134 | |
| GAMMAGARD S-D (IGA < 1 | |
| MCG/ML)..... | 134 |
| GAMMAKED | 134 |
| GAMMAPLEX | 134 |
| GAMMAPLEX (WITH | |
| SORBITOL) | 134 |
| GAMUNEX-C..... | 134 |
| GANCICLOVIR..... | 5 |
| ganciclovir sodium | 5 |
| GARDASIL 9 (PF)..... | 134 |
| gatifloxacin | 154 |
| GATTEX 30-VIAL | 122 |
| gavilyte-c | 122 |
| gavilyte-g | 123 |
| gavilyte-n | 123 |
| GAVRETO | 27 |
| GAZYVA | 27 |
| GE100 CONTROL | |
| SOLUTION NORMAL..107 | |
| GELNIQUE | 170 |
| gemcitabine..... | 27 |
| GEMCITABINE..... | 27 |
| gemfibrozil | 81 |
| GENERESS FE | 148 |
| generlac..... | 123 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---|-------------|
| gengraf..... | 27 |
| GENOTROPIN | 129 |
| GENOTROPIN MINIQUICK | 129 |
| gentak | 154 |
| gentamicin | 13, 91, 154 |
| gentamicin in nacl (iso-osm) | 13 |
| GENTAMICIN IN NACL (ISO-OSM)..... | 13 |
| gentamicin sulfate (ped) (pf) | 13 |
| gentamicin sulfate (pf) | 13 |
| GENTAMICIN SULFATE (PF)..... | 13 |
| GENTAMICIN-SODIUM CITRATE | 13 |
| GENTEEL VACUUM LANCING DEVICE | 107 |
| GENVOYA | 6 |
| gianvi (28) | 148 |
| GIAPREZA | 82 |
| GILENYA | 129 |
| GILOTRIF..... | 27 |
| GIMOTI | 123 |
| GIVLAARI..... | 97 |
| glatiramer | 129 |
| glatopa | 130 |
| GLEOSTINE | 28 |
| GLIADEL WAFER..... | 28 |
| glimepiride | 116 |
| glipizide | 116 |
| glipizide-metformin..... | 116 |
| GLUCAGEN HYPOKIT | 104 |
| GLUCAGON (HCL) EMERGENCY KIT | 104 |
| GLUCAGON EMERGENCY KIT (HUMAN) | 104 |
| GLUCOCARD 01 NORMAL CONTROL | 107 |
| GLUCOCOM CONTROL NORMAL..... | 107 |
| GLUCOSE CONTROL..... | 107 |
| glyburide..... | 116 |
| glyburide micronized..... | 116 |
| glyburide-metformin | 116 |
| GLYCOPYRROLATE..... | 120 |
| glycopyrrolate (pf) in water | 120 |
| GLYCOPYRROLATE (PF) IN WATER..... | 120 |
| glydo..... | 90 |
| GLYRX-PF | 120 |
| GLYXAMBI | 116 |
| GOJJI GLUCOSE CNTRL SOL-NORMAL | 107 |
| GOJJI KETONE CONTROL SOLN-L1 | 107 |
| GOJJI MULTI-FUNCTIONAL METER | 107 |
| GOLYTELY..... | 123 |
| GONAL-F | 113 |
| GONAL-F RFF | 113 |
| GONAL-F RFF REDI-JECT | 113 |
| GOPRELTO | 90 |
| granisetron (pf) | 123 |
| granisetron hcl | 123 |
| griseofulvin microsize | 3 |
| griseofulvin ultramicrosize | 3 |
| guanfacine | 61, 70 |
| guanidine | 61 |
| GVOKE HYPOPEN 2-PACK | 104 |
| GVOKE PFS 2-PACK SYRINGE..... | 104 |
| GYNAZOLE-1 | 145 |
| gynol ii..... | 145 |
| H | |
| HAEGARDA | 166 |
| hailey | 149 |
| hailey 24 fe | 148 |
| hailey fe 1.5/30 (28) | 149 |
| hailey fe 1/20 (28) | 149 |
| HALAVEN..... | 28 |
| halcinonide | 94 |
| halobetasol propionate..... | 94 |
| haloperidol | 62 |
| haloperidol decanoate | 61 |
| haloperidol lactate | 61, 62 |
| HALUCORT | 86 |
| HARVONI..... | 6 |
| HAVRIX (PF) | 134 |
| HEALTHPRO HIGH-LOW CONTROL | 107 |
| heather | 143 |
| HELIDAC | 127 |
| HEMADY | 101 |
| HEMLIBRA | 77 |
| HEMOFIL M HIGH..... | 77 |
| HEMOFIL M LOW..... | 77 |
| HEMOFIL M MID..... | 77 |
| HEMOFIL M SUPER HIGH..... | 77 |
| hep flush-10 (pf) | 77 |
| HEPAGAM B | 134 |
| heparin (porcine) | 78 |
| HEPARIN (PORCINE) IN 0.9% NACL | 77 |
| heparin (porcine) in 5 % dex | 77 |
| heparin (porcine) in nacl (pf) | 77 |
| heparin flush(porcine)-0.9nacl | 78 |
| heparin lock flush | 78 |
| heparin lock flush (porcine) | 78 |
| heparin lockflush(porcine)(pf) | 78 |
| heparin(porcine) in 0.45% nacl | 78 |
| HEPARIN(PORCINE) IN 0.45% NACL | 78 |
| heparin, porcine (pf) | 78 |
| HEPARIN, PORCINE (PF) | 78 |
| HEPLISAV-B (PF) | 134 |
| HERCEPTIN | 28 |
| HERCEPTIN HYLECTA | 28 |
| HERZUMA | 28 |
| HETLIOZ | 62 |
| HIBERIX (PF) | 135 |
| HISTEX-AC | 163 |
| HIZENTRA | 135 |
| homatropaire | 156 |
| HUMALOG JUNIOR KWIKPEN U-100 | 109 |
| HUMALOG KWIKPEN INSULIN | 110 |
| HUMALOG MIX 50-50 INSULN U-100 | 110 |
| HUMALOG MIX 50-50 KWIKPEN | 110 |
| HUMALOG MIX 75-25 KWIKPEN | 110 |
| HUMALOG MIX 75-25(U-100)INSULN | 110 |
| HUMALOG U-100 INSULIN | 110 |
| HUMATE-P | 78 |
| HUMIRA | 140 |
| HUMIRA PEN | 140 |
| HUMIRA PEN CROHNS-UCHS START | 140 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS | 140 |
| HUMIRA(CF) | 140 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|-------------------------------------|--------|
| HUMIRA(CF) PEDI | |
| CROHNS STARTER..... | 140 |
| HUMIRA(CF) PEN..... | 140 |
| HUMIRA(CF) PEN | |
| CROHNS-UC-HS | 140 |
| HUMIRA(CF) PEN PSOR- | |
| UV-ADOL HS..... | 140 |
| HUMULIN 70/30 U-100 | |
| INSULIN..... | 110 |
| HUMULIN 70/30 U-100 | |
| KWIKPEN | 110 |
| HUMULIN N NPH INSULIN | |
| KWIKPEN | 110 |
| HUMULIN N NPH U-100 | |
| INSULIN..... | 110 |
| HUMULIN R REGULAR U- | |
| 100 INSULN | 110 |
| HUMULIN R U-500 (CONC) | |
| INSULIN..... | 110 |
| HUMULIN R U-500 (CONC) | |
| KWIKPEN | 110 |
| HYCAMTIN | 28 |
| hydralazine | 70 |
| hydrochlorothiazide..... | 70, 71 |
| hydrocodone-acetaminophen | 50 |
| hydrocodone-chlorpheniramine | |
| | 163 |
| hydrocodone-homatropine . | 163 |
| hydrocodone-ibuprofen | 50 |
| hydrocortisone 94, 95, 101, 123 | |
| hydrocortisone acetate..... | 123 |
| hydrocortisone butyrate..... | 94 |
| hydrocortisone butyr-emollient | |
| | 94 |
| hydrocortisone valerate | 95 |
| hydrocortisone-acetic acid.. | 100 |
| hydrocortisone-iodoquinol ... | 91 |
| hydrocortisone-iodoquinol-aloe | |
| | 91 |
| hydrocortisone-pramoxine .. | 84, |
| 123 | |
| hydromet..... | 163 |
| hydromorphone | 51 |
| HYDROMORPHONE | 51 |
| hydromorphone (pf) | 50 |
| HYDROMORPHONE (PF) . | 50 |
| HYDROMORPHONE (PF) IN | |
| WATER..... | 50 |
| hydromorphone (pf)-0.9 % | |
| nacl | 51 |
| HYDROMORPHONE (PF)- | |
| 0.9 % NaCl..... | 50, 51 |
| hydroxychloroquine..... | 13 |
| hydroxyprogesterone(pf)(preg presv) | |
| | 143 |
| hydroxyprogesterone | |
| cap(ppres) | 143 |
| hydroxyprogesterone caproate | |
| | 143 |
| hydroxyurea..... | 28 |
| hydroxyzine hcl | 162 |
| hydroxyzine pamoate | 162 |
| HYLENEX | 97 |
| hyophen | 171 |
| hyoscyamine sulfate | 120 |
| HYOSCYAMINE SULFATE | |
| | 120 |
| hyosyne..... | 120 |
| HYPERRHEP B S/D | 135 |
| HYPERRHEP B S-D | |
| NEONATAL | 135 |
| HYPERRAB (PF)..... | 135 |
| HYPERRAB S/D (PF) | 135 |
| HYPERTET S/D (PF) | 135 |
| HYQVIA | 135 |
| HYSINGLA ER | 51 |
| I | |
| ibandronate | 139 |
| IBRANCE | 28 |
| ibu..... | 56 |
| ibuprofen | 56 |
| ibuprofen-oxycodone..... | 51 |
| icatibant | 166 |
| ICLUSIG | 28 |
| idarubicin..... | 28 |
| IDELVION..... | 78 |
| IDHIFA | 28 |
| ifosfamide | 28 |
| ILARIS (PF)..... | 131 |
| ILEVRO | 158 |
| ILUMYA | 84 |
| imatinib..... | 28 |
| IMBRUVICA | 28 |
| IMFINZI..... | 28 |
| imipenem-cilastatin | 14 |
| imipramine hcl..... | 62 |
| imipramine pamoate | 62 |
| imiquimod | 131 |
| IMLYGIC..... | 28 |
| IMOGLAM RABIES-HT (PF) | |
| | 135 |
| IMPAVIDO | 14 |
| IMURAN | 28 |
| IMVEXXY MAINTENANCE | |
| PACK | 144 |
| IMVEXXY STARTER PACK | |
| | 144 |
| INBRIJA | 44 |
| incassia | 144 |
| INCRELEX | 97 |
| INCRUSE ELLIPTA | 166 |
| indapamide | 71 |
| INDOCIN | 56 |
| indomethacin | 56 |
| INFANRIX (DTAP) (PF)... | 135 |
| INFASURF..... | 97 |
| INFED | 173 |
| INFINITY CONTROL | |
| SOLUTION NORM | 107 |
| INFINITY VOICE CTRL | |
| SOLN-LVL 2..... | 107 |
| INFUGEM | 29 |
| INFUMORPH P/F | 51 |
| INFUSION SET 43 | 107 |
| INLYTA | 29 |
| INPEN (FOR HUMALOG)107 | |
| INPEN (FOR NOVOLOG OR | |
| FIASP)..... | 107 |
| INQOVI | 29 |
| INREBIC | 29 |
| INSET 30 INFUSION SET 23 | |
| | 107 |
| INSET INFUSION SET 23 107 | |
| INSPIRACHAMBER..... | 103 |
| INSULIN LISPRO | 111 |
| INSULIN LISPRO | |
| PROTAMIN-LISPRO | 110 |
| INSULIN SYRINGE- | |
| NEEDLE U-100 | 103 |
| INTELENCE | 6 |
| INTRON A | 131 |
| introvale | 149 |
| INVANZ | 14 |
| INVEGA TRINZA | 62 |
| INVELTYS | 160 |
| INVIRASE | 6 |
| INVOKAMET | 116 |
| INVOKAMET XR | 116 |
| INVOKANA..... | 116 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | | | | | |
|--------------------------------|----------|------------------------|---------|-------------------------------|--------|
| IODOFLEX | 86 | junel fe 1/20 (28) | 149 | KYPROLIS | 29 |
| IODOPEN | 29 | junel fe 24 | 149 | L | |
| IODOSORB | 87 | JUXTAPID | 81 | 1 norgest/e.estradol-e.estrad | |
| IPOL | 135 | JYNARQUE | 113 | | 149 |
| ipratropium bromide | 100, 166 | K | | labetalol | 71 |
| ipratropium-albuterol | 166 | KADCYLA | 29 | lactated ringers | 96 |
| irbesartan | 71 | kaitlib fe | 149 | lactulose | 123 |
| irbesartan-hydrochlorothiazide | 71 | KALETRA | 6 | LAMICTAL | 40 |
| IRESSA | 29 | kalliga | 149 | LAMICTAL ODT | 40 |
| irinotecan | 29 | KALYDECO | 166 | LAMICTAL XR | 40 |
| ISENTRESS | 6 | KANJINTI | 29 | LAMICTAL XR STARTER | |
| ISENTRESS HD | 6 | KANUMA | 113 | (BLUE) | 40 |
| isibloom | 149 | kariva (28) | 149 | LAMICTAL XR STARTER | |
| isoniazid | 14 | KCENTRA | 79 | (GREEN) | 40 |
| isosorbide dinitrate | 83 | KEDRAB (PF) | 135 | LAMICTAL XR STARTER | |
| isosorbide mononitrate | 83 | kelnor 1/35 (28) | 149 | (ORANGE) | 40 |
| isotretinoin | 89 | kelnor 1-50 | 149 | lamivudine | 6 |
| isoxyprine | 145 | KEPIVANCE | 21 | lamivudine-zidovudine | 6 |
| isradipine | 71 | KEPPRA | 40 | lamotrigine | 40, 41 |
| ISTODAX | 29 | KEPPRA XR | 40 | LAMPIT | 14 |
| ISTURISA | 113 | KERYDIN | 92 | LANCING DEVICE | 107 |
| itraconazole | 3 | KESIMPTA PEN | 130 | LANOXIN | 74 |
| ivermectin | 14 | ketoconazole | 3, 92 | lansoprazole | 127 |
| IXEMPRA | 29 | ketodan | 92 | lanthanum | 123 |
| IXINITY | 78 | ketodan kit | 92 | LANTUS SOLOSTAR U-100 | |
| J | | ketoprofen | 56 | INSULIN | 111 |
| jaimiess | 149 | ketorolac | 56, 158 | LANTUS U-100 INSULIN | 111 |
| JAKAFI | 29 | KEVZARA | 140 | larin 1.5/30 (21) | 149 |
| JALYN | 171 | KEYTRUDA | 29 | larin 1/20 (21) | 149 |
| jantoven | 79 | KHAPZORY | 21 | larin 24 fe | 149 |
| JANUMET | 116 | KINERET | 131 | larin fe 1.5/30 (28) | 150 |
| JANUMET XR | 117 | kionex (with sorbitol) | 123 | larin fe 1/20 (28) | 150 |
| JANUVIA | 117 | KITABIS PAK | 14 | larissia | 150 |
| JARDIANCE | 117 | klor-con m10 | 172 | LASIX | 71 |
| jasmiel (28) | 149 | klor-con m15 | 172 | LASTACRAFT | 156 |
| JELMYTO | 29 | klor-con m20 | 172 | LATANOPROST (PF) | 158 |
| jencycla | 144 | KOATE | 79 | LATUDA | 62 |
| JENTADUETO | 117 | KOGENATE FS | 79 | layolis fe | 150 |
| JENTADUETO XR | 117 | KORLYM | 113 | LEDIPASVIR-SOFOSBUVIR | |
| JEVTANA | 29 | KOSELUGO | 29 | | 6 |
| jinteli | 144 | KOVALTRY | 79 | leena 28 | 150 |
| JIVI | 79 | K-PHOS ORIGINAL | 171 | leflunomide | 140 |
| jolessa | 149 | kpn | 173 | LEMTRADA | 130 |
| JUBLIA | 92 | KRINTAFEL | 14 | LENVIMA | 30 |
| juleber | 149 | KRYSTEXXA | 138 | lessina | 150 |
| JULUCA | 6 | kurvelo (28) | 149 | LETAIRIS | 166 |
| junel 1.5/30 (21) | 149 | KUVAN | 113 | letrozole | 30 |
| junel 1/20 (21) | 149 | KYLEENA | 142 | leucovorin calcium | 21 |
| junel fe 1.5/30 (28) | 149 | KYMRIAH | 29 | LEUKERAN | 30 |
| | | KYNMOBI | 44 | LEUKINE | 128 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------------|----------|
| leuprolide..... | 30 |
| levalbuterol hcl..... | 167 |
| LEVEMIR FLEXTOUCH U-100 INSULN | 111 |
| LEVEMIR U-100 INSULIN | 111 |
| levetiracetam | 41 |
| levetiracetam in nacl (iso-os)..... | 41 |
| LEVICYN ANTIPRURITIC | 87 |
| LEVICYN ANTIPRURITIC SG | 87 |
| levobunolol..... | 155 |
| levocarnitine | 97 |
| levocarnitine (with sugar)..... | 97 |
| levofloxacin | 18, 154 |
| levofloxacin in d5w | 18 |
| levoleucovorin calcium | 21 |
| levonest (28) | 150 |
| levonorgestrel | 150 |
| levonorgestrel-ethinyl estrad | 150 |
| levonorg-eth estrad triphasic | 150 |
| levora-28..... | 150 |
| levorphanol tartrate | 51 |
| levo-t..... | 118 |
| levothyroxine..... | 118 |
| LEVOTHYROXINE..... | 118 |
| levoxyl..... | 118 |
| LEVULAN | 87 |
| LEXIVA | 6 |
| LIALDA | 123 |
| LICART | 56 |
| lidocaine | 90 |
| lidocaine (pf) | 90 |
| LIDOCAINE (PF) | 90 |
| lidocaine hcl | 90 |
| LIDOCAINE HCL | 90 |
| lidocaine hcl-hydrocortison ac | 90, 123 |
| LIDOCAINE HCL-HYDROCORTISON AC..... | 123 |
| lidocaine viscous | 90 |
| lidocaine-hydrocortisone-aloe | 123, 124 |
| lidocaine-prilocaine | 91 |
| LIDOTIN | 41 |
| LILETTA | 142 |
| lillow (28)..... | 150 |
| lincomycin | 14 |
| lindane | 95 |
| linezolid | 14 |
| linezolid in dextrose 5% | 14 |
| linezolid-0.9% sodium chloride | 14 |
| LINZESS | 124 |
| liothyronine | 118 |
| LIPRITIN | 41 |
| LIPRITIN II..... | 41 |
| lisinopril..... | 71 |
| lisinopril-hydrochlorothiazide | 71 |
| lite coat aspirin | 56 |
| LITEAIRE MDI CHAMBER | 103 |
| lithium carbonate | 62 |
| lithium citrate | 62 |
| LITHOSTAT | 97 |
| LIVALO | 82 |
| LO LOESTRIN FE..... | 150 |
| LODINE | 56 |
| lojaimiess..... | 150 |
| LOKELMA | 124 |
| LONHALA MAGNAIR REFILL | 167 |
| LONHALA MAGNAIR STARTER | 167 |
| LONSURF..... | 30 |
| lopinavir-ritonavir | 6 |
| lorazepam | 62 |
| lorazepam intensol..... | 62 |
| LORBRENA | 30 |
| lorcet hd | 51 |
| loryna (28)..... | 150 |
| losartan | 71 |
| losartan-hydrochlorothiazide | 71 |
| LOTEMAX | 160 |
| LOTEMAX SM..... | 160 |
| loteprednol etabonate | 160 |
| lovastatin | 82 |
| LOVENOX..... | 79 |
| low-ogestrel (28) | 150 |
| loxapine succinate | 62 |
| lo-zumandimine (28) | 150 |
| lta pre-attached | 91 |
| LUCEMYRA..... | 56 |
| lugols | 91, 172 |
| LUMIGAN | 159 |
| LUMIZYME | 113 |
| LUMOXITI | 30 |
| LUPANETA PACK (3 MONTH) | 145 |
| LUPRON DEPOT | 30 |
| LUPRON DEPOT (3 MONTH) | 30 |
| LUPRON DEPOT (4 MONTH) | 30 |
| LUPRON DEPOT (6 MONTH) | 30 |
| LUPRON DEPOT-PED | 30 |
| LUPRON DEPOT-PED (3 MONTH) | 30 |
| lutera (28) | 150 |
| luxamend | 87 |
| LYNPARZA | 30 |
| LYSODREN | 30 |
| LYUMJEV KWIKPEN U-100 INSULIN | 111 |
| LYUMJEV KWIKPEN U-200 INSULIN | 111 |
| LYUMJEV U-100 INSULIN | 111 |
| lyza | 144 |
| M | |
| mafenide acetate | 91 |
| MAKENA | 144 |
| MAKENA (PF) | 144 |
| malathion | 95 |
| maprotiline | 62 |
| MARINOL | 124 |
| marlissa (28) | 150 |
| MARPLAN | 62 |
| MARQIBO | 30 |
| MATULANE | 30 |
| matzim la | 71 |
| MAVENCLAD (10 TABLET PACK) | 130 |
| MAVENCLAD (4 TABLET PACK) | 130 |
| MAVENCLAD (5 TABLET PACK) | 130 |
| MAVENCLAD (6 TABLET PACK) | 130 |
| MAVENCLAD (7 TABLET PACK) | 130 |
| MAVENCLAD (8 TABLET PACK) | 130 |
| MAVENCLAD (9 TABLET PACK) | 130 |
| MAVYRET | 6 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---------------------------------------|--------|
| MAXI-TUSS CD | 163 |
| MAYZENT | 130 |
| mb hydrogel..... | 87 |
| meclofenamate | 56 |
| MEDISENSE | 107 |
| MEDISENSE GLUCOSE KETONE | 107 |
| medroxyprogesterone | 144 |
| mefenamic acid | 56 |
| mefloquine..... | 14 |
| megestrol | 31 |
| MEKINIST | 31 |
| MEKTOVI | 31 |
| melodetta 24 fe | 150 |
| meloxicam | 56 |
| melphalan | 31 |
| melphalan hcl | 31 |
| memantine | 46 |
| MENACTRA (PF) | 135 |
| M-END PE | 163 |
| MENEST | 144 |
| MENOPUR | 113 |
| MENVEO A-C-Y-W-135-DIP (PF)..... | 135 |
| meperidine | 51 |
| MEPHYTON..... | 79 |
| meprobamate | 47 |
| MEPSEVII | 114 |
| mercaptopurine..... | 31 |
| meropenem | 14 |
| MEROPENEM-0.9% SODIUM CHLORIDE..... | 14 |
| mesalamine | 124 |
| mesalamine with cleansing wipe | 124 |
| mesna..... | 21 |
| MESNEX | 21 |
| MESTINON | 47 |
| metaproterenol..... | 167 |
| metaxall | 47 |
| metaxalone | 47 |
| metformin | 117 |
| methadone | 51, 52 |
| METHADONE IN 0.9 % SOD. CHLORID | 51 |
| methadose | 52 |
| methamphetamine | 62 |
| methazolamide | 158 |
| methenamine hippurate | 20 |
| methenamine mandelate..... | 20 |

| | |
|--|-------------|
| methen-sod phos-meth blue-hyos | 171 |
| methergine | 153 |
| methimazole | 102 |
| methocarbamol | 47 |
| methotrexate sodium | 31 |
| methotrexate sodium (pf) | 31 |
| methoxsalen..... | 87 |
| methscopolamine..... | 120 |
| methyl salicylate..... | 87 |
| methyldopa | 71 |
| methyldopa-hydrochlorothiazide | 71 |
| methyldopate | 71 |
| methylergonovine | 153 |
| methylphenidate hcl | 62, 63 |
| METHYLPHENIDATE HCL | 63 |
| methylprednisolone | 101 |
| methyltestosterone | 114 |
| metoclopramide hcl | 124 |
| metolazone..... | 71 |
| metoprolol succinate..... | 71 |
| metoprolol ta-hydrochlorothiazide | 71 |
| metoprolol tartrate | 71 |
| metro i.v..... | 14 |
| metronidazole | 14, 89, 145 |
| metronidazole in nacl (iso-os) | 14 |
| metyrosine | 71 |
| mexiletine | 67 |
| MIACALCIN | 114 |
| mibelas 24 fe | 150 |
| micafungin..... | 3 |
| miconazole-3 | 145 |
| MICROCHAMBER | 103 |
| microgestin 1.5/30 (21) | 150 |
| microgestin 1/20 (21) | 150 |
| microgestin fe 1.5/30 (28) | 150 |
| microgestin fe 1/20 (28) | 151 |
| MICROSPACER | 103 |
| midazolam | 63 |
| MIDAZOLAM | 63 |
| midazolam (pf) | 63 |
| MIDAZOLAM (PF) IN 0.9 % SODIUM CHLORID | 63 |
| MIDAZOLAM IN NACL,ISO-OSMO(PF) | 63 |
| midodrine | 97 |
| MIFEPREX | 145 |
| mifepristone | 145 |
| migergot..... | 45 |
| miglitol | 117 |
| miglustat | 114 |
| milri..... | 151 |
| millipred | 101 |
| millipred dp | 101 |
| mimvey | 144 |
| MINIMED MIO 32 | 107 |
| MINIMED MIO ADVANCE INF SET23..... | 107 |
| MINIMED QUICK SET 43108 | 108 |
| MINIMED SILHOUETTE 23 | 108 |
| MINIMED SURE T 32 | 108 |
| MINITRAN | 83 |
| MINOCIN..... | 19 |
| minocycline | 19 |
| minoxidil..... | 71 |
| MIO INFUSION SET | 108 |
| MIRENA | 142 |
| mirtazapine | 63 |
| MIRVASO | 89 |
| misoprostol | 127 |
| MITIGARE | 139 |
| MITIGO (PF) | 52 |
| mitomycin | 31 |
| MITOSOL | 159 |
| mitoxantrone | 31 |
| MKO (MIDAZOLAM-KETAMINE-ONDAN) | 63 |
| M-M-R II (PF) | 136 |
| m-natal plus | 173 |
| modafinil | 63 |
| moexipril | 71 |
| molindone | 63 |
| mometasone | 95, 167 |
| mondoxyne nl | 19 |
| MONJUVI | 31 |
| mono-linyah | 151 |
| MONONINE | 79 |
| montelukast | 167 |
| MONUROL | 20 |
| morphine | 52, 53 |
| MORPHINE | 52, 53 |
| morphine (pf) | 52 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------------------|----------|
| MORPHINE (PF)..... | 52 |
| morphine (pf) in 0.9 % sod chl | 52 |
| MORPHINE (PF) IN 0.9 % SOD CHL..... | 52 |
| morphine concentrate | 52 |
| MORPHINE IN 0.9 % SODIUM CHLOR..... | 52 |
| MOTEGRITY | 124 |
| MOVANTIK | 124 |
| MOVIPREP..... | 124 |
| MOXEZA..... | 154 |
| moxifloxacin..... | 18, 154 |
| MOXIFLOXACIN-SOD.ACE,SUL-WATER. | 18 |
| moxifloxacin-sod.chloride(iso) | 18 |
| MS CONTIN | 53 |
| MULTAQ..... | 67 |
| mupirocin | 91 |
| mupirocin calcium..... | 91 |
| MUTAMYCIN..... | 31 |
| MVASI..... | 31 |
| my choice | 151 |
| my way | 151 |
| MYALEPT | 114 |
| MYCAMINE..... | 3 |
| MYCAPSSA | 31 |
| mycophenolate mofetil..... | 31 |
| mycophenolate mofetil (hcl) 31 | |
| mycophenolate sodium..... | 31 |
| MYFORTIC | 31 |
| MYGLUCOHEALTH CONTROL SOLUTION | 108 |
| MYLERAN | 31 |
| MYLOTARG | 32 |
| mynatal | 173 |
| mynatal advance..... | 173 |
| mynatal plus | 173 |
| mynatal-z | 173 |
| mynate 90 plus | 173 |
| MYOBLOC | 136 |
| myorisan | 89 |
| MYRBETRIQ | 170 |
| MYTESI | 120 |
| MYXREDLIN..... | 111 |
| N | |
| nabumetone | 56 |
| nadolol..... | 71 |
| nadolol-bendroflumethiazide | 72 |
| nafcillin..... | 17 |
| nafcillin in dextrose iso-osm | 17 |
| naftifine | 92 |
| NAGLAZYME..... | 114 |
| nalbuphine | 56 |
| naloxone | 56 |
| naltrexone | 56 |
| naproxen | 56 |
| naratriptan..... | 45 |
| NARCAN | 57 |
| NATACYN | 154 |
| NATAZIA | 151 |
| nateglinide | 117 |
| NATPARA | 114 |
| NAYZILAM..... | 41 |
| NEBUPENT | 14 |
| nebusal..... | 167 |
| NEBUSAL..... | 167 |
| necon 0.5/35 (28)..... | 151 |
| nefazodone..... | 63 |
| neomycin | 14 |
| neomycin-bacitracin-poly-hc | 159 |
| neomycin-bacitracin-polymyxin..... | 154 |
| neomycin-polymyxin b gu.... | 96 |
| neomycin-polymyxin b-dexameth | 159 |
| neomycin-polymyxin-gramicidin..... | 154 |
| neomycin-polymyxin-hc ... | 101, |
| 159 | |
| neo-polycin | 154 |
| neo-polycin hc | 159 |
| NEORAL..... | 32 |
| NEO-SYNALAR..... | 91 |
| NEO-SYNALAR KIT | 91 |
| NERLYNX..... | 32 |
| neuac | 89 |
| NEUAC KIT..... | 89 |
| NEULASTA | 128 |
| NEUPRO | 44 |
| nevirapine | 6 |
| new day..... | 151 |
| NEXAVAR | 32 |
| NEXAVIR | 173 |
| NEXIUM PACKET | 128 |
| NEXLETOL | 82 |
| NEXLIZET..... | 82 |
| NEXPLANON..... | 145 |
| niacin | 82 |
| nicardipine | 72 |
| NICODERM CQ | 99 |
| nicorette | 99 |
| NICORETTE | 99 |
| nicotine | 99 |
| nicotine (polacrilex)..... | 99 |
| NICOTROL | 99 |
| NICOTROL NS | 99 |
| nifedipine | 72 |
| nikki (28) | 151 |
| nilutamide | 32 |
| NIMBEX | 47 |
| nimodipine | 72 |
| NINLARO | 32 |
| NIPENT | 32 |
| NIPRIDE RTU | 83 |
| nisoldipine | 72 |
| nitro-bid | 83 |
| NITRO-DUR | 83 |
| nitrofurantoin | 20 |
| nitrofurantoin macrocrystal .. | 20 |
| nitrofurantoin monohyd/m-cryst | 20 |
| nitroglycerin | 83 |
| nitroglycerin in 5 % dextrose | 83 |
| NITROLINGUAL | 84 |
| NITROMIST | 84 |
| nitro-time | 84 |
| NITYR | 97 |
| NIVESTYM | 128 |
| nizatidine | 128 |
| NOCDURNA (MEN) | 114 |
| NOCDURNA (WOMEN) .. | 114 |
| nora-be | 144 |
| NORDITROPIN FLEXPRO | 129 |
| noreth-ethinyl estradiol-iron | 151 |
| norethindrone (contraceptive) | 144 |
| norethindrone acetate..... | 144 |
| norethindrone ac-eth estradiol | 144, 151 |
| norethindrone-e.estradol-iron | 151 |
| NORGESIC FORTE | 47 |
| norgestimate-ethinyl estradiol | 151 |
| norlyda..... | 144 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|------------------------------------|--------------|
| NORPACE CR | 67 |
| NORTHERA | 98 |
| nortrel 0.5/35 (28) | 151 |
| nortrel 1/35 (21) | 151 |
| nortrel 1/35 (28) | 151 |
| nortrel 7/7/7 (28) | 151 |
| nortriptyline | 63 |
| NORVIR | 6 |
| NOURIANZ | 44 |
| NOVA MAX GLUCOSE CONTROL | 108 |
| NOVAMAX PLUS GLU-KET | 108 |
| NOVAREL | 114 |
| NOVOEIGHT | 79 |
| NOVOLIN 70-30 FLEXPEN U-100 | 111 |
| NOVOPEN ECHO | 108 |
| NOVOSEVEN RT | 79 |
| NOXAFILE | 3, 4 |
| np thyroid | 119 |
| NPLATE | 79 |
| NUBEQA | 32 |
| NUCALA | 167 |
| NUCORT | 95 |
| NUCYNTA | 57 |
| NUCYNTA ER | 57 |
| NUEDEXTA | 46 |
| NULOJIX | 32 |
| NULYTELY LEMON-LIME | 124 |
| NULYTELY WITH FLAVOR PACKS | 124 |
| NUMBRINO | 91 |
| NUPLAZID | 64 |
| NURTEC ODT | 45 |
| NUVARING | 145 |
| NUZYRA | 19 |
| nyamyc | 92 |
| NYMALIZE | 72 |
| nystatin | 4, 92 |
| nystatin-triamcinolone | 92 |
| nystop | 92 |
| O | |
| OB COMPLETE | 173 |
| OBIZUR | 79 |
| obstetrix dha | 174 |
| OCALIVA | 124 |
| ocella | 151 |
| OCREVUS | 130 |
| octreotide acetate | 32 |
| ODEFSEY | 6 |
| ODOMZO | 32 |
| OFEV | 167 |
| ofloxacin | 18, 100, 154 |
| OGIVRI | 32 |
| olanzapine | 64 |
| olanzapine-fluoxetine | 64 |
| olmesartan | 72 |
| olmesartan-amlodipin- hcثiazid | 72 |
| olmesartan- hydrochlorothiazide | 72 |
| olopatadine | 100 |
| OLUMIANT | 141 |
| omega-3 acid ethyl esters | 82 |
| omeprazole | 128 |
| OMNIPOD DASH 5 PACK POD | 108 |
| OMNIPOD INSULIN MANAGEMENT | 108 |
| ON CALL EXPRESS CONTROL | 108 |
| ON CALL PLUS CONTROL | 108 |
| ON CALL VIVID CONTROL | 108 |
| ONCASPAR | 32 |
| ondansetron | 124 |
| ondansetron hcl | 124 |
| ondansetron hcl (pf) | 124 |
| ONETOUCH PING INSULIN PUMP | 108 |
| ONETOUCH ULTRA BLUE TEST STRIP | 103 |
| ONETOUCH ULTRA CONTROL | 108 |
| ONETOUCH ULTRA2 METER | 108 |
| ONETOUCH ULTRAMINI | 108 |
| ONETOUCH VERIO FLEX METER | 108 |
| ONETOUCH VERIO IQ METER | 108 |
| ONETOUCH VERIO METER | 108 |
| ONETOUCH VERIO REFLECT METER | 108 |
| ONETOUCH VERIO TEST STRIPS | 103 |
| ONFI | 41 |
| ONIVYDE | 32 |
| ONTRUZANT | 32 |
| ONUREG | 32 |
| opcicon one-step | 151 |
| OPDIVO | 32 |
| opium tincture | 120 |
| OPSUMIT | 167 |
| OPTICHAMBER DIAMOND VHC | 103 |
| option-2 | 151 |
| ORACEA | 19 |
| oralone | 100 |
| ORAPRED ODT | 102 |
| ORBACTIV | 14 |
| ORENCIA | 141 |
| ORENCIA (WITH MALTOSE) | 141 |
| ORENCIA CLICKJECT | 141 |
| ORENITRAM | 72 |
| ORIAHNN | 145 |
| ORILISSA | 114 |
| ORKAMBI | 167 |
| orphenadrine citrate | 47 |
| orphenadrine-asa-caffeine | 47 |
| orphengesic forte | 47 |
| orsythia | 151 |
| ORTIKOS | 125 |
| oscimin | 120 |
| oscimin sl | 120 |
| oscimin sr | 120 |
| oseltamivir | 7 |
| osmitrol 20 % | 72 |
| OSMOLEX ER | 44 |
| OSMOPREP | 125 |
| OSPHENA | 145 |
| OTEZLA | 141 |
| OTEZLA STARTER | 141 |
| OTIPRIO | 100 |
| OTOVEL | 101 |
| OTREXUP (PF) | 141 |
| OVIDREL | 114 |
| oxacillin | 17 |
| oxacillin in dextrose(iso-osm) | 17 |
| oxaliplatin | 32 |
| oxandrolone | 114 |
| oxaprozin | 57 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---------------------------------------|--------------|
| OXAYDO | 53 |
| oxazepam | 64 |
| OXBRYTA | 98 |
| oxcarbazepine | 41 |
| OXERVATE | 157 |
| oxiconazole | 92 |
| OXISTAT | 92 |
| OXTELLAR XR | 41 |
| oxybutynin chloride | 170 |
| oxycodone | 53 |
| OXYCODONE | 53 |
| oxycodone-acetaminophen | 54 |
| oxycodone-aspirin | 54 |
| OXYCONTIN | 54 |
| oxymorphone | 54 |
| OZEMPIC | 117 |
| P | |
| pacerone | 67 |
| paclitaxel | 32 |
| PADCEV | 32 |
| PALFORZIA (LEVEL 1) | 136 |
| PALFORZIA (LEVEL 2) | 136 |
| PALFORZIA (LEVEL 3) | 136 |
| PALFORZIA (LEVEL 4) | 136 |
| PALFORZIA (LEVEL 5) | 136 |
| PALFORZIA (LEVEL 6) | 136 |
| PALFORZIA (LEVEL 7) | 136 |
| PALFORZIA (LEVEL 8) | 136 |
| PALFORZIA (LEVEL 9) | 136 |
| PALFORZIA (LEVEL 10) | 136 |
| PALFORZIA INITIAL DOSE | 136 |
| PALFORZIA LEVEL 11 MAINTENANCE | 136 |
| paliperidone | 64 |
| palonosetron | 125 |
| PALONOSETRON | 125 |
| PALYNZIQ | 114 |
| pamidronate | 114 |
| PANRETIN | 87 |
| pantoprazole | 128 |
| PANZYGA | 136 |
| papaverine | 72 |
| PARAGARD T 380A | 142 |
| paraplatin | 32 |
| PAREMYD | 156 |
| paricalcitol | 114 |
| paroex oral rinse | 100 |
| paromomycin | 14 |
| paroxetine hcl | 64 |
| paroxetine | |
| mesylate(menop.sym) | 64 |
| PARSABIV | 114 |
| PASER | 15 |
| PATANASE | 100 |
| PAZEO | 157 |
| P-CARE K80 | 102 |
| PEDIARIX (PF) | 136 |
| PEDVAX HIB (PF) | 136 |
| peg 3350-electrolytes | 125 |
| peg3350-sod sul-nacl-kcl-asb-c | 125 |
| PEGANONE | 41 |
| PEGASYS | 130 |
| peg-electrolyte soln | 125 |
| PEGINTRON | 130 |
| peg-prep | 125 |
| PEMAZYRE | 33 |
| penicillamine | 141 |
| PENICILLIN G POT IN DEXTROSE | 17 |
| penicillin g potassium | 17 |
| penicillin g procaine | 17 |
| penicillin g sodium | 17 |
| penicillin v potassium | 17 |
| PENTACEL (PF) | 136 |
| PENTACEL ACTHIB COMPONENT (PF) | 136 |
| PENTAM | 15 |
| pentamidine | 15 |
| PENTASA | 125 |
| pentazocine-naloxone | 57 |
| pentoxifylline | 79 |
| PERFOROMIST | 167 |
| perindopril erbumine | 72 |
| periogard | 100 |
| PERJETA | 33 |
| permethrin | 95 |
| perphenazine | 64 |
| perphenazine-amitriptyline | 64 |
| PERSERIS | 64 |
| PEXEVA | 64 |
| pfizerpen-g | 17 |
| phenadoz | 162 |
| phenazopyridine | 172 |
| phenelzine | 64 |
| phenobarbital | 41 |
| phenoxybenzamine | 72 |
| phentolamine | 72 |
| phenylephrine hcl | 161 |
| PHENYLEPH-TROPICAMIDE IN WATER | 156 |
| PHENYTEK | 41 |
| phenytoin | 41, 42 |
| phenytoin sodium | 42 |
| phenytoin sodium extended | 42 |
| PHESGO | 33 |
| PHEXXI | 145 |
| philith | 151 |
| PHOSLYRA | 125 |
| phosphasal | 171 |
| PHOSPHOLINE IODIDE | 155 |
| PHOTOFRIN | 33 |
| PHYSIOLYTE | 96 |
| PHYSIOSOL IRRIGATION | 96 |
| phytonadione (vitamin k1) | 79 |
| PHYTONADIONE (VITAMIN K1) | 79 |
| PICATO | 87 |
| pilocarpine hcl | 98, 100, 156 |
| pimecrolimus | 87 |
| pimozide | 64 |
| pimtrea (28) | 151 |
| pindolol | 72 |
| pioglitazone | 117 |
| pioglitazone-glimepiride | 117 |
| pioglitazone-metformin | 117 |
| piperacillin-tazobactam | 17 |
| PIQRAY | 33 |
| pirmella | 151 |
| piroxicam | 57 |
| PLEGRIDY | 130 |
| PLENU | 125 |
| PNEUMOVAX-23 | 137 |
| pnv 29-1 | 174 |
| pnv-dha | 174 |
| pnv-dha + docusate | 174 |
| pnv-omega | 174 |
| POCKET CHAMBER | 103 |
| podofilox | 87 |
| POLIVY | 33 |
| polycin | 154 |
| polymyxin b sulfate | 15 |
| polymyxin b sulf-trimethoprim | 155 |
| POLY-TUSSIN AC | 163 |
| POMALYST | 130 |
| portia 28 | 152 |
| PORTRAZZA | 33 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--|----------|
| posaconazole | 4 |
| POTABA..... | 172 |
| potassium chloride..... | 172 |
| potassium citrate..... | 171 |
| POTELIGEO..... | 33 |
| PR BENZOYL PEROXIDE. | 89 |
| pramipexole..... | 44 |
| prasugrel | 80 |
| pravastatin | 82 |
| PRAXBIND | 80 |
| praziquantel | 15 |
| prazosin | 72 |
| PRECISION XTRA KETONE-GLUCOSE | 108 |
| PRECISION XTRA MONITOR | 108 |
| PRECISION XTRA TEST. | 103 |
| prednicarbate | 95 |
| PREDNISOL ACE- GATIFLOX-BROMFEN | 157 |
| PREDNISOLN SP- MOXIFLOX-BROMFEN | 157 |
| prednisolone | 102 |
| prednisolone acetate | 160 |
| PREDNISOLONE ACETATE (PF)..... | 160 |
| PREDNISOLONE ACETATE- NEPAFENAC | 157 |
| PREDNISOLONE ACET- GATIFLOXACIN | 159 |
| PREDNISOLONE SOD PH- MOXIFLOX..... | 159 |
| prednisolone sodium phosphate | 102, 160 |
| PREDNISOLONE- MOXIFLO-NEPAFENAC | 157 |
| PREDNISOLONE- MOXIFLOXACIN HCL | 160 |
| PREDNISOLONE- MOXIFLOX-BROMFEN | 157 |
| prednisone | 102 |
| prednisone intensol..... | 102 |
| pregabalin | 42 |
| PREMARIN | 144 |
| PREMIUM BLOOD GLUCOSE MONITOR.. | 108 |
| PREMPHASE | 144 |
| PREMPRO | 144 |
| prenaissance..... | 174 |
| prenaissance plus | 174 |
| prenatabs rx | 174 |
| PRENATAL | 174 |
| prenatal plus (calcium carb) | 174 |
| prenatal vitamin plus low iron | 174 |
| PREPIDIL | 145 |
| preplus | 174 |
| PRESTALIA | 72 |
| PRETOMANID..... | 15 |
| prevalite | 82 |
| previfem..... | 152 |
| PREVNAR 13 (PF) | 137 |
| PREVYMIS | 7 |
| PREZISTA | 7 |
| PRIFTIN | 15 |
| primaquine..... | 15 |
| PRIMEAIRE | 103 |
| primidone..... | 42 |
| PRIVIGEN | 137 |
| PROAIR HFA | 167 |
| PROAIR RESPICLICK | 167 |
| probencid | 139 |
| probencid-colchicine | 139 |
| PROBUPHINE | 54 |
| procainamide | 67 |
| PRO-C-DURE 5 | 102 |
| PRO-C-DURE 6 | 102 |
| PROCHAMBER | 103 |
| prochlorperazine | 125 |
| prochlorperazine edisylate.. | 125 |
| prochlorperazine maleate .. | 125 |
| PROCORT..... | 125 |
| PROCRIT | 128 |
| PROCTOFOAM HC | 125 |
| proto-med hc | 125 |
| proto-pak..... | 125 |
| proctosol hc | 125 |
| protozone-hc | 125 |
| PROSYSBI | 171 |
| PRODIGY CONTROL SOLUTION, LOW | 108 |
| PRODIGY CONTROL SOLUTION,HIGH | 108 |
| PROFILNINE..... | 80 |
| progesterone | 144 |
| progesterone micronized ... | 145 |
| PROGLYCEM | 104 |
| PROGRAF | 33 |
| PROLASTIN-C | 98 |
| PROLENSA | 158 |
| PROLEUKIN | 131 |
| PROMACTA..... | 80 |
| promethazine | 162 |
| promethazine-codeine..... | 163 |
| promethazine-dm..... | 163 |
| promethazine-phenyleph- codeine..... | 163 |
| promethazine-phenylephrine | 163 |
| promethegan | 162 |
| PROMETRIUM | 145 |
| propafenone | 67 |
| proparacaine | 157 |
| propranolol | 72 |
| propranolol-hydrochlorothiazid | 73 |
| propylthiouracil | 102 |
| PROQUAD (PF)..... | 137 |
| PROSTIN E2 | 146 |
| protamine | 80 |
| protriptyline | 64 |
| PROVENGE..... | 137 |
| PROVENTIL HFA | 167 |
| PROVERA | 145 |
| PROZAC | 64 |
| pruclair..... | 87 |
| PULMICORT FLEXHALER | 168 |
| PULMOZYME..... | 168 |
| PURIXAN | 33 |
| pyrazinamide | 15 |
| pyridostigmine bromide.. | 47, 48 |
| PYRIDOSTIGMINE BROMIDE..... | 48 |
| pyrimethamine | 15 |
| Q | |
| QBREXZA | 87 |
| QINLOCK | 33 |
| QNDSL..... | 168 |
| QTERN | 117 |
| QUADRACEL (PF) | 137 |
| QUARTETTE..... | 152 |
| QUAZEPAM | 64 |
| QUESTRAN | 82 |
| QUESTRAN LIGHT | 82 |
| quetiapine | 64 |
| quinapril..... | 73 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|-----------------------------------|----------|
| quinapril-hydrochlorothiazide | 171 |
|73 | |
| quinidine gluconate | 126 |
| quinidine sulfate | 117 |
| quinine sulfate | 15 |
| QUINJA | 91 |
| quit 2 | 100 |
| quit 4 | 100 |
| QUZYTTR | 162 |
| QVAR REDIHALER | 168 |
| R | |
| rabeprazole | 128 |
| RADICAVA | 46 |
| RADIOGARDASE | 98 |
| raloxifene | 139 |
| ramelteon | 65 |
| ramipril | 73 |
| RANEXA | 83 |
| ranitidine hcl | 128 |
| ranolazine | 83 |
| RAPAMUNE | 33 |
| RAPIVAB (PF) | 7 |
| rasagiline | 44 |
| RASUVO (PF) | 141 |
| RAVICTI | 98 |
| RAZADYNE ER | 46 |
| READYSHARP KETOROLAC | 57 |
| REBIF (WITH ALBUMIN) | 130 |
|130 | |
| REBIF REBIDOSE | 130 |
| REBIF TITRATION PACK | 131 |
| REBINYN | 80 |
| REBLOZYL | 128 |
| RECARBRI | 15 |
| reclipsen (28) | 152 |
| RECOMBIVAX HB (PF) | 137 |
| RECTIV | 125 |
| REFUAH PLUS GLUCOSE CONTROL | 108 |
| regonol | 48 |
| REGRANEX | 87 |
| RELAFEN | 57 |
| RELENZA DISKHALER | 7 |
| RELEXXII | 65 |
| RELION NOVOLIN 70/30 | 111 |
| RELION NOVOLIN R | 111 |
| RELISTOR | 125, 126 |
| REMODULIN | 73 |
| RENACIDIN | 171 |
| RENFLEXIS | 126 |
| repaglinide | 117 |
| repaglinide-metformin | 117 |
| REPATHA PUSHTRONEX | 82 |
| REPATHA SURECLICK | 82 |
| REPATHA SYRINGE | 82 |
| RESPA-AR | 163 |
| RESTASIS | 157 |
| RESTASIS MULTIDOSE | 157 |
| RETACRIT | 128 |
| RETEVMO | 33 |
| RETROVIR | 7 |
| REVCovi | 98 |
| REVEL PROGRAMMABLE PUMP | 108 |
| REVLIMID | 131 |
| REXULTI | 65 |
| REYATAZ | 7 |
| REYVOW | 45 |
| RHOPRESSA | 159 |
| RIASTAP | 80 |
| ribavirin | 7, 131 |
| RIDAURA | 141 |
| rifabutin | 15 |
| rifampin | 15 |
| RIFATER | 15 |
| RIGHTEST CONTROL SOLUTION HIGH | 109 |
| RILUTEK | 98 |
| riluzole | 98 |
| rimantadine | 7 |
| ringer's | 96 |
| RINVOQ | 141 |
| risedronate | 98, 139 |
| RISPERDAL CONSTA | 65 |
| risperidone | 65 |
| RITEFLO AEROCHAMBER | 103 |
| ritonavir | 7 |
| rivastigmine | 46 |
| rivastigmine tartrate | 46 |
| rivelsa | 152 |
| RIXUBIS | 80 |
| rizatriptan | 45 |
| ROCKLATAN | 159 |
| ROMIDEPSIN | 33 |
| ropinirole | 44 |
| rosadan | 89 |
| rosula cleansing cloths | 89 |
| rosuvastatin | 82 |
| ROTATEQ VACCINE | 137 |
| roweepra | 42 |
| ROZLYTREK | 33 |
| RUBRACA | 33 |
| RUCONEST | 168 |
| RUKOBIA | 7 |
| RUXIENCE | 33 |
| RUZURGI | 47 |
| RYBELSUS | 117 |
| RYDAPT | 33 |
| RYTARY | 44 |
| S | |
| SABRIL | 42 |
| SAFE-CLIP BY MAIL | 109 |
| SAFYRAL | 152 |
| salicylic acid | 85, 86 |
| salicylic acid-ceramides no.186 | |
| salimez | 86 |
| SALIMEZ FORTE | 86 |
| salsalate | 57 |
| salvax | 86 |
| SAMSCA | 114 |
| SANCUSO | 126 |
| SANDIMMUNE | 33 |
| SANDOSTATIN | 34 |
| SANTYL | 95 |
| SAPHRIS | 65 |
| sapropterin | 114 |
| SARCLISA | 34 |
| SAVELLA | 141 |
| scalacort | 95 |
| SCALACORT DK | 95 |
| SCENESSE | 87 |
| scopolamine base | 126 |
| SEBUDERM | 87 |
| seconal sodium | 65 |
| SECUADO | 65 |
| SEEBRI NEOHALER | 168 |
| SEGLUROMET | 117 |
| selegiline hcl | 44 |
| selenium sulfide | 84 |
| SELZENTRY | 7 |
| SEMGLEE PEN U-100 INSULIN | 111 |
| SEMGLEE U-100 INSULIN | 111 |
|174 | |
| se-natal 19 chewable | 174 |
| se-natal-19 | 174 |
| SENSIPAR | 114 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---|--------------|
| SEREVENT DISKUS | 168 |
| SEROSTIM | 129 |
| sertraline | 65 |
| setlakin | 152 |
| sevelamer carbonate | 126 |
| sharobel | 145 |
| SHINGRIX (PF)..... | 137 |
| SIGNIFOR | 34 |
| sildenafil (pulm.hypertension) | 168 |
| SILENOR | 65 |
| SILIQ..... | 84 |
| silodosin | 171 |
| silver nitrate..... | 87 |
| silver nitrate applicators | 87 |
| silver sulfadiazine..... | 85 |
| SIMBRINZA | 159 |
| simliya (28) | 152 |
| simpesse | 152 |
| SIMPONI | 141 |
| SIMPONI ARIA..... | 141 |
| SIMULECT | 34 |
| simvastatin..... | 82 |
| SINUVA..... | 168 |
| sirolimus..... | 34 |
| SIRTURO..... | 15 |
| SIVEXTRO | 15 |
| SKELAXIN..... | 48 |
| SKLICE..... | 95 |
| SKYLA..... | 142 |
| SKYRIZI | 84 |
| SLYND..... | 152 |
| SMARTEST CONTROL ... | 109 |
| sodium benzoate-sod phenylacet..... | 98 |
| sodium chlor 0.9% bacteriostat | 98 |
| sodium chloride | 98, 168, 173 |
| sodium chloride 0.45 %..... | 173 |
| sodium chloride 0.9 %..... | 98 |
| sodium chloride 0.9 % (flush) | 98 |
| sodium chloride 3 % | 173 |
| sodium chloride 5 % | 173 |
| SODIUM EDECRIN..... | 73 |
| sodium phenylbutyrate | 98 |
| sodium polystyrene (sorb free) | 126 |
| sodium polystyrene sulfonate | 126 |
| SOFOSBUVIR- VELPATASVIR..... | 7 |
| SOLESTA | 126 |
| solifenacin | 170 |
| SOLIQUA 100/33 | 111 |
| SOLIRIS | 98 |
| SOLOSEC | 15 |
| SOLUS V2 CONTROL SOLUTION,HIGH..... | 109 |
| SOMATULINE DEPOT | 34 |
| SOMAVERT | 115 |
| sonafine | 87 |
| SORBITOL | 96 |
| SORBITOL-MANNITOL.... | 96 |
| SORILUX..... | 84 |
| sotalol | 67 |
| SOTALOL..... | 67 |
| sotalol af | 67 |
| SOTYLIZE..... | 67 |
| SOVALDI | 7 |
| SPACE CHAMBER..... | 103 |
| spinosad | 95 |
| spironolactone | 73 |
| spironolacton-hydrochlorothiaz | 73 |
| sprintec (28)..... | 152 |
| SPRITAM..... | 42 |
| SPRYCEL | 34 |
| sps (with sorbitol)..... | 126 |
| sronyx | 152 |
| ssd..... | 85 |
| SSKI | 102 |
| sss 10-5 | 89 |
| st joseph aspirin | 57 |
| st. joseph aspirin | 57 |
| stavudine..... | 7 |
| STEGLATRO | 117 |
| STELARA | 84, 85 |
| STIVARGA..... | 34 |
| stop smoking aid..... | 100 |
| STRENSIQ | 115 |
| STREPTOMYCIN | 15 |
| strong iodine | 91, 173 |
| SUBLOCADE | 54 |
| SUBOXONE | 57 |
| subvenite..... | 42 |
| subvenite starter (blue) kit.... | 42 |
| subvenite starter (green) kit.. | 42 |
| subvenite starter (orange) kit | 42 |
| SUCRAID | 126 |
| sucralfate..... | 128 |
| sulfacetamide sodium ... | 85, 161 |
| sulfacetamide sodium (acne) | 91 |
| sulfacetamide sodium-sulfur | 89 |
| sulfacetamide sod-sulfur-urea | 89 |
| sulfacetamide-prednisolone | 161 |
| sulfacetamide-sulfur-cleansr23 | 89 |
| sulfacleanse 8-4 | 89 |
| sulfadiazine..... | 18 |
| sulfamethoxazole-trimethoprim | 18 |
| SULFAMYLYON | 91 |
| sulfasalazine | 126 |
| sulfatrim..... | 18 |
| sulindac | 57 |
| sumatriptan | 45 |
| sumatriptan succinate | 45, 46 |
| sumatriptan-naproxen | 46 |
| SUNOSI..... | 65 |
| SUPREP BOWEL PREP KIT | 126 |
| SURFAXIN | 168 |
| SURVANTA | 98 |
| SUSTIVA | 7 |
| SUTENT | 34 |
| syeda | 152 |
| SYLATRON | 131 |
| SYLVANT | 34 |
| SYMAX DUOTAB | 120 |
| SYMBICORT | 168 |
| SYMDEKO | 168 |
| SYMFI..... | 7 |
| SYMFI LO..... | 7 |
| SYMJEPI..... | 162 |
| SYMLINPEN 120 | 117 |
| SYMLINPEN 60 | 117 |
| SYMPAZAN | 42 |
| SYMPROIC | 126 |
| SYNAGIS | 8 |
| SYNAREL | 115 |
| SYNDROS | 126 |
| SYNERCID | 15 |
| SYNJARDY | 118 |
| SYNJARDY XR..... | 118 |
| SYNRIBO..... | 34 |
| SYNTHROID | 119 |
| T | |
| T | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--|----------|
| SLIM X2 BASAL-IQ | |
| INSULIN PMP | 109 |
| SLIM X2 CONTROL-IQ | |
| | 109 |
| SLIM X2 INSULIN PUMP | |
| | 109 |
| TABLOID | 34 |
| TABRECTA | 34 |
| TACLONEX | 85 |
| tacrolimus | 34, 87 |
| tadalafil (pulg. hypertension) | 168 |
| TAFINLAR | 34 |
| TAGRISSO | 34 |
| TAKE ACTION | 152 |
| TAKHZYRO | 168 |
| TALTZ AUTOINJECTOR .. | 85 |
| TALTZ AUTOINJECTOR (2 PACK)..... | 85 |
| TALTZ AUTOINJECTOR (3 PACK)..... | 85 |
| TALTZ SYRINGE..... | 85 |
| TALZENNA..... | 34 |
| TAMIFLU | 8 |
| tamoxifen..... | 34 |
| tamsulosin..... | 171 |
| TAPAZOLE | 102 |
| TARCEVA | 34 |
| TARGRETIN | 34 |
| tarina 24 fe..... | 152 |
| tarina fe 1/20 (28)..... | 152 |
| taron-c dha..... | 174 |
| taron-prex prenatal-dha | 174 |
| TASIGNA | 34 |
| TASMAR | 44 |
| TASOPROL | 95 |
| TAVALISSE | 80 |
| TAYTULLA..... | 152 |
| tazarotene | 90 |
| tazicef | 11 |
| TAZORAC | 90 |
| taztia xt | 73 |
| TAZVERIK..... | 34 |
| TDVAX..... | 137 |
| TECARTUS | 35 |
| TECENTRIQ..... | 35 |
| TECFIDERA | 131 |
| TEFLARO | 11 |
| TEGSEDI | 47 |
| TEKTURNA | 73 |
| TEKTURNA HCT | 73 |
| TEL CARE CONTROL | 109 |
| telmisartan | 73 |
| telmisartan-amlodipine | 73 |
| telmisartan-hydrochlorothiazid | 73 |
| temazepam..... | 65 |
| TEMIXYS | 8 |
| TEMODAR | 35 |
| temozolomide | 35 |
| temsirolimus | 35 |
| tencon | 54 |
| TENIPOSIDE | 35 |
| TENIVAC (PF) | 137 |
| tenofovir disoproxil fumarate .8 | |
| TEPADINA | 35 |
| TEPEZZA..... | 115 |
| terazosin..... | 73 |
| terbinafine hcl..... | 4 |
| terbutaline | 168 |
| terconazole..... | 146 |
| TESTONE CIK | 115 |
| TESTOPEL | 115 |
| testosterone | 115 |
| testosterone cypionate | 115 |
| testosterone enanthate..... | 115 |
| TETANUS,DIPHTHERIA TOX PED(PF) | 137 |
| tetrabenazine..... | 47 |
| tetracaine hcl..... | 157 |
| TETRACAINE HCL (PF).. | 157 |
| tetracycline | 19 |
| THALOMID..... | 35 |
| theophylline | 168, 169 |
| THIOLA | 98 |
| THIOLA EC | 98 |
| thioridazine | 65 |
| thiotepa | 35 |
| thiothixene | 65 |
| THYMOGLOBULIN | 137 |
| THYROLAR-1 | 119 |
| THYROLAR-1/2..... | 119 |
| THYROLAR-1/4..... | 119 |
| THYROLAR-2 | 119 |
| THYROLAR-3 | 119 |
| tiadylt er..... | 73 |
| tiagabine | 42 |
| TIBSOVO..... | 35 |
| TICALAST | 169 |
| TICANASE | 169 |
| TICASPRAY | 169 |
| TIGLUTIK | 98 |
| tilia fe..... | 152 |
| TIMOL-BRIMON-DORZO- LATANOP(PF) | 159 |
| timolol maleate | 73, 155 |
| TIMOLOL-BRIMONIDI- DORZOLAM(PF) | 159 |
| TIMOLOL-DORZOLAMID- LATANOP(PF) | 159 |
| TIMOLOL- LATANOPROST(PF) | 159 |
| tinidazole | 15 |
| tis-u-sol pentalyte | 96 |
| TIVICAY | 8 |
| TIVICAY PD..... | 8 |
| tizanidine | 48 |
| TOBI PODHALER | 15 |
| TOBRADEX | 160 |
| TOBRADEX ST..... | 160 |
| tobramycin | 16, 155 |
| tobramycin in 0.225 % nacl.. | 15 |
| tobramycin in 0.9 % nacl..... | 16 |
| tobramycin sulfate | 16 |
| TOBRAMYCIN WITH NEBULIZER | 16 |
| tobramycin-dexamethasone | 160 |
| TOBREX | 155 |
| TODAY CONTRACEPTIVE SPONGE..... | 146 |
| tolcapone..... | 44 |
| tolmetin..... | 57 |
| tolterodine..... | 170 |
| tolvaptan | 115 |
| topiramate | 42 |
| TOPIRAMATE | 42 |
| toposar | 35 |
| topotecan..... | 35 |
| toremifene | 35 |
| TORISEL | 35 |
| TORONOVA II SUIK..... | 57 |
| TORONOVA SUIK | 57 |
| torsemide | 73 |
| TOTECT | 21 |
| TOUJE MAX U-300 SOLOSTAR | 112 |
| TOUJE SOLOSTAR U-300 INSULIN | 112 |
| TOVIAZ | 170 |
| TRACLEER | 169 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|------------------------------------|-----------------|
| TRADJENTA | 118 |
| tramadol | 57 |
| tramadol-acetaminophen | 57 |
| trandolapril | 73 |
| trandolapril-verapamil | 73 |
| tranexamic acid | 80, 146 |
| TRANEXAMIC ACID IN NACL,ISO-OS | 80 |
| TRANSDERM-SCOP | 126 |
| tranylcypromine | 65 |
| TRAVATAN Z | 159 |
| TRAZIMERA | 35 |
| trazodone | 65 |
| TREANDA | 35 |
| TRECATOR | 16 |
| TRELEGY ELLIPTA | 169 |
| TRELSTAR | 35 |
| TREMFYA | 85 |
| treprostinil sodium | 73 |
| TRESIBA FLEXTOUCH U- 100 | 112 |
| TRESIBA FLEXTOUCH U- 200 | 112 |
| TRESIBA U-100 INSULIN | 112 |
| tretinoin | 90 |
| tretinoin (antineoplastic) | 35 |
| tretinoin microspheres | 90 |
| TRETEN | 80 |
| TREXALL | 35 |
| tri femynor | 152 |
| TRIAMCINOL ACE-BUPIV- 0.9% NACL | 102 |
| triamcinolone acetonide | 95, 100, 102 |
| triamterene | 73 |
| triamterene-hydrochlorothiazid | 73, 74 |
| triazolam | 65 |
| triderm | 95 |
| trientine | 99 |
| tri-estarylla | 152 |
| TRIFERIC | 174 |
| trifluoperazine | 65 |
| trifluridine | 155 |
| trihexyphenidyl | 44 |
| TRIJARDY XR | 118 |
| TRIKAFFTA | 169 |
| tri-legest fe | 152 |
| tri-linyah | 152 |
| tri-lo-estarylla | 152 |
| tri-lo-marzia | 153 |
| tri-lo-mili | 153 |
| tri-lo-sprintec | 153 |
| trilyte with flavor packets | 126 |
| trimethobenzamide | 126 |
| trimethoprim | 20 |
| tri-mili | 153 |
| trimipramine | 65 |
| TRIMO-SAN JELLY | 146 |
| trinalat rx 1 | 174 |
| TRINTELLIX | 66 |
| tri-previfem (28) | 153 |
| TRIPTODUR | 36 |
| TRISENOX | 36 |
| tri-sprintec (28) | 153 |
| TRIUMEQ | 8 |
| trivora (28) | 153 |
| tri-vylibra | 153 |
| tri-vylibra lo | 153 |
| TRIZIVIR | 8 |
| TRODELVY | 36 |
| TROGARZO | 8 |
| TROKENDI XR | 42 |
| tropicamide | 156 |
| trospium | 170 |
| TRUE METRIX LEVEL 1 | 109 |
| TRUECONTROL LEVEL 0 | 109 |
| TRULANCE | 126 |
| TRULICITY | 118 |
| TRUMENBA | 137 |
| TRUSOPT | 159 |
| TRUSTEEL INFUSION SET 32 | 109 |
| TRUVADA | 8 |
| TRUXIMA | 36 |
| TUKYSA | 36 |
| tulana | 145 |
| TURALIO | 36 |
| TWINRIX (PF) | 138 |
| TWIRLA | 146 |
| TYBOST | 8 |
| tydemy | 153 |
| TYKERB | 36 |
| TYMLOS | 139 |
| TYPHIM VI | 138 |
| TYSABRI | 47 |
| TYVASO | 169 |
| TYVASO REFILL KIT | 169 |
| TYVASO STARTER KIT | 169 |
| U | |
| UBRELVY | 46 |
| UCERIS | 126 |
| UDENYCA | 129 |
| ULESFIA | 95 |
| ULORIC | 139 |
| ULTOMIRIS | 99 |
| ULTRAM | 57 |
| ULTRASAL-ER | 86 |
| umecta | 87 |
| UNISTRIP LOW CONTROL | 109 |
| unithroid | 119 |
| UNITUXIN | 36 |
| UPLIZNA | 36 |
| UPNEEQ | 161 |
| UPTRAVI | 74 |
| urea | 87 |
| urea nail stick | 87 |
| uretron d-s | 171 |
| urimar-t | 171 |
| urin ds | 171 |
| uro-458 | 171 |
| UROCIT-K 10 | 171 |
| UROCIT-K 15 | 171 |
| UROCIT-K 5 | 171 |
| urogesic-blue | 172 |
| uro-mp | 172 |
| ursodiol | 126 |
| uryl | 172 |
| ustell | 172 |
| UTIBRON NEOHALER | 169 |
| utira-c | 172 |
| UVADEX | 87 |
| V | |
| VABOMERE | 16 |
| vaginal contraceptive foam | 146 |
| valacyclovir | 8 |
| VALCHLOR | 87 |
| valganciclovir | 8 |
| valproate sodium | 42 |
| valproic acid | 42 |
| valproic acid (as sodium salt) | 42 |
| valsartan | 74 |
| valsartan-hydrochlorothiazide | 74 |
| VALTOCO | 43 |
| VANCOCIN | 20 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--|--------|
| vancomycin | 20, 21 |
| VANCOMYCIN | 20, 21 |
| VANCOMYCIN HCL IN WATER..... | 20 |
| VANCOMYCIN IN 0.9 % SODIUM CHL..... | 20 |
| VANCOMYCIN IN DEXTROSE 5 %..... | 20 |
| VANCOMYCIN-WATER INJECT (PEG) | 21 |
| VANOXIDE-HC..... | 90 |
| VANTAS..... | 36 |
| VAQTA (PF)..... | 138 |
| VARISOFT INFUSION SET 43..... | 109 |
| VARIVAX (PF)..... | 138 |
| VARIZIG | 138 |
| VARUBI..... | 127 |
| VASCEPA..... | 82 |
| VCF CONTRACEPTIVE FILM | 146 |
| VCF CONTRACEPTIVE GEL | 146 |
| VECAMYL | 83 |
| VECTIBIX | 36 |
| VELCADE | 36 |
| veletri..... | 74 |
| velivet triphasic regimen (28) | 153 |
| VELPHORO..... | 127 |
| VEMLIDY | 8 |
| VENCLEXTA | 36 |
| VENCLEXTA STARTING PACK | 36 |
| venlafaxine | 66 |
| VENOFER | 174 |
| VENTAVIS | 169 |
| VENTOLIN HFA..... | 169 |
| verapamil..... | 74 |
| VERASENS CONTROL SOLN-LEVEL 1 | 109 |
| VERZENIO | 36 |
| VESICARE | 170 |
| VFEND..... | 4 |
| V-GO 20..... | 109 |
| V-GO 30..... | 109 |
| V-GO 40..... | 109 |
| VIBATIV | 21 |
| VIBERZI | 127 |
| VIBRAMYCIN | 19 |
| vienna | 153 |
| vigabatrin..... | 43 |
| vigadroner | 43 |
| VIIBRYD | 66 |
| vilamit mb..... | 172 |
| VIMIZIM..... | 115 |
| VIMPAT..... | 43 |
| vinblastine | 36 |
| vincasar pfs..... | 36 |
| vincristine | 36 |
| vinorelbine..... | 36 |
| VIOKACE | 127 |
| viorele (28) | 153 |
| VIRACEPT | 8 |
| VIRAMUNE | 8 |
| VIRAMUNE XR | 8 |
| VIREAD | 8 |
| virt-c dha..... | 174 |
| virt-pn dha | 174 |
| virt-pn plus | 174 |
| virtussin dac..... | 163 |
| VISTOGARD | 22 |
| VISUDYNE..... | 157 |
| vitamin k..... | 80 |
| vitamin k1..... | 80 |
| VITRAKVI..... | 36 |
| VITRASE | 157 |
| VIVAGUARD INO CTRL SOLN-L1,2,3..... | 109 |
| VIVITROL | 57 |
| VIVOTIF | 138 |
| VIZIMPRO..... | 37 |
| volnea (28)..... | 153 |
| VONVENDI | 80 |
| VORAXAZE | 22 |
| voriconazole | 4 |
| VOSEVI | 8 |
| VOTRIENT | 37 |
| vp-ch-pnv..... | 174 |
| VPRIV | 115 |
| VRAYLAR..... | 66 |
| VUMERTY | 131 |
| VYEPTI..... | 46 |
| vyfemla (28) | 153 |
| vylibra..... | 153 |
| VYNDAMAX | 83 |
| VYNDAQEL..... | 83 |
| VYVANSE..... | 66 |
| VYXEOS | 37 |
| VYZULTA | 159 |
| W | |
| WAKIX | 66 |
| warfarin..... | 80 |
| water for irrigation, sterile.... | 99 |
| WAVENSENSE CONTROL SOLUTION | 109 |
| wera (28)..... | 153 |
| westhroid | 119 |
| WIDE-SEAL DIAPHRAGM | 142 |
| WILATE | 80 |
| wintergreen oil..... | 87 |
| wixela inhub | 169 |
| wymzya fe | 153 |
| X | |
| XALKORI | 37 |
| XARELTO | 80 |
| XARELTO DVT-PE TREAT 30D START..... | 80 |
| XCOPRI | 43 |
| XCOPRI MAINTENANCE PACK | 43 |
| XCOPRI TITRATION PACK | 43 |
| XELJANZ..... | 141 |
| XELJANZ XR | 141 |
| XEMBIFY | 138 |
| XENLETA..... | 16 |
| XERAVA | 20 |
| XERMELO | 37 |
| XGEVA | 22 |
| XIGDUO XR | 118 |
| XXIIDRA | 157 |
| XOFLUZA | 8 |
| XOLAIR | 169 |
| XOPENEX | 170 |
| XOPENEX CONCENTRATE | 170 |
| XOSPATA | 37 |
| XTAMPZA ER | 54 |
| XTANDI | 37 |
| xulane | 146 |
| XULTOPHY 100/3.6 | 112 |
| XURIDEN | 99 |
| XYREM | 66 |
| Y | |
| YAZ (28) | 153 |
| YEROVY | 37 |
| YESCARTA | 37 |
| YONDELIS | 37 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|---|----------|
| YONSA | 37 |
| YUPELRI..... | 170 |
| yuvafem..... | 145 |
| Z | |
| zafirlukast..... | 170 |
| zaleplon | 66 |
| ZALTRAP..... | 37 |
| ZANOSAR..... | 37 |
| zarah | 153 |
| ZARONTIN | 43 |
| ZARXIO..... | 129 |
| zatean-pn dha..... | 174 |
| zatean-pn plus..... | 175 |
| ZAVESCA | 115 |
| ZCORT..... | 102 |
| zebutal | 54 |
| ZEJULA | 37 |
| ZELBORAF | 37 |
| ZEMAIRA..... | 99 |
| ZEMDRI..... | 16 |
| ZEMPLAR | 115 |
| zenatane..... | 90 |
| ZENPEP | 127 |
| zenzedi..... | 66 |
| ZEPOSIA | 131 |
| ZEPOSIA STARTER KIT | 131 |
| ZEPOSIA STARTER PACK | 131 |
| ZEPZELCA | 37 |
| ZERBAXA | 11 |
| ZERVIADE | 157 |
| ZEVALIN (Y-90)..... | 37 |
| ZIAGEN | 8 |
| zidovudine | 9 |
| ZIEXTENZO | 129 |
| zileuton | 170 |
| zingiber | 175 |
| ziprasidone hcl..... | 66 |
| ZIRABEV | 37 |
| ZIRGAN | 155 |
| ZITHRANOL | 85 |
| ZOFRAN | 127 |
| ZOHYDRO ER | 54 |
| ZOLADEX | 37 |
| zoledronic acid | 115, 116 |
| zoledronic acid-mannitol-water | 99, 116 |
| ZOLEDRONIC AC-MANNITOL-0.9NACL | 116 |
| ZOLGENSMA | 47 |
| ZOLINZA | 37 |
| zolmitriptan..... | 46 |
| ZOLPAK | 92 |
| zolpidem | 66 |
| ZOLPIMIST | 66 |
| ZOMIG | 46 |
| zonisamide | 43 |
| ZONTIVITY | 81 |
| ZORBTIVE | 129 |
| ZORTRESS | 37 |
| ZOSTAVAX (PF) | 138 |
| ZOSYN IN DEXTROSE (ISO-OSM) | 18 |
| zovia 1/35e (28)..... | 153 |
| ZOVIRAX | 92 |
| ZUBSOLV | 57 |
| ZULRESSO | 66 |
| zumandimine (28)..... | 153 |
| ZYDELIG | 37 |
| ZYFLO | 170 |
| ZYKADIA | 37 |
| ZYLET | 160 |
| ZYLOPRIM | 139 |
| ZYMAXID | 155 |
| ZYPREXA RELPREVV | 66 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.